
**Thermal performance of buildings —
Transmission and ventilation heat
transfer coefficients — Calculation
method**

*Performance thermique des bâtiments — Coefficients de transfert
de chaleur par transmission et par renouvellement d'air — Méthode
de calcul*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 13789:2017](https://standards.iteh.ai/catalog/standards/sist/f41725c0-b3d3-40d9-b559-ff9281d564e1/iso-13789-2017)

[https://standards.iteh.ai/catalog/standards/sist/f41725c0-b3d3-40d9-b559-
ff9281d564e1/iso-13789-2017](https://standards.iteh.ai/catalog/standards/sist/f41725c0-b3d3-40d9-b559-ff9281d564e1/iso-13789-2017)



iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 13789:2017

<https://standards.iteh.ai/catalog/standards/sist/f41725c0-b3d3-40d9-b559-ff9281d564e1/iso-13789-2017>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols and subscripts	4
4.1 Symbols.....	4
4.2 Subscripts.....	4
5 Description of the method	5
5.1 Output.....	5
5.2 General description.....	5
6 Calculation of heat transfer coefficients	5
6.1 Output data.....	5
6.2 Calculation time intervals.....	7
6.3 Input data.....	7
6.4 Measurement of dimensions.....	8
6.5 Boundaries of conditioned space.....	8
7 Transmission heat transfer coefficient	10
7.1 Basic formula.....	10
7.2 Mean thermal transmittance of building fabric.....	10
7.3 Direct transmission between internal and external environments.....	11
7.4 Transmission heat transfer coefficient through the ground.....	12
7.5 Transmission heat transfer coefficient through unconditioned spaces.....	12
7.6 Heat transfer to adjacent buildings.....	13
8 Ventilation heat transfer coefficient	14
9 Additional conventions	14
9.1 General.....	14
9.2 Transmission heat transfer coefficient through the ground.....	14
9.3 Variable thermal transmittance.....	14
9.4 Air change rates of unconditioned spaces.....	14
9.5 Conventional values of surface heat transfer coefficient.....	15
10 Report	16
Annex A (normative) Input and method selection data sheet — Template	17
Annex B (informative) Input and method selection data sheet — Default choices	20
Annex C (normative) Temperature in an unconditioned space	23
Bibliography	24

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html. (standards.iteh.ai)

ISO 13789 was prepared by ISO Technical Committee ISO/TC 163, *Thermal performance and energy use in the built environment*, Subcommittee SC 2, *Calculation methods*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 89, *Thermal performance of buildings and building components*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This third edition cancels and replaces the second edition (ISO 13789:2007), which has been technically revised.

The changes in this third edition are mostly editorial. The document has been re-drafted according to CEN/TS 16629:2014.

Introduction

This document is part of a series aimed at the international harmonization of the methodology for assessing the energy performance of buildings. Throughout, this series is referred to as a “set of EPB standards”.

All EPB standards follow specific rules to ensure overall consistency, unambiguity and transparency.

All EPB standards provide a certain flexibility with regard to the methods, the required input data and references to other EPB standards, by the introduction of a normative template in [Annex A](#) and [Annex B](#) with informative default choices.

For the correct use of this document, a normative template is given in [Annex A](#) to specify these choices. Informative default choices are provided in [Annex B](#).

The main target groups for this document are architects, engineers and regulators.

Use by or for regulators: In case the document is used in the context of national or regional legal requirements, mandatory choices may be given at national or regional level for such specific applications. These choices (either the informative default choices from [Annex B](#) or choices adapted to national/regional needs, but in any case following the template of [Annex A](#)) can be made available as national annex or as separate (e.g. legal) document (national data sheet).

NOTE 1 So in this case:

- the regulators will specify the choices;
- the individual user will apply the document to assess the energy performance of a building, and thereby use the choices made by the regulators.

Topics addressed in this document can be subject to public regulation. Public regulation on the same topics can override the default values in [Annex B](#). Public regulation on the same topics can even, for certain applications, override the use of this document. Legal requirements and choices are in general not published in standards but in legal documents. In order to avoid double publications and difficult updating of double documents, a national annex may refer to the legal texts where national choices have been made by public authorities. Different national annexes or national data sheets are possible, for different applications.

It is expected, if the default values, choices and references to other EPB standards in [Annex B](#) are not followed due to national regulations, policy or traditions, that:

- national or regional authorities prepare data sheets containing the choices and national or regional values, according to the model in [Annex A](#). In this case a national annex (e.g. NA) is recommended, containing a reference to these data sheets;
- or, by default, the national standards body will consider the possibility to add or include a national annex in agreement with the template of [Annex A](#), in accordance to the legal documents that give national or regional values and choices.

Further target groups are parties wanting to motivate their assumptions by classifying the building energy performance for a dedicated building stock.

More information is provided in the Technical Report (ISO/TR 52019-2) accompanying this document.

The subset of EPB standards prepared under the responsibility of ISO/TC 163/SC 2 cover *inter alia*:

- calculation procedures on the overall energy use and energy performance of buildings;
- calculation procedures on the internal temperature in buildings (e.g. in case of no space heating or cooling);
- indicators for partial EPB requirements related to thermal energy balance and fabric features;

ISO 13789:2017(E)

- calculation methods covering the performance and thermal, hygrothermal, solar and visual characteristics of specific parts of the building and specific building elements and components, such as opaque envelope elements, ground floor, windows and facades.

ISO/TC 163/SC 2 cooperates with other technical committees for the details on appliances, technical building systems, indoor environment, etc.

This document provides the means (in part) to assess the contribution that building products and services make to energy conservation and to the overall energy performance of buildings.

The aims of ISO 13789 are

- to clarify the international market through the harmonized definition of intrinsic characteristics of buildings;
- to help in judging compliance with regulations;
- to provide input data for calculation of annual energy use for heating or cooling of buildings.

The result of the calculations can be used as input for calculation of annual energy use and heating or cooling load of buildings, for expressing the thermal transmission and/or ventilation characteristics of a building or for judging compliance with specifications expressed in terms of transmission and/or ventilation heat transfer coefficients.

[Table 1](#) shows the relative position of this document within the set of EPB standards in the context of the modular structure as set out in ISO 52000-1.

NOTE 2 In ISO/TR 52000-2, the same table can be found, with, for each module, the numbers of the relevant EPB standards and accompanying technical reports that are published or in preparation.

NOTE 3 The modules represent EPB standards, although one EPB standard could cover more than one module and one module could be covered by more than one EPB standard, for instance, a simplified and a detailed method respectively. See also [Tables A.1](#) and [B.1](#).

Table 1 — Position of this document (*in casu* M2-5 and M2-6) within the modular structure of the set of EPB standards

Sub module	Overarching		Building (as such)		Technical building systems									
	Descriptions		Descriptions		Descriptions	Heating	Cooling	Ventilation	Humidification	Dehumidification	Domestic hot water	Lighting	Building automation and control	PV, wind, ..
sub1		M1		M2		M3	M4	M5	M6	M7	M8	M9	M10	M11
1	General		General		General									
2	Common terms and definitions; symbols, units and subscripts		Building energy needs		Needs								a	
3	Applications		(Free) Indoor conditions without systems		Maximum load and power									

^a The shaded modules are not applicable.

<https://standards.iteh.ai/catalog/standards/sist/f41725c0-b3d3-40d9-b559-ff9281d564e1/iso-13789-2017>
 (standards.iteh.ai)

Overarching		Building (as such)		Technical building systems										
Sub module	Descriptions		Descriptions		Descriptions	Heating	Cooling	Ventilation	Humidification	Dehumidification	Domestic hot water	Lighting	Building automation and control	PV, wind, ..
sub1		M1		M2		M3	M4	M5	M6	M7	M8	M9	M10	M11
4	Ways to express energy performance		Ways to express energy performance		Ways to express energy performance									
5	Building categories and building boundaries		Heat transfer by transmission	ISO 13689	Emission and control									
6	Building occupancy and operating conditions		Heat transfer by infiltration and ventilation	ISO 13689	Distribution and control									
7	Aggregation of energy services and energy carriers		Internal heat gains		Storage and control									
8	Building zoning		Solar heat gains		Generation and control									
9	Calculated energy performance		Building dynamics (thermal mass)		Load dispatching and operating conditions									
10	Measured energy performance		Measured energy performance		Measured energy performance									
11	Inspection		Inspection		Inspection									

^a The shaded modules are not applicable.

Table 1 (continued)

Sub module	Overarching		Building (as such)		Technical building systems									
	Descriptions		Descriptions		Descriptions	Heating	Cooling	Ventilation	Humidification	Dehumidification	Domestic hot water	Lighting	Building automation and control	PV, wind, ..
sub1		M1		M2		M3	M4	M5	M6	M7	M8	M9	M10	M11
12	Ways to express indoor comfort				BMS									
13	External environment conditions													
14	Economic calculation													

^a The shaded modules are not applicable.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

ISO 13789:2017

<https://standards.iteh.ai/catalog/standards/sist/f41725c0-b3d3-40d9-b559-ff9281d564e1/iso-13789-2017>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 13789:2017

<https://standards.iteh.ai/catalog/standards/sist/f41725c0-b3d3-40d9-b559-ff9281d564e1/iso-13789-2017>

Thermal performance of buildings — Transmission and ventilation heat transfer coefficients — Calculation method

1 Scope

This document specifies a method and provides conventions for the calculation of the steady-state transmission and ventilation heat transfer coefficients of whole buildings and parts of buildings. It is applicable both to heat loss (internal temperature higher than external temperature) and to heat gain (internal temperature lower than external temperature). For the purpose of this document, the heated or cooled space is assumed to be at uniform temperature.

Annex C provides a steady-state method to calculate the temperature in unconditioned spaces adjacent to conditioned spaces.

NOTE Table 1 in the Introduction shows the relative position of this document within the set of EPB standards in the context of the modular structure as set out in ISO 52000-1.

2 Normative references

The following documents are referred to in text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6946, *Building components and building elements — Thermal resistance and thermal transmittance — Calculation method* [ISO 13789:2017](https://standards.iteh.ai/catalog/standards/sist/f41725c0-b3d3-40d9-b559-)

<https://standards.iteh.ai/catalog/standards/sist/f41725c0-b3d3-40d9-b559->
ISO 7345, *Thermal insulation — Physical quantities and definitions*

ISO 10077-1, *Thermal performance of windows, doors and shutters — Calculation of thermal transmittance — Part 1: General*

ISO 10211, *Thermal bridges in building construction — Heat flows and surface temperatures — Detailed calculations*

ISO 12631, *Thermal performance of curtain walling — Calculation of thermal transmittance*

ISO 13370, *Thermal performance of buildings — Heat transfer via the ground — Calculation methods*

ISO 14683, *Thermal bridges in building construction — Linear thermal transmittance — Simplified methods and default values*

ISO 52000-1:2017, *Energy performance of buildings — Overarching EPB assessment — Part 1: General framework and procedures*

NOTE 1 Default references to EPB standards other than ISO 52000-1 are identified by the EPB module code number and given in [Annex A](#) (normative template in Table A.1) and [Annex B](#) (informative default choice in Table B.1).

EXAMPLE EPB module code number: M5-5, or M5-5,1 (if module M5-5 is subdivided), or M5-5/1 (if reference to a specific clause of the standard covering M5-5).

NOTE 2 In this document, there are no choices in references to other EPB standards. The sentence and note above is kept to maintain uniformity between all EPB standards.

3 Terms and definitions

For the purposes of this document, the terms and definitions in ISO 7345 and ISO 52000-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 heated space

room or enclosure that, for the purposes of a calculation, is assumed to be heated for a given duration or durations to a given set-point temperature or set point temperatures

3.2 cooled space

room or enclosure that, for the purposes of a calculation, is assumed to be cooled for a given duration or durations to a given set-point temperature or set-point temperatures

3.3 conditioned space

heated and/or cooled space

Note 1 to entry: The heated and/or cooled spaces are used to define the thermal envelope.

3.4 unconditioned space

room or enclosure which is not part of a conditioned space

3.5 heat transfer coefficient

heat flow rate divided by temperature difference between two environments

Note 1 to entry: Specifically used for heat transfer coefficient by transmission or ventilation.

3.6 transmission heat transfer coefficient

heat flow rate due to thermal transmission through the fabric of a building, divided by the difference between the environment temperatures on either side of the construction

Note 1 to entry: By convention, if the heat is transferred between a conditioned space and the external environment, the sign is positive if the heat flow is from the space to outside (heat loss).

3.7 ventilation heat transfer coefficient

heat flow rate due to air entering a conditioned space either by infiltration or ventilation, divided by the temperature difference between the internal air and the supply air temperature

Note 1 to entry: The supply temperature for infiltration is equal to the external temperature.

3.8 building heat transfer coefficient

sum of transmission and ventilation heat transfer coefficients