
Mala plovila - Konstrukcija trupa in dimenzioniranje - 7. del: Določanje obremenitev za večtrupna plovila in njihove krajevne dimenzije z uporabo ISO 12215-5 (ISO 12215-7:2020)

Small craft - Hull construction and scantlings - Part 7: Determination of loads for multihulls and of their local scantlings using ISO 12215-5 (ISO 12215-7:2020)

Kleine Wasserfahrzeuge - Rumpfbauweise und Dimensionierung - Teil 7: Bestimmung der Lasten für Mehrtruppfahrzeuge und ihrer lokalen Dimensionierungen unter Anwendung der ISO 12215-5 (ISO 12215-7:2020)

Petits navires - Construction de la coque et échantillonnage - Partie 7: Détermination des charges des multicoques et de leur échantillonnage local en utilisant l'ISO 12215-5 (ISO 12215-7:2020)

Ta slovenski standard je istoveten z: EN ISO 12215-7:2020

ICS:

47.020.10	Ladijski trupi in njihovi konstrukcijski elementi	Hulls and their structure elements
47.080	Čolni	Small craft

SIST EN ISO 12215-7:2021**en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 12215-7:2021](https://standards.iteh.ai/catalog/standards/sist/1bfl edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021)

<https://standards.iteh.ai/catalog/standards/sist/1bfl edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021>

EUROPEAN STANDARD

EN ISO 12215-7

NORME EUROPÉENNE

EUROPÄISCHE NORM

November 2020

ICS 47.080

English Version

Small craft - Hull construction and scantlings - Part 7: Determination of loads for multihulls and of their local scantlings using ISO 12215-5 (ISO 12215-7:2020)

Petits navires - Construction de la coque et échantillonnage - Partie 7: Détermination des charges des multicoques et de leur échantillonnage local en utilisant l'ISO 12215-5 (ISO 12215-7:2020)

Kleine Wasserfahrzeuge - Rumpfbauweise und Dimensionierung - Teil 7: Bestimmung der Lasten für Mehrrippfahrzeuge und ihrer lokalen Dimensionierungen unter Anwendung der ISO 12215-5 (ISO 12215-7:2020)

This European Standard was approved by CEN on 20 July 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

(standards.iteh.ai)

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

<https://standards.iteh.ai/catalog/standards/sist/1bfl9dd9-c30e-405b-a4fa->

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 12215-7:2021](https://standards.iteh.ai/catalog/standards/sist/1bf1edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021)
<https://standards.iteh.ai/catalog/standards/sist/1bf1edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021>

European foreword

This document (EN ISO 12215-7:2020) has been prepared by Technical Committee ISO/TC 188 "Small craft" in collaboration with CCMC.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2021, and conflicting national standards shall be withdrawn at the latest by May 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 12215-7:2020 has been approved by CEN as EN ISO 12215-7:2020 without any modification.

[SIST EN ISO 12215-7:2021
https://standards.iteh.ai/catalog/standards/sist/1bfl9dd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021](https://standards.iteh.ai/catalog/standards/sist/1bfl9dd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 12215-7:2021](https://standards.iteh.ai/catalog/standards/sist/1bfl edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021)

<https://standards.iteh.ai/catalog/standards/sist/1bfl edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021>

INTERNATIONAL
STANDARD

ISO
12215-7

First edition
2020-11

**Small craft — Hull construction and
scantlings —**

Part 7:

**Determination of loads for multihulls
and of their local scantlings using
ISO 12215-5**

iTeh STANDARD PREVIEW

*Petits navires — Construction de la coque et échantillonnage —
Partie 7: Détermination des charges des multicoques et de leur
échantillonnage local en utilisant l'ISO 12215-5*

<https://standards.iteh.ai/catalog/standards/sist/1bfl edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021>



Reference number
ISO 12215-7:2020(E)

© ISO 2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 12215-7:2021](https://standards.iteh.ai/catalog/standards/sist/1bfl edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021)

<https://standards.iteh.ai/catalog/standards/sist/1bfl edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols	4
5 Application of this document	6
5.1 Materials.....	6
5.2 Limitations.....	6
5.3 Overall procedure for the application of this document.....	7
6 Main dimensions, data and areas	7
6.1 Dimensions and data.....	7
6.1.1 General.....	7
6.1.2 Bottom deadrise of the hulls β_x and chine beam B_{Cx} of planing multihulls.....	7
6.1.3 Wet deck bottom.....	8
6.1.4 Crossbeams.....	8
6.2 Areas.....	11
7 Dimensions and pressure for panels and stiffeners under local loads	14
7.1 General.....	14
7.2 Example of application on multihulls.....	14
7.2.1 Sections.....	14
7.2.2 Details on panel assessment and dimensions.....	16
7.2.3 The constant averaged pressure method.....	16
7.2.4 Other assessment and dimensioning methods.....	17
7.2.5 Panels acting as "natural" stiffeners.....	17
7.3 Other topics on panel or stiffener dimensions.....	17
8 Local pressure-adjusting factors	17
9 Local design pressures	24
9.1 General.....	24
9.2 Limits of areas.....	24
9.3 Tables defining the local design pressures for multihulls.....	24
9.4 Design pressure for trimaran floats P_{TRFX}	27
9.4.1 Pressure reduction factors.....	27
9.4.2 Pressure.....	27
9.5 Design pressure on watertight bulkheads and integral tanks.....	27
10 Further treatment of structural elements subject to local loads	27
11 Assessment of multihulls rudders, appendages and their wells	28
12 Multihull global loads	28
12.1 General.....	28
12.2 Typical structural arrangements.....	28
12.3 Global load assessment.....	30
12.3.1 General.....	30
12.3.2 The simplified method.....	30
12.3.3 The enhanced method.....	31
12.4 Design stresses under global loads.....	32
12.5 Global load case GLC1: Diagonal load in quartering sea.....	32
12.6 Global load case GLC 2: Rig loads.....	33
12.7 Combination of diagonal load GLC 1 and rig load GLC 2 for sailing multihulls.....	33
12.8 Global load case GLC 3: Asymmetric broaching loads in sailing multihulls.....	33

ISO 12215-7:2020(E)

12.9	Global load case GLC 4: Longitudinal broaching/pitchpoling.....	34
12.9.1	General.....	34
12.9.2	Full method of analysis of the buoyancy load when the craft pitchpoles.....	35
12.10	Global load case GLC 5: Longitudinal force on one hull.....	36
12.10.1	General.....	36
12.10.2	Longitudinal force.....	36
12.11	Global load case GLC 6: Bending of crossbeams connecting hulls for motor catamarans..	37
13	Structural arrangement for supporting global loads.....	38
14	Multihulls used as commercial craft and workboats.....	38
15	Information to be included in the owner's manual.....	38
15.1	General.....	38
15.2	Respect of maximum loaded displacement.....	38
15.3	Operational guidance.....	38
15.4	Information to take care of sandwich plating.....	38
15.5	Information required by Annex J of ISO 12215-5:2019 - for commercial craft and workboat.....	38
Annex A (informative)	Application sheet of ISO 12215-7.....	39
Annex B (informative)	"Established practice" recommendations for global loads assessment using FEM methods and reporting.....	41
Annex C (informative)	"Established practice" details.....	43
Annex D (informative)	Technical background and example of torsional moment analysis with differential deflection of crossbeams.....	51
Bibliography	(standards.iteh.ai)	58

SIST EN ISO 12215-7:2021

<https://standards.iteh.ai/catalog/standards/sist/1bfl edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 188, *Small craft*.

A list of all parts in the ISO 12215 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO 12215-7:2020(E)

Introduction

The reason underlying the preparation of this document is that standards and recommended practices for loads on the hull and the dimensioning of small craft differ considerably, thus limiting the general worldwide acceptability of boat scantlings. This document has been set towards the minimal requirements of the current practice.

The dimensioning according to this document is regarded as reflecting current practice, provided the craft is correctly handled in the sense of good seamanship and operated at a speed appropriate to the prevailing sea state in a safe and responsible manner, having due cognisance of the prevailing conditions.

Implementation of this document allows to achieve an overall structural strength that ensures the watertight and weathertight integrity of the craft. This document is intended to be a tool to determine the scantlings of a craft as per minimal requirements. It is not intended to be a structural design procedure.

The mechanical property data supplied as default values in this document make no explicit allowance for deterioration in service nor provide any guarantee that these values can be obtained for any particular craft.

Like the other parts of ISO 12215, this document was developed to assess the structure of recreational craft up to 24 m L_H , but it can also be used, where relevant, for non-recreational craft, workboats or yachts with an IMO load line length of up to 24 m, with the necessary critical mind.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 12215-7:2021](https://standards.iteh.ai/catalog/standards/sist/1bfl edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021)

<https://standards.iteh.ai/catalog/standards/sist/1bfl edd9-c30e-405b-a4fa-b71fb97a9f36/sist-en-iso-12215-7-2021>

Small craft — Hull construction and scantlings —

Part 7:

Determination of loads for multihulls and of their local scantlings using ISO 12215-5

1 Scope

This document defines the dimensions, local design pressures and global loads acting on multihull craft with a hull length (L_H) or load line length of up to 24 m (see Note). It considers all parts of the craft that are assumed watertight or weathertight when assessing stability, freeboard and buoyancy in accordance with ISO 12217 (all parts). Scantlings corresponding to the local design pressures are then assessed using ISO 12215-5.

NOTE The load line length is defined in the OMI "International Load Lines Convention 1966/2005", it can be smaller than L_H for craft with overhangs. This length also sets up at 24 m the lower limit of several IMO conventions.

This document is applicable to multihulls built from the same materials as in ISO 12215-5, in intact condition, and of the two following types:

- recreational craft, including recreational charter vessels;
- commercial craft and workboats.

It is not applicable to multihull racing craft designed only for professional racing.

This document is applicable to the structures supporting windows, portlights, hatches, deadlights and doors.

For the complete scantlings of the craft, this document is intended to be used in conjunction with ISO 12215-8 for rudders, ISO 12215-9 for appendages of sailing craft and ISO 12215-10 for rig loads and rig attachment in sailing craft. ISO 12215-6 can be used for additional details.

Throughout this document, unless otherwise specified, dimensions are in (m), areas in (m^2), masses in (kg), forces in (N), moments in (Nm), Pressures in (kN/m^2) ($1 kN/m^2 = 1 kPa$), stresses and elastic modulus in (N/mm^2) ($1 N/mm^2 = 1 MPa$).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8666:2020, *Small craft — Principal data*

ISO 12215-5:2019, *Small craft — Hull construction and scantlings — Part 5: Design pressures for monohulls, design stress, scantlings determination*

ISO 12215-8:2009, *Small craft — Hull construction and scantlings — Part 8: Rudders*

ISO 12215-9:2012, *Small craft — Hull construction and scantlings — Part 9: Sailing craft appendages*

ISO 12215-10:2020, *Small craft — Hull construction and scantlings — Part 10: Rig loads and rig attachments in sailing craft*

ISO 12215-7:2020(E)

ISO 12217-1:2015, *Small craft — Stability and buoyancy assessment and categorization — Part 1: Non-sailing boats of hull length greater than or equal to 6 m*

ISO 12217-2:2015, *Small craft — Stability and buoyancy assessment and categorization — Part 2: Sailing boats of hull length greater than or equal to 6 m*

ISO 12217-3:2015, *Small craft — Stability and buoyancy assessment and categorization — Part 3: Boats of hull length less than 6 m*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1
multihull
craft with two or more hulls with a connecting *wet deck* (3.8)/crossbeams above the loaded waterline, as opposed to a tunnel boat or scow

Note 1 to entry: See Clause 6 and [Figure 2](#) for the main dimensions of a multihull.

3.2
design categories
description of the sea and wind conditions for which a craft is assessed to be suitable

Note 1 to entry: The design categories are defined in ISO 12217 (all parts).

Note 2 to entry: The definitions of the design categories are in line with the European Recreational Craft Directive 2013/53/EU.

[SOURCE: ISO 12215-5:2019, 3.1.]

3.3
loaded displacement
 m_{LDC}
mass of water displaced by the craft, including all appendages, when in fully loaded ready for use condition

Note 1 to entry: The fully loaded ready for use condition is further defined in ISO 8666.

[SOURCE: ISO 12215-5:2019, 3.2.]

3.4
mass in minimum operating conditions
 m_{OC}
mass of the craft in minimum operating condition

Note 1 to entry: The minimum operating condition is further defined in ISO 8666.

3.5
sailing craft
craft for which the primary means of propulsion is wind power

Note 1 to entry: It is further defined in ISO 8666.

Note 2 to entry: In this document, non-sailing craft are considered as motor craft.

[SOURCE: ISO 12215-5:2019, 3.3.]

3.6 beam of hull

B_H
beam across the outer hulls

Note 1 to entry: The measurement of the beam of hulls is specified in ISO 8666.

3.7 chine beam

B_C
beam at chine of planing hulls

Note 1 to entry: It is further characterized in 6.1.2.

3.8 wet deck

underside area of the structure connecting hulls with an area greater than 5 % $L_H B_H$

Note 1 to entry: Some *multihulls* (3.1) have no wet deck but just crossbeams. i.e. connecting beams.

3.9 craft speed

V
for motor craft, maximum speed in calm water and m_{LDC} condition that is declared by the manufacturer, expressed in knots

[SOURCE: ISO 12215-5:2019, 3.6.]

3.10 displacement craft

motor craft whose speed is such that $V < 5\sqrt{L_{WL}}$

[SOURCE: ISO 12215-5:2019, 3.7, modified - the definition is reworded.]

3.11 displacement mode

mode of running of a motor craft in the sea such that its mass is mainly supported by buoyancy forces

Note 1 to entry: This is the case where the actual speed in a seaway in m_{LDC} condition is such that its speed/length ratio makes the craft behave as a *displacement craft* (3.10).

[SOURCE: ISO 12215-5:2019, 3.8, modified - in the definition, "craft" is replaced with "motor craft".]

3.12 planing craft

motor craft whose speed is such that $V \geq 5\sqrt{L_{WL}}$

Note 1 to entry: This speed/length ratio limit has been arbitrarily set up in this document, but it can vary from one craft to another according to hull shape and other parameters.

[SOURCE: ISO 12215-5:2019, 3.9, modified - the definition is reworded.]

3.13 planing mode

mode of running of a motor craft in the sea such that a significantly part of its mass is supported by forces coming from dynamic lift due to speed in the water

Note 1 to entry: A *planing craft* (3.12) in calm water runs in planing mode, but it can be obliged to significantly reduce its speed when the sea gets worse, running in that case in *displacement mode* (3.11).