



SLOVENSKI STANDARD
SIST EN 384:2016/oprA1:2018

01-marec-2018

Konstruktivni les - Ugotavljanje karakterističnih vrednosti mehanskih lastnosti in gostote

Structural timber - Determination of characteristic values of mechanical properties and density

Bauholz für tragende Zwecke - Bestimmung charakteristischer Werte für mechanische Eigenschaften und Rohdichte

Bois de structure - Détermination des valeurs caractéristiques des propriétés mécaniques et de la masse volumique

Ta slovenski standard je istoveten z: EN 384:2016/prA1

ICS:

79.040 Les, hlodovina in žagan les Wood, sawlogs and sawn timber

91.080.20 Lesene konstrukcije Timber structures

SIST EN 384:2016/oprA1:2018 en,fr,de

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
EN 384:2016
prA1

February 2018

ICS 79.040

English Version

Structural timber - Determination of characteristic values of mechanical properties and density

Bois de structure - Détermination des valeurs
caractéristiques des propriétés mécaniques et de la
masse volumique

Bauholz für tragende Zwecke - Bestimmung
charakteristischer Werte für mechanische
Eigenschaften und Rohdichte

This draft amendment is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 124.

This draft amendment A1, if approved, will modify the European Standard EN 384:2016. If this draft becomes an amendment, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration.

This draft amendment was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	3
1 Modification of the subclause 5.5.1 Sub-sample analysis.....	4
2 Modification of the subclause 5.5.2.2 Visual grading.....	4

European foreword

This document (EN 384:2016/prA1:2018) has been prepared by Technical Committee CEN/TC 124 “Timber structures”, the secretariat of which is held by AFNOR.

This document is currently submitted to the CEN Enquiry.

EN 384:2016/prA1:2018 (E)**1 Modification of the subclause 5.5.1 Sub-sample analysis**

In the first indent, replace the sentence

“When using non parametric calculation, for type testing of machine controlled systems, the factor $k_{0.5,0.75}$ (as defined in EN 14358) may be taken as 1”

By

“When using non parametric calculation, for type testing of machine controlled systems, the factor $k_{0.5,0.75}$ (as defined in EN 14358) may be taken as 0 (No confidence adjustment)”;

2 Modification of the subclause 5.5.2.2 Visual grading

Add the following subclause:

“5.5.2.2.4 Previous visual grades assignments

The changes in this standard do not require recalculation of visual grading assignments that were calculated according to previous versions of this standard, unless there is evidence that the required grade determining properties are not met.”