# INTERNATIONAL STANDARD

ISO/IEC 18477-4

First edition 2017-10

# Information technology — Scalable compression and coding of continuous-tone still images —

Part 4: **Conformance testing** 

Technologies de l'information — Compression échelonnable et codage d'images plates en ton continu — Partie 4: Essai de conformité

ISO/IEC 18477-4:2017 https://standards.iteh.ai/catalog/standards/sist/fc00df34-e0bd-47de-85ac-0adc5a9e2ca1/iso-iec-18477-4-2017



# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 18477-4:2017 https://standards.iteh.ai/catalog/standards/sist/fc00df34-e0bd-47de-85ac-0adc5a9e2ca1/iso-iec-18477-4-2017



# COPYRIGHT PROTECTED DOCUMENT

# 

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents  Foreword  Introduction							
				1	Scon	oe	1
				2	•	Normative references	
3	Terms, definitions, abbreviated terms and symbols						
	3.1	Terms and definitions	2				
	3.2	Symbols					
	3.3	Abbreviated terms					
4	Conventions		8				
	4.1 4.2	Conformance language					
		Operators					
		4.2.1 Arithmetic operators					
		4.2.2 Logical operators					
		4.2.3 Relational operators					
		4.2.4 Precedence order of operators 4.2.5 Mathematical functions					
5	Cons	ventions					
6	General description 6.1 Overview Cen. STANDARD PREVIEW		10				
	6.1	6.2 Parts and profiles					
	6.2 Parts and profiles 6.3 Decoders (Standards.iteh.ai)		11				
		6.4 Implementation conformance statement					
	6.5	Abstract test suites ISO/IEC 18477-42017					
	6.6	Decoder conformance testing procedures 00df34-e0bd-47de-85ac-					
7	Copy	right 0adc5a9e2ca1/iso-iec-18477-4-2017					
8		Formance files availability and updates					
Annex A (normative) Decoder conformance testing procedures							
		ormative) <b>Decoder conformance tests</b>					
Annex C (normative) Codestream conformance							
Ribl	ingrank	187	21				

# **Foreword**

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio*, picture, multimedia and hypermedia information.

A list of all parts in the ISO/IEC 18477 series can be found on the ISO website.

# Introduction

The ISO/IEC 18477 series, also known under the term JPEG XT, specifies lossy and lossless codestream formats for storage of continous-tone high and low dynamic range photographic content. All parts of the ISO/IEC 18477 series are compatible to the Recommendation ITU-T T.81 | ISO/IEC 10918, also commonly known as JPEG. That is, any decoder conforming to the latter standard will be able to reconstruct codestreams from the ISO/IEC 18477 series to an 8 bits/sample image. Additional features offered by ISO/IEC 18477, such as representation of intermediate or high-dynamic range images, or lossless reconstruction require an extended decoder that implements, in addition to the Rec. ITU-T T.81 | ISO/IEC 10918-1, also one or multiple members of ISO/IEC 18477.

This document provides the framework, concepts and methodology for testing codestreams and implementations, and the criteria to be achieved to claim conformance to the parts and profiles of ISO/IEC 18477. The objective of this document is to promote interoperability between JPEG XT decoders, and to test these systems for conformance to one or multiple specifications that are part of the JPEG XT. Conformance testing is the testing of a candidate implementation for the existence of specific characteristics required by a standard. It involves testing the capabilities of an implementation against the conformance requirements in the relevant standard.

The purpose of this document is to define a common test methodology, to provide a framework for specific abstract test suites (ATS) and to define the procedures to be followed during conformance testing.

Any organization contemplating the use of the test methods defined in this document should carefully consider the constraints on their applicability. Conformance testing does not include robustness testing, acceptance testing, and performance testing, all of which are outside the scope of this text.

(Standards.iten.al)

ISO/IEC 18477-4:2017 https://standards.iteh.ai/catalog/standards/sist/fc00df34-e0bd-47de-85ac-0adc5a9e2ca1/iso-iec-18477-4-2017

# iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO/IEC 18477-4:2017 https://standards.iteh.ai/catalog/standards/sist/fc00df34-e0bd-47de-85ac-0adc5a9e2ca1/iso-iec-18477-4-2017

# Information technology — Scalable compression and coding of continuous-tone still images —

# Part 4:

# **Conformance testing**

# 1 Scope

This document specifies the framework, concepts, methodology for testing, and criteria to be achieved to claim conformance to one or multiple parts of ISO/IEC 18477 as listed below. It provides a framework for specifying abstract test suites and for defining the procedures to be followed during conformance testing.

#### This document

- specifies conformance testing procedures for decoding of ISO/IEC 18477-1, 18477-2, ISO/IEC 18477-6, ISO/IEC 18477-8 and ISO/IEC 18477-9,
- specifies conformance testing procedures for codestreams to the above International Standards,
- specifies codestreams, decoded images, and error metrics to be used within the decoder testing procedures, and (standards.iten.ai)
- specifies abstract test suites.

ISO/IEC 18477-4:2017

This document does not include the following teards/sist/fc00df34-e0bd-47de-85ac-

- testing **decoders** for conformance to ISO/IEC 18477-3 only. ISO/IEC 18477-6, ISO/IEC 18477-7, ISO/IEC 18477-8 and ISO/IEC 18477-9 are extensions of ISO/IEC 18477-3 and the required functionality of ISO/IEC 18477-3 is tested as part of the former standards. Testing **codestreams** for conformance to ISO/IEC 18477-3 is specified in C.2;
- testing codestreams for conformance to ISO/IEC 18477-7 beyond testing them for conformance to individual profiles of this document. Testing such codestreams ("full profile codestreams") for syntactical correctness is, however, covered by testing them for conformance to ISO/IEC 18477-3;
- testing of the composition of background and foreground for images reconstructed from ISO/IEC 18477-9 codestreams as this operation is application dependent;
- acceptance testing: the process of determining whether an implementation satisfies acceptance
  criteria and enables the user to determine whether or not to accept the implementation. This
  includes the planning and execution of several kinds of tests (e.g. functionality, quality, and speed
  performance testing) that demonstrate that the implementation satisfies the user requirements;
- performance testing: measures the performance characteristics of an implementation under test
   (IUT) such as its throughput, responsiveness, etc. under various conditions.
- robustness testing: the process of determining how well an implementation process data which contains errors.

The ISO/IEC 18477 series consists of multiple parts, each of which defines one or multiple profiles. A given IUT (implementation under test) may claim to implement various parts and profiles of ISO/IEC 18477 at once. To test such implementations, they have to be tested with the Abstract Test Suites of each part and profile they claim to conform to.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 18477-1, Information technology — Scalable compression and coding of continuous-tone still images — Part 1: Scalable compression and coding of continuous-tone still images

ISO/IEC 18477-2, Information technology — Scalable compression and coding of continuous-tone still images — Part 2: Coding of high dynamic range images

ISO/IEC 18477-3, Information technology — Scalable compression and coding of continuous-tone still images — Part 3: Box file format

ISO/IEC 18477-6, Information technology — Scalable compression and coding of continuous-tone still images — Part 6: IDR Integer Coding

ISO/IEC 18477-7, Information technology: Scalable compression and coding of continuous-tone still images, HDR floating point coding

ISO/IEC 18477-8, Information technology — Scalable compression and coding of continuous-tone still images — Part 8: Lossless and near-lossless coding

ISO/IEC 18477-9, Information technology — Scalable compression and coding of continuous-tone still images — Part 9: Alpha channel coding STANDARD PREVIEW

ISO/IEC 10918-1, Information technology — Digital compression and coding of continuous tone still images — Requirements and guidelines (Standards.iteh.ai)

# 3 Terms, definitions, abbreviated terms and symbols.

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <a href="http://www.electropedia.org/">http://www.electropedia.org/</a>
- ISO Online browsing platform: available at <a href="http://www.iso.org/obp">http://www.iso.org/obp</a>

# 3.1 Terms and definitions

#### 3.1.1

#### abstract test suite

generic conformance testing concepts and procedures for a given requirement

#### 3.1.2

#### **ASCII**

binary encoding of 7-bit characters defined by ISO/IEC 646

#### 3.1.3

## base decoding path

process of decoding *legacy codestream* (3.1.43) and refinement data to the *base image* (3.1.4), jointly with all further steps until residual data is added to the values obtained from the residual codestream

### 3.1.4

# base image

collection of sample values obtained by entropy decoding the DCT coefficients of the *legacy codestream* (3.1.43) and the refinement codestream, and inversely DCT transforming them jointly

#### 3.1.5

#### big endian

order of bytes with the most significant byte first

#### 3.1.6

#### bit

unit of information representing a single yes/no choice represented by a one or a zero

#### 3.1.7

# binary decision

choice between two alternatives

#### 3.1.8

#### bitstream

partially encoded or decoded sequence of bits (3.1.6) comprising an entropy-coded segment

#### 3.1.9

#### block

 $8 \times 8$  array of samples (3.1.62) or an  $8 \times 8$  array of DCT coefficient values of one component (3.1.19)

#### 3.1.10

#### box

structured collection of data describing the image or the image decoding process embedded into one or multiple  $APP_{11}$  marker segments

Note 1 to entry: See ISO/IEC 18477-3:2015, Annex B for the definition of boxes.

#### 3.1.11

#### byte

(standards.iteh.ai)

group of 8 bits

### ISO/IEC 18477-4:2017

#### 3.1.12

https://standards.iteh.ai/catalog/standards/sist/fc00df34-e0bd-47de-85ac-

#### coder

0adc5a9e2ca1/iso-iec-18477-4-2017

embodiment of a *coding process* (3.1.14)

#### 3.1.13

#### coding model

procedure used to convert input data into symbols to be coded

#### 3 1 14

# coding process

general term for referring to an encoding process, a decoding process, or both

#### 3 1 15

#### coefficient

values that are the result of a discrete cosine transformation

#### 3.1.16

#### conformance

fulfillment of the specified requirements, as defined in this document, for a given profile and part of  $ISO/IEC\ 18477$ 

#### 3.1.17

# conformance test procedure

process of assessing *conformance* (3.1.16)

#### 3.1.18

# compression

reduction in the number of bits (3.1.6) used to represent source image data

# ISO/IEC 18477-4:2017(E)

#### 3.1.19

#### component

two-dimensional array of samples (3.1.62) having the same designation in the output or display device

#### 3.1.20

# continuous-tone image

image whose *components* (3.1.19) have more than one bit (3.1.6) per sample (3.1.62)

#### 3.1.21

#### decoder

embodiment of a decoding process (3.1.22)

#### 3.1.22

#### decoding process

process which takes as its input compressed image data and outputs a continuous-tone image (3.1.20)

#### 3.1.23

### dequantization

inverse procedure to quantization by which the *decoder* (3.1.21) recovers a representation of the DCT coefficients

#### 3.1.24

#### downsampling

procedure by which the spatial resolution of a component (3.1.19) is reduced

#### 3.1.25

#### encoder

iTeh STANDARD PREVIEW

embodiment of an encoding process (3.126) and ards.iteh.ai)

#### 3.1.26

## encoding process

ISO/IEC 18477-4:2017

process which takes as its input a continuous tone image (3:1:20) and output's compressed image data 0adc5a9e2ca1/iso-iec-18477-4-2017

#### 3.1.27

### entropy-coded (data) segment

independently decodable sequence of entropy encoded bytes (3.1.11) of compressed image data

#### 3.1.28

#### entropy decoder

embodiment of an *entropy decoding* (3.1.29) procedure

#### 3.1.29

#### entropy decoding

lossless procedure which recovers the sequence of symbols from the sequence of *bits* (3.1.6) produced by the *entropy encoder* (3.1.30)

# 3.1.30

#### entropy encoder

embodiment of an *entropy encoding* (3.1.31) procedure

## 3.1.31

# entropy encoding

lossless procedure which converts a sequence of input symbols into a sequence of *bits* (3.1.6) such that the average number of *bits* (3.1.6) per symbol approaches the entropy of the input symbols

#### 3.1.32

## extension image

synonym for residual image (3.1.61)

#### 3.1.33

#### grayscale image

*continuous-tone image* (3.1.20) that has only one *component* (3.1.19)

#### 3.1.34

# high dynamic range

image or image data comprised of more than 8 bits per *sample* (3.1.62)

#### 3.1.35

#### Huffman decoder

embodiment of a *Huffman decoding* (3.1.36) procedure

#### 3.1.36

#### **Huffman decoding**

*entropy decoding* (3.1.29) procedure which recovers the symbol from each variable length code produced by the *Huffman encoder* (3.1.37)

#### 3.1.37

#### Huffman encoder

embodiment of a *Huffman encoding* (3.1.38) procedure

#### 3.1.38

# **Huffman encoding**

implementation

*entropy encoding* (3.1.31) procedure which assigns a variable length code to each input symbol

#### 3.1.39

# iTeh STANDARD PREVIEW

realization of a specification

(standards.iteh.ai)

#### 3.1.40

## implementation under test

ISO/IEC 18477-4:2017

IUT

https://standards.iteh.ai/catalog/standards/sist/fc00df34-e0bd-47de-85ac-

implementation (3.1.39) that is being evaluated for conformance (3.1.16)

#### 3.1.41

#### intermediate dynamic range

image or image data comprised of more than 8 bits per *sample* (3.1.62)

#### 3.1.42

# joint photographic experts group

#### IPEG

informal name of the committee which created this document

Note 1 to entry: The "joint" comes from the ITU-T and ISO/IEC collaboration.

#### 3.1.43

#### legacy codestream

collection of *markers* (3.1.51) and syntax elements defined by ISO/IEC 10918-1 bare any additional syntax elements defined by the ISO/IEC 18477 standard, i.e. the legacy codestream consists of the collection of all markers except those  $APP_{11}$  markers that describe JPEG XT boxes by the syntax defined in ISO/IEC 18477-3:2015, Annex A

#### 3.1.44

## legacy decoding path

collection of operations to be performed on the entropy coded data as described by ISO/IEC 10918-1 jointly with the Legacy Refinement scans before this data is merged with the residual data to form the final output image

#### 3.1.45

#### legacy decoder

embodiment of a *decoding process* (3.1.20) conforming to ISO/IEC 10918-1, confined to the lossy DCT process and the baseline, sequential or progressive modes, decoding at most four components to 8 bits per component

#### 3.1.46

#### legacy image

arrangement of sample values as described by applying the *decoding process* (3.1.20) described by ISO/IEC 10918-1 on the entropy coded data as defined by the said standard

#### 3.1.47

#### lossless

descriptive term for encoding and decoding processes and procedures in which the output of the decoding procedure(s) is identical to the input to the encoding procedure(s)

#### 3.1.48

#### lossless coding

mode of operation which refers to any one of the *coding processes* (3.1.14) defined in ISO/IEC 18477-8 in which all of the procedures are *lossless* (3.1.47)

Note 1 to entry: See ISO/IEC 18477-8:2016, Annex H.

#### 3.1.49

# lossy

descriptive term for encoding and decoding processes which are not lossless (3.1/.47)

#### 3.1.50

# (standards.iteh.ai)

#### low dynamic range

image or image data comprised of data with no more than 8 bits per sample (3.1.62)

#### <u>ISO/IEC 1847/-4:201</u>

### 3.1.51 marker

https://standards.iteh.ai/catalog/standards/sist/fc00df34-e0bd-47de-85ac-fc00df00df98-e0bd-47de-85ac-fc00df00df00df98-e0bd-47de-85ac-fc00df00df00df00df00df00df00df00df00df0

0adc5a9e2ca1/iso-iec-18477-4-2017

two-byte code in which the first byte is hexadecimal FF and the second byte is a value between 1 and hexadecimal FE

#### 3.1.52

# marker segment

*marker* (3.1.51) together with its associated set of parameters

#### 3.1.53

# pixel

collection of sample values in the spatial image domain having all the same sample coordinates

EXAMPLE A pixel may consist of three samples describing its red, green and blue value.

#### 3.1.54

#### precision

number of bits (3.1.6) allocated to a particular sample (3.1.62) or DCT coefficient

#### 3.1.55

#### procedure

set of steps which accomplishes one of the tasks which comprise an encoding or decoding process

#### 3.1.56

## quantization value

integer value used in the quantization procedure

#### 3.1.57

## quantize

act of performing the quantization procedure for a DCT coefficient