

SLOVENSKI STANDARD
SIST EN 300 009-2 V1.3.2:2003

01-december-2003

Digitalno omrežje z integriranimi storitvami (ISDN) – Sistem signalizacije št. 7 – Krmilni del signalizacijske zveze (SCCP) (nepovezavni in povezavni /razred 2/) za podporo mednarodnemu medomrežnemu povezovanju – 2. del: Izjava o skladnosti izvedbe protokola (PICS) – Proforma specifikacija

Integrated Services Digital Network (ISDN); Signalling System No.7; Signalling Connection Control Part (SCCP) (connectionless and connection-oriented class 2) to support international interconnection; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

iTech STANDARD PREVIEW

(standards.itech.ai)

[SIST EN 300 009-2 V1.3.2:2003](#)
<https://standards.itech.ai/catalog/standards/sist/95444a6-7618-4dc2-b747-a710661a2f83/sist-en-300-009-2-v1-3-2-2003>

Ta slovenski standard je istoveten z: EN 300 009-2 Version 1.3.2

ICS:

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

SIST EN 300 009-2 V1.3.2:2003

en

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN 300 009-2 V1.3.2:2003

<https://standards.iteh.ai/catalog/standards/sist/9f5444a6-7618-4dc2-b747-a710661a2f83/sist-en-300-009-2-v1-3-2-2003>

ETSI EN 300 009-2 V1.3.2 (2000-03)

European Standard (Telecommunications series)

**Integrated Services Digital Network (ISDN);
Signalling System No.7;
Signalling Connection Control Part (SCCP)
(connectionless and connection-oriented class 2)
to support international interconnection;
Part 2: Protocol Implementation Conformance
Statement (PICS) proforma specification**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 009-2 V1.3.2:2003

<https://standards.iteh.ai/catalog/standards/sist/9f444a6-7618-4dc2-b747-a710661a2f83/sist-en-300-009-2-v1-3-2-2003>



Reference

REN/SPS-01068-2

Keywords

ISDN, SS7, SCCP, PICS

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

iTeh STANDARD PREVIEW

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la
Sous-Prefecture de Grasse (06) N° 7803/88

a710661a2f83/sist-en-300-009-2-v1-3-2-2003

Internet

secretariat@etsi.fr

Individual copies of this ETSI deliverable
can be downloaded from<http://www.etsi.org>If you find errors in the present document, send your
comment to: editor@etsi.fr

Important notice

This ETSI deliverable may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF).

In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2000.
All rights reserved.

Contents

Intellectual Property Rights.....	4
Foreword	4
Introduction	4
1 Scope	5
2 References	5
3 Definitions.....	6
4 Abbreviations	6
5 Conformance	7
Annex A (normative): PICS proforma for EN 300 009-1.....	8
A.1 Guidance for completing the PICS proforma.....	8
A.1.1 Purposes and structure.....	8
A.1.2 Abbreviations and conventions.....	8
A.1.3 Instructions for completing the PICS.....	9
A.2 Identification of the implementation.....	10
A.2.1 Date of the statement	10
A.2.2 Implementation Under Test (IUT) identification.....	10
A.2.3 System Under Test (SUT) identification	10
A.2.4 Product supplier.....	10
A.2.5 Client	11
A.2.6 PICS contact person	11
A.3 Identification of the protocol.....	12
SIST EN 300 009-2 V1.3.2:2003 https://standards.iteh.ai/catalog/standards/sist/9b5444a6-7618-4dc2-b747-	
A.4 Global statement of conformance.....	12
A.5 Capabilities.....	12
A.5.1 General requirements.....	13
A.5.1.1 Implemented class.....	13
A.5.1.2 SCCP routing capabilities	14
A.5.1.3 Called/Calling party address parameter	15
A.5.2 Major capabilities - SCCP management.....	16
A.5.3 Major capabilities - connectionless SCCP.....	17
A.5.4 Major capabilities - connection-oriented SCCP	18
A.5.5 Timers used in SCCP.....	22
A.5.6 Messages	23
A.5.7 Message parameters.....	24
A.5.8 Multi-layer dependencies	29
Annex B (normative): Abstract Test Suite (ATS).....	30
B.1 The TTCN Graphical form (TTCN.GR).....	30
B.2 The TTCN Machine Processable form (TTCN.MP)	30
History	31

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Signalling Protocol and Switching (SPS).

The present document is part 2 of a multi-part EN covering the Integrated Services Digital Network (ISDN); Signalling System No.7; Signalling Connection Control Part (SCCP) (connectionless and connection-oriented) to support international interconnection, as identified below:

Part 1: "Protocol specification [ITU-T Recommendations Q.711 to Q.716 (1996), modified]";

Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";

Part 3: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification". **iTeh STANDARD PREVIEW (standards.iteh.ai)**

<small>SIST EN 300 009-2 V1.3.2:2003</small> National transposition dates <small>https://standards.iteh.ai/catalog/standards/sist/en-300-009-2-v1-3-2-2003</small>	
Date of adoption of this EN	a710661a2f83/sist-en-300-009-2-v1-3-2-2003 11 February 2000
Date of latest announcement of this EN (doa):	31 May 2000
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 November 2000
Date of withdrawal of any conflicting National Standard (dow):	30 November 2000

Introduction

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a given OSI protocol. Such a statement is called a Protocol Implementation Conformance Statement (PICS).

1 Scope

The present document provides the Protocol Implementation Conformance Statement (PICS) proforma for Signalling Connection Control Part (SCCP) signalling protocol of Signalling System No.7 for use between and, optionally, in public networks as specified in EN 300 009-1 [1] in compliance with the relevant requirements and in accordance with the relevant guidance given in ISO/IEC 9646-7 [4].

The supplier of a protocol implementation that is claimed to conform to EN 300 009-1 [1] is required to complete a copy of the PICS proforma provided in annex A of the present document and is required to provide the information necessary to identify both the supplier and the implementation.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, subsequent revisions do apply.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

iTeh STANDARD PREVIEW

- [1] ETSI EN 300 009-1 (1996): "Integrated Services Digital Network (ISDN); Signalling System No.7; Signalling Connection Control Part (SCCP) (connectionless and connection-oriented) to support international interconnection; Part 1: Protocol specification [ITU-T Recommendations Q.711 to Q.716 (1996), modified]". [https://standards.iteh.ai/catalog/standards/sist/95444a6-7618-4dc2-b747-](https://standards.iteh.ai/catalog/standards/sist/95444a6-7618-4dc2-b747-https://standards.iteh.ai/catalog/standards/sist/95444a6-7618-4dc2-b747-)
- [2] ISO/IEC 9646-1a: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [3] ISO/IEC 9646-3: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 3: The Tree and Tabular Combined Notation (TTCN)".
- [4] ISO/IEC 9646-7: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".
- [5] ITU-T Recommendation Q.1400: "Architecture framework for the development of signalling and OA&M protocols using OSI concepts".
- [6] ITU-T Recommendation Q.711: "Functional description of the Signalling Connection Control Part".
- [7] ITU-T Recommendation Q.712: "Definition and function of signalling connection control part messages".
- [8] ITU-T Recommendation Q.713: "Signalling Connection Control Part formats and codes".
- [9] ITU-T Recommendation Q.714: "Signalling connection control part procedures".
- [10] ITU-T Recommendation Q.715: "Signalling connection control part user guide".
- [11] ITU-T Recommendation Q.716: "Signalling System No. 7 - Signalling connection control part (SCCP) performance".

3 Definitions

For the purposes of the present document, the definitions in EN 300 009-1 [1], ISO/IEC 9646-1 [2] and ISO/IEC 9646-7 [4] apply. In particular, the following terms defined in ISO/IEC 9646-1 [2] apply:

Implementation Conformance Statement (ICS): statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented. The ICS can take several forms: protocol ICS (PICS), profile ICS, profile specific ICS, and information object ICS.

Protocol Implementation Conformance Statement (PICS): ICS for an implementation or system claimed to conform to a given protocol specification.

PICS proforma: document, in the form of a questionnaire, which when completed for an implementation or system becomes a PICS.

4 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AK	data AcKnowledgement message
c	conditional
CC	Connection Confirm message
CR	Connection Request message
CREF	Connection REFUSED message
DPC	Destination Point Code
DT1	Data Form 1 message
DT2	Data Form 2 message
EA	Expedited data Acknowledgement message
ED	Expedited Data message
ERR	protocol data unit ERRob message
GT	Global Title
i	irrelevant
ICS	Implementation Conformance Statement
ISDN	Integrated Services Digital Network
IT	Inactivity Test message
IUT	Implementation Under Test
m	mandatory
MTP	Message Transfer Part
n/a	not/applicable
o	optional
OSI	Open System Interconnection
PICS	Protocol Implementation Conformance Statement
RLC	ReLease Complete message
RLSD	ReLeaSeD message
RSC	ReSet Confirm message
RSR	ReSet Request message
SCCP	Signalling Connection Control Part
SCS	System Conformance Statement
SOG	Subsystem Out of service Grant message
SOR	Subsystem Out of service Request message
SPC	Signalling Point Code
SSA	SubSystem Allowed message
SSN	SubSystem Number
SSP	SubSystem Prohibited message
SST	Subsystem Status Test message
SUT	System Under Test

UDT	UnitData message
UDTS	UnitData Service message
x	eXcluded
XUDT	Extended UnitData message
XUDTS	Extended UnitData Service message

5 Conformance

A PICS proforma that conforms to this PICS proforma specification shall be technically equivalent to annex A, and shall preserve the numbering and ordering of the items in annex A.

A PICS that conforms to this PICS proforma specification shall:

- a) describe an implementation which conforms to EN 300 009-1 [1];
- b) be a conforming PICS proforma, which has been completed in accordance with the instructions for completion given in clause A.1;
- c) include the information necessary to uniquely identify both the supplier and the implementation.

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN 300 009-2 V1.3.2:2003

<https://standards.iteh.ai/catalog/standards/sist/9f444a6-7618-4dc2-b747-a710661a2f83/sist-en-300-009-2-v1-3-2-2003>

Annex A (normative): PICS proforma for EN 300 009-1

Notwithstanding the provisions of the copyright clause related to the text of the present document, ETSI grants that users of the present document may freely reproduce the PICS proforma in this annex so that it can be used for its intended purposes and may further publish the completed PICS.

A.1 Guidance for completing the PICS proforma

A.1.1 Purposes and structure

The purpose of this PICS proforma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in EN 300 009-1 may provide information about the implementation in a standardized manner.

The PICS proforma is subdivided into clauses for the following categories of information:

- guidance for completing the PICS proforma;
- identification of the implementation;
- identification of the protocol;
- global statement of conformance; **ITEH STANDARD PREVIEW
(standards.iteh.ai)**
- explicit statements about the implemented capabilities.

A.1.2 Abbreviations and conventions

<https://standards.iteh.ai/catalog/standards/sist/9f5444a6-7618-4dc2-b747>

The PICS proforma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7.

Item column

The item column contains a number which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

Status column

The following notations, defined in ISO/IEC 9646-7, are used for the status column:

- m mandatory - the capability is required to be supported;
- o optional - the capability may be supported or not;
- n/a not applicable - in the given context, it is impossible to use the capability;
- x prohibited (excluded) - there is a requirement not to use this capability in the given context;
- o.i qualified optional - for mutually exclusive or selectable options from a set. "i" is an integer which identifies an unique group of related optional items and the logic of their selection which is defined immediately following the table;
- ci conditional - the requirement on the capability ("m", "o", "x" or "n/a") depends on the support of other optional or conditional items. "i" is an integer identifying an unique conditional status expression which is defined immediately following the table;

- c conditional upon the immediately previous item at the next higher level;
- i irrelevant - this capability is outside the scope of the given base standard and hence irrelevant and not subject to conformance testing. No answer is requested from the supplier.

Reference column

The reference column gives reference to ITU-T Recommendations Q.711 to Q.714 as modified by EN 300 009-1, except where explicitly stated otherwise.

NOTE 1: However, a reference merely indicates the place where the core of a description of an item can be found. Any additional information contained in EN 300 009-1 needs to be taken into account when making a statement about the conformance of that particular item.

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7, are used for the support column:

- | | |
|---------------|--|
| Y or y | supported by the implementation; |
| N or n | not supported by the implementation; |
| N/A, n/a or - | no answer required (allowed only if the status is n/a or i, directly or after evaluation of a conditional status c). |

NOTE 2: For automatic test selection, a N/A after evaluation of a conditional status has to be interpreted as not supported (N or n).

NOTE 3: As stated in ISO/IEC 9646-7, support for a received PDU requires the ability to parse all valid parameters of that PDU. Supporting a PDU while having no ability to parse a valid parameter is non-conformant. Support for a parameter of a PDU implies that the semantics of that parameter are supported.

If this PICS proforma is completed in order to describe a multiple profile support in a system, it is necessary to be able to answer that a capability is supported for one profile and not supported for another. In that case, the supplier shall enter the unique reference to a conditional expression, preceded by "?". This expression shall be given in the space for comments provided at the bottom of the table. It uses predicates defined in the System Conformance Statement (SCS), each of which refers to a single profile and which takes the value TRUE if and only if that profile is to be used.

EXAMPLE: ?3: IF prof1 THEN Y ELSE N.

References to items

For each possible item answer (answer in the support column) within the PICS proforma exists a unique reference, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a solidus character "/", followed by the item number in the table.

EXAMPLE: A.5/4 is the reference to the answer of item 4 in table 5 of annex A.

A.1.3 Instructions for completing the PICS

The supplier of the implementation shall complete the PICS proforma in each of the spaces provided. In particular, an explicit answer shall be entered in each of the support boxes provided, using the notation described in subclause A.1.2.

If necessary, the supplier may provide additional comments in the space at the bottom of the tables or separately.

More detailed instructions are given at the beginning of the different subclauses of the PICS proforma.

A.2 Identification of the implementation

Identification of the Implementation Under Test (IUT) and the system in which it resides (the System Under Test (SUT)) should be filled in so as to provide as much detail as possible regarding version numbers and configuration options.

The product supplier information and client information should both be filled in if they are different.

A person who can answer queries regarding information supplied in the PICS should be named as the contact person.

A.2.1 Date of the statement

A.2.2 Implementation Under Test (IUT) identification

IUT name:

.....
.....

IUT version:

iTeh STANDARD PREVIEW

A.2.3 System Under Test (SUT) identification

SUT name:

[SIST EN 300 009-2 V1.3.2:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/9f5444a6-7618-4dc2-b747-a710661a2f83/sist-en-300-009-2-v1-3-2-2003>

Hardware configuration:

.....
.....
.....

Operating system:

.....

A.2.4 Product supplier

Name:

.....

Address:

.....