

INTERNATIONAL STANDARD

NORME INTERNATIONALE



BASIC EMC PUBLICATION
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –
Part 2-2: Environment – Compatibility levels for lowfrequency conducted
disturbances and signalling in public low-voltage power supply systems**

**Compatibilité électromagnétique (CEM) –
Partie 2-2: Environnement – Niveaux de compatibilité pour les perturbations
conduites à basse fréquence et la transmission des signaux sur les réseaux
publics d'alimentation basse tension**





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2018 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 21 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 21 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.



IEC 61000-2-2

Edition 2.2 2018-05
CONSOLIDATED VERSION

INTERNATIONAL STANDARD

NORME INTERNATIONALE



BASIC EMC PUBLICATION
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –
Part 2-2: Environment – Compatibility levels for lowfrequency conducted
disturbances and signalling in public low-voltage power supply systems**

**Compatibilité électromagnétique (CEM) –
Partie 2-2: Environnement – Niveaux de compatibilité pour les perturbations
conduites à basse fréquence et la transmission des signaux sur les réseaux
publics d'alimentation basse tension**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 33.100.01

ISBN 978-2-8322-5722-7

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

REDLINE VERSION


VERSION REDLINE



BASIC EMC PUBLICATION
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –
Part 2-2: Environment – Compatibility levels for lowfrequency conducted
disturbances and signalling in public low-voltage power supply systems**

**Compatibilité électromagnétique (CEM) –
Partie 2-2: Environnement – Niveaux de compatibilité pour les perturbations
conduites à basse fréquence et la transmission des signaux sur les réseaux
publics d'alimentation basse tension**



CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
INTRODUCTION to Amendment 1.....	7
1 Scope and object.....	8
2 Normative references.....	9
3 Definitions.....	9
3.1 General definitions.....	9
3.2 Phenomena related definitions.....	11
4 Compatibility levels.....	13
4.1 General comment.....	13
4.2 Voltage fluctuations and flicker.....	13
4.3 Harmonics.....	14
4.4 Interharmonics.....	15
4.5 Voltage dips and short supply interruptions.....	19
4.6 Voltage unbalance.....	19
4.7 Transient overvoltages.....	19
4.8 Temporary power frequency variation.....	19
4.9 DC component.....	20
4.10 Signals from mains-signalling communicating systems up to 150 kHz.....	20
4.10.1 General.....	20
4.10.2 Ripple control systems (110 Hz to 3 000 Hz).....	21
4.10.3 Medium-frequency power line carrier systems (3 kHz to 20 kHz) Mains communicating systems (band 3 kHz up to 9 kHz).....	22
4.10.4 Radio-frequency power line carrier systems (20 kHz to 148,5 kHz) Mains communicating systems (band 9 kHz up to 95 kHz).....	22
4.10.5 Mains-mark systems Mains communicating systems (band 95 kHz up to 150 kHz).....	23
4.11 Voltage distortion in differential mode above the 40th harmonic up to 9 kHz.....	16
4.12 Voltage distortion in differential mode from 9 kHz to 150 kHz.....	17
4.12.1 General.....	17
4.12.2 Frequency range from 9 kHz to 30 kHz.....	18
4.12.3 Frequency range from 30 kHz to 150 kHz.....	18
Annex A (informative) The function of compatibility levels and planning levels in EMC.....	24
A.1 The need for compatibility levels.....	24
A.2 Relation between compatibility level and immunity levels.....	24
A.3 Relation between compatibility level and emission limits.....	25
A.4 Planning levels.....	26
A.5 Illustration of compatibility, emission, immunity and planning levels.....	27
Annex B (informative) Discussion of some disturbance phenomena.....	28
B.1 Resolution of non-sinusoidal voltages and currents.....	28
B.1.1 Time varying phenomena.....	29
B.1.2 Definitions of additional terms.....	29
B.2 Interharmonics and voltage components at frequencies above that of the 50th harmonic.....	30
B.2.1 Sources of interharmonic currents and voltages.....	30
B.2.2 Effects of the interharmonic voltages.....	31

B.2.3	Need for compatibility levels for the interharmonic voltages	32
B.3	Voltage dips and short supply interruptions	33
B.4	Transient overvoltages	34
B.5	DC component	34
Annex C (informative) Rationale for the compatibility levels for voltage distortion in differential mode above the 40 th harmonic up to 30 kHz		
C.1	Effects of voltage components at frequencies above the 40th harmonic frequency	35
C.2	Compatibility level curves above the 40th harmonic up to 30 kHz	35
Annex D (informative) Basis for the definition of the compatibility levels for voltage distortion in differential mode from 30 kHz to 150 kHz		
D.1	General	37
D.2	Compatibility levels	37
Annex E (normative) Numerical values corresponding to Figure 1		
Bibliography		
Figure 1 – Flicker - Curve of equal severity ($P_{St} = 1$) for rectangular voltage changes on LV power supply systems.		14
Figure 2 – Compatibility level for interharmonic voltages relating to flicker (beat effect)		16
Figure 3 – Meister curve for ripple control systems in public networks (100 110 Hz to 3 000 Hz)		22
Figure A.1 – Relation between compatibility, immunity, planning and emission levels		27
Figure C.1 – Compatibility levels for voltage distortion in differential mode above the 40 th harmonic up to 9 kHz		35
Figure C.2 – Compatibility levels for voltage distortion in differential mode from 9 kHz to 30 kHz		36
IEC 61000-2-2:2002		
Table 1 – Compatibility levels for individual harmonic voltages in low voltage networks (r.m.s. values as percent of r.m.s. value of the fundamental component)		15
Table 2 – Compatibility levels for voltage distortion in differential mode $u_{b,F}$ above the 40 th harmonic up to 9 kHz		17
Table 3 – Compatibility levels for voltage distortion in differential mode from 9 kHz to 30 kHz ^a		18
Table 4 – Compatibility levels for voltage distortion in differential mode from 30 kHz to 150 kHz ^a		19
Table B.1 – Indicative values of interharmonic voltage in low voltage networks corresponding to the compatibility level with respect to the flicker effect		31
Table E.1 – Relative voltage fluctuation $\Delta V/V$ for $P_{St} = 1,0$ corresponding to Figure 1		38

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –**Part 2-2: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.

IEC 61000-2-2 edition 2.2 contains the second edition (2002-03) [documents 77A/367/FDIS and 77A/376/RVD], its amendment 1 (2017-06) [documents 77A/958/FDIS and 77A/962/RVD] and its amendment 2 (2018-05) [documents 77A/980/CDV and 77A/992/RVC].

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

International Standard IEC 61000-2-2 has been prepared by subcommittee 77A: Low frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility. It has the status of a basic EMC publication in accordance with IEC guide 107.

This second edition constitutes a technical revision.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annexes A and B are for information only.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh Standards
(<https://standards.iteh.ai>)

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

[IEC 61000-2-2:2002](#)

<https://standards.iteh.ai/catalog/standards/iec/bb59b84d-efc6-4e43-a0bf-f2fc21f318ac/iec-61000-2-2-2002>

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)

Definitions, terminology

Part 2: Environment

Description of the environment

Classification of the environment

Compatibility levels

Part 3: Limits

Emission limits

Immunity limits (in so far as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Part 5: Installation and mitigation guidelines

Installation guidelines

Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts, published either as International Standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and completed by a second number identifying the subdivision (example: 61000-6-1).

Detailed information on the various types of disturbances that can be expected on public power supply systems can be found in IEC 61000-2-1.

INTRODUCTION to Amendment 1

This amendment is related to compatibility levels in the frequency range from 2 kHz to 150 kHz. It contains:

- compatibility levels for signals from mains communicating systems up to 150 kHz;
- compatibility levels for non-intentional emissions between 2 kHz and 30 kHz.

A second amendment is expected soon, containing:

- compatibility levels for non-intentional emissions between 30 kHz and 150 kHz.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[IEC 61000-2-2:2002](https://standards.iteh.ai/catalog/standards/iec/bb59b84d-efc6-4e43-a0bf-f2fc21f318ac/iec-61000-2-2-2002)

<https://standards.iteh.ai/catalog/standards/iec/bb59b84d-efc6-4e43-a0bf-f2fc21f318ac/iec-61000-2-2-2002>

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 2-2 : Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems

1 Scope and object

This ~~standard~~ part of IEC 61000 is concerned with conducted electromagnetic phenomena (disturbances and signals from mains communicating systems) in the frequency range from 0 kHz to ~~9~~ 150 kHz, ~~with an extension up to 148,5 kHz specifically for mains signalling systems~~. It gives compatibility levels for public low voltage a.c. distribution systems having a nominal voltage up to 420 V, single-phase, or 690 V, three-phase, and a nominal frequency of 50 Hz or 60 Hz.

The compatibility levels specified in this ~~standard~~ document apply at the point of common coupling. At the power input terminals of equipment receiving its supply from the above systems the ~~severity~~ levels of the conducted electromagnetic disturbances can, for the most part, be taken to be the same as the levels at the point of common coupling. In some situations this is not so, particularly in the case of a long line dedicated to the supply of a particular installation, or in the case of ~~a disturbance~~ an electromagnetic phenomenon generated or amplified within the installation of which the equipment forms a part.

Compatibility levels are specified for conducted electromagnetic ~~disturbances~~ phenomena of the types which can be expected in public low voltage power supply systems, for guidance in the definition of:

- the limits to be set for ~~disturbance~~ conducted emissions into public power supply systems (including the planning levels defined in 3.1.5).
- the immunity limits to be set by product committees and others for the equipment exposed to the conducted ~~disturbances~~ electromagnetic phenomena present in public power supply systems.

NOTE 1 More information on compatibility levels and other main basic EMC concepts is given in IEC TR 61000-1-1.

NOTE 2 The measurement methods of disturbance levels are outside the scope of this document.

The ~~disturbance~~ electromagnetic phenomena considered are:

- voltage fluctuations and flicker;
- harmonics up to and including order ~~50~~ 40;
- interharmonics up to the ~~50~~ 40th harmonic;
- voltage distortions in differential mode at higher frequencies (above the ~~50~~ 40th harmonic up to 150 kHz);
- voltage dips and short supply interruptions;
- voltage unbalance;
- transient overvoltages;
- power frequency variation;
- d.c. components;
- signals from mains ~~signalling~~ communicating systems (MCS).

Most of these phenomena are described in IEC TR 61000-2-1. In cases where it is not yet possible to establish compatibility levels, some information is provided in Annex B.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-101, *International Electrotechnical Vocabulary (IEV) – Part 101: Mathematics*

IEC 60050-161, *International Electrotechnical Vocabulary (IEV) – Part 161: Electromagnetic compatibility*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC/TR3 61000-2-1, *Electromagnetic compatibility (EMC) – Part 2: Environment – Section 1: Description of the environment – Electromagnetic environment for low-frequency conducted disturbances and signalling in public power supply systems*

IEC 61000-3-3, *Electromagnetic compatibility (EMC) – Part 3: Limits – Section 3: Limitation of voltage fluctuations and flicker in low-voltage supply systems for equipment with rated current ≤ 16 A*

IEC 61000-3-8, *Electromagnetic compatibility (EMC) – Part 3: Limits – Section 8: Signalling on low-voltage electrical installations – Emission levels, frequency bands and electromagnetic disturbance levels*

IEC 61000-4-7, *Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 7: General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto*

IEC 61000-4-15, *Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 15: Flickermeter – Functional and design specifications*

CISPR 16-1-1, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-1: Radio disturbance and immunity measuring apparatus – Measuring apparatus*

CISPR 16-2-1, *Specification for radio disturbance and immunity measuring apparatus and methods – Part 2-1: Methods of measurement of disturbances and immunity – Conducted disturbance measurements*

3 Definitions

For the purposes of this part of IEC 61000, the definitions given in IEC 60050-101, IEC 60050-161 and its amendments 1 and 2, as well as the following, apply.

3.1 General definitions

3.1.1

(electromagnetic) disturbance

any electromagnetic phenomenon which, by being present in the electromagnetic environment, can cause electrical equipment to depart from its intended performance

[IEV 161-01-05, modified]

3.1.2

disturbance level

the amount or magnitude of an electromagnetic disturbance, measured and evaluated in a specified way

[IEV 161-03-01, modified]

3.1.3

electromagnetic compatibility

EMC (abbreviation)

the ability of an equipment or system to function satisfactorily in its electromagnetic environment without introducing intolerable electromagnetic disturbances to anything in that environment

NOTE 1 Electromagnetic compatibility is a condition of the electromagnetic environment such that, for every phenomenon, the disturbance emission level is sufficiently low and immunity levels are sufficiently high so that all devices, equipment and systems operate as intended.

NOTE 2 Electromagnetic compatibility is achieved only if emission and immunity levels are controlled such that the immunity levels of the devices equipment and systems at any location are not exceeded by the disturbance level at that location resulting from the cumulative emissions of all sources and other factors such as circuit impedances. Conventionally, compatibility is said to exist if the probability of the departure from intended performance is sufficiently low. See 61000-2-1 clause 4.

NOTE 3 Where the context requires it, compatibility may be understood to refer to a single disturbance or class of disturbances.

NOTE 4 Electromagnetic compatibility is a term used also to describe the field of study of the adverse electromagnetic effects which devices, equipment and systems undergo from each other or from electromagnetic phenomena.

[IEV 161-01-07, modified]

3.1.4

(electromagnetic) compatibility level

the specified electromagnetic disturbance level used as a reference level in a specified environment for co-ordination in the setting of emission and immunity limits

NOTE By convention, the compatibility level is chosen so that there is only a small probability that it will be exceeded by the actual disturbance level.

[IEV 161-03-10, modified]

3.1.5

planning level

a level of a particular disturbance in a particular environment, adopted as a reference value for the limits to be set for the emissions from large loads and installations, in order to co-ordinate those limits with all the limits adopted for equipment intended to be connected to the power supply system

NOTE The planning level is locally specific, and is adopted by those responsible for planning and operating the power supply network in the relevant area. For further information, see Annex A.

3.1.6

point of common coupling

PCC (abbreviation)

the point on a public power supply network, electrically nearest to a particular load, at which other loads are, or could be, connected

[IEV 161-07-15 modified]

3.1.7

non-intentional emission

conducted emission which is not intended for communication purposes