

SLOVENSKI STANDARD kSIST-TS FprCEN/TS 17523:2020

01-julij-2020

Poštne storitve - Embalaža za škatlaste predmete - Karakteristike embalaže manjših in lahkih predmetov, ki se dostavljajo v poštni nabiralnik stranke

Postal services - Packaging for boxable items - Characteristics for packaging of small and light weight items to be delivered into the consumer's letterbox

Postalische Dienstleistungen - Verpackungen für briefkastenfähige Sendungen - Eigenschaften von Verpackungen für kleine und leichte Waren, die in den Briefkasten des Verbrauchers zugestellt werden

Services postaux - Emballage pour la livraison de colis dans la boîte aux lettres - Caractéristiques d'emballage pour les marchandises petites et légères, destinées à être livrées dans les boîtes aux lettres des destinataires

Ta slovenski standard je istoveten z: FprCEN/TS 17523

ICS:

03.240 Poštne storitve Postal services

55.040 Materiali in pripomočki za Packaging materials and

pakiranje accessories

kSIST-TS FprCEN/TS 17523:2020 en,fr,de

ITOH ST ARD RELIGIORATE AND STREET OF STREET AND STREET OF STREET AND STREET

TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

FINAL DRAFT FprCEN/TS 17523

May 2020

ICS 03.240

English Version

Postal services - Packaging for boxable items - Characteristics for packaging of small and light weight items to be delivered into the consumer's letterbox

Services postaux - Emballage pour la livraison de colis dans la boîte aux lettres - Caractéristiques d'emballage pour les marchandises petites et légères, destinées à être livrées dans les boîtes aux lettres des destinataires Postalische Dienstleistungen - Verpackungen für briefkastenfähige Sendungen - Eigenschaften von Verpackungen für kleine und leichte Waren, die in den Briefkasten des Verbrauchers zugestellt werden

This draft Technical Specification is submitted to CEN members for Vote. It has been drawn up by the Technical Committee CEN/TC 331.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning: This document is not a Technical Specification. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a Technical Specification.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Cont	ents	Page
Europ	ean foreword	3
Introd	luction	4
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Symbols and abbreviations	8
5	Physical properties	8
5.1	Format	
5.1.1 5.1.2	Compliant to EN 13724 Compliant with midsized aperature	
5.1.2 5.1.3	Compliant with small aperatures	ა o
5.1.3 5.1.4	Document vs. goods	ο Ω
5.1. 4 5.2	Stacking	8
5.2.1	Stacking requirements	8
5.2.2	Stacking compliant to EN 13724	9
5.2.3	Stacking compliant to the midsized aperature of 25 mm.	9
5.2.4	Stacking compliant to the small aperature of 20 mmFlap location	9
5.3	Flap location	10
5.4	Merchandise returns service	10
6	ProcessingTransport packaging	10
6.1	Transport packaging.	10
6.2	Packaging material	11
6.2.1	Environmental	11
6.2.2	//a c.	
6.3	Automation	11
Annex	A (informative) Evaluation of the optimal thickness for stacking	13
A.1	Stacking	13
A.1.1	General	13
A.1.2	Compliant to EN 13724	13
	l Evaluation of the optimal thickness for C4	
A.1.2.2	2 Expansion to all "C" boxable sizes	13
A.1.3	Compliant to the midsized apertures of 25 mm	14
A.1.3.1	l Evaluation of the optimal thickness for C4	14
A.1.3.2	2 Expansion to all "C" boxable sizes	14
	Compliant to the "Small" apertures of 20 mm	
	l Evaluation of the optimal thickness for C4	
	2 Expansion to all "C" boxable sizes	
Biblio	graphy	16

European foreword

This document (FprCEN/TS 17523:2020) has been prepared by Technical Committee CEN/TC 331 "Postal services", the secretariat of which is held by NEN.

This document is currently submitted to the Vote on TS.

Teh Standards it on a standards is standards in the standards it of the standards it o

Introduction

Ecommerce led to raising volumes of commercial postal items. Postal items containing documents are letters, whereas postal items containing goods are parcels or small packets.

This document refers to EN 13724 "Postal services - Apertures of private letter boxes and letter plates - Requirements and test methods" and furthermore takes in consideration that there still are millions of consumer's letterboxes with a smaller aperture than defined in EN 13724.

This document addresses Ecommerce related delivery needs and challenges. It serves as a guidance for large, medium and small online merchants, benefiting in sending small and light weight items as boxable postal items to the consumer's letterbox, using existing letter mail networks, with the advantage a successful first delivery attempt:

- reducing packaging material;
- stacking the packages;
- supporting advanced automation for packaging.

International postal statistics show that some 80 % of addressed parcels generated by Ecommerce today weight less than two kilograms. The most common weight category with 31 % is 200 g to 500 g. The value of some 39 % is below 25 €. The majority of households (68 %) prefer to have the goods delivered to their homes.

The top six product categories bought cross-border in 2018 were clothing (31 %), consumer electronics (21 %), health and beauty (17 %), jewellery and watches (11 %), books, music and media (10 %) and sport and leisure (10 %).

Consumers are frustrated by failed delivery messages such as "sorry we missed you" messages. Even more frustrating is it when the parcel contains something that could easily have been popped through the private letterbox if it had been appropriately packed.

The key players in the Ecommerce supply chain are e-retailers (incl. manufacturers), postal companies and consumers.

Concerning their parcel volumes, e-retailers can be clustered in 4 groups:

- global e-retailers;
- regional e-retailers;
- small e-retailers:
- consumers, who ship goods privately sold.

E-retailers pack each consignment to meet the needs of the product and of the postal delivery logistics. In order to speed up and ease the workflow, e-retailers try to standardize their "ideal" packaging allowing protective, cheap and easy packaging and enabling returns. Unfortunately, such company specific solutions too often result in "over-packaging" and "void space", causing waste of valuable resources.

E-retailers who manage right-size packaging of postal items see substantial cuts in their own cost by reducing both operational and shipping costs, saving storage space, cutting labour cost and order administration, and significantly cutting assembly and packing times. Standardized packaging for postal return services is of strategic importance to the Ecommerce market.

A survey in 2017 revealed that 25,6 % of consumers received items delivered in boxes or parcels that were far too large. Fifteen % of the boxes or parcels used too much packaging. 22,8 % of consumers expressed frustration at receiving items in packaging that had become ripped or damaged during transit, risking damage to or loss of the contents of the parcel. Twenty % of packaging was not a good fit for the product.

7 % of consumers stated that products arrived damaged as a result of inappropriate packaging. 19,8 % felt that the packaging was insufficient to protect the content, risking damage.

The postal operators act in a delivery market which has become particularly vibrant: consumers are demanding low cost and fast delivery, e-retail giants are wielding greater market power, and global integrators are muscling in on B2C delivery. Leveraging trusted brands, strong expertise and nationwide networks, postal operators are looking to grow their share of both domestic and cross-border markets. There is a continuous annual two digits increase of the number of parcels and a parallel increase of the number of private receivers. Main issues for the postal operators are the quality and number of drivers, the problems with deliveries into pedestrian zones during limited hours, double-delivery because of the consumer's absence and void-space.

"Letterboxable" packaging of postal items fulfils market needs:

- the letterboxable postal items will fit through a customer's letterbox;
- first time delivery means less cost for the post and fewer emissions as there are no second or third delivery attempts, no need for customers to collect parcels from postal outlets, courier depots or parcel shops, leading to less impact on the environment;
- the possibility of stacking parcels reduces the space needed in warehouses and delivery vans and thus can improve the workflow at e-retailers and posts;
- standards make it easier for automation, as manufactures adapt their solutions to a larger base of standardized item dimensions;
- the reduction of packaging material and the use of environmentally friendly packaging materials reduce the effect of CO₂ in the atmosphere.

This document is in line with the legal European framework for packaging and packaging waste which is designed to prevent the production of packaging waste and promote the reuse, recycling and other forms of recovering of packaging waste, instead of its final disposal, thus contributing to the transition towards a circular economy:

- waste management in the European Union should be improved, with a view to protecting, preserving and improving the quality of the environment, protecting human health, ensuring prudent efficient and rational utilization of natural resources, promoting the principles of the circular economy, enhancing the use of renewable energy, increasing energy efficiency, reducing the dependence of the Union on imported resources, providing new economic opportunities and contributing to long-term competitiveness. The more efficient use of resources would also bring substantial net savings for Union businesses, public authorities and consumers, while reducing total annual greenhouse gas emissions;
- as the amount and type of packaging used generally depends on choices made by the producer rather than the consumer, extended producer responsibility schemes should be established.

The letterbox standard EN 13724 was defined in connection with the envelope category "C". This is a local German standard [DIN 678-1:1998-1 Envelopes – Part 1: Sizes] but the main size category in Europe for large format envelopes.

1 Scope

This document covers physical properties and characteristics for the packaging for small and light weight postal items to be delivered into the consumer's letterbox. It covers the main design features for the packaging of letterboxable postal items, notably the sizes and stacking as well as postal and environmental requirements.

This document is targeted to e-retailers and postal operators.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13724:2013, Postal services — Apertures of private letter boxes and letter plates — Requirements and test methods

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

boxable postal items

postal items which can be delivered into a consumer's letter box, either EN 13724 compliant or with smaller aperature

3.2

consumer's letterbox

receptacle into which mail is delivered at the domicile of the addressee

3.3

Ecommerce

activity of buying or selling of products on online services or over the internet

3.4

e-retailers

retailers who sell or buy on online services or over the internet

3.5

kraft paper

paper or paperboard (cardboard) produced from chemical pulp in the kraft process

Note 1 to entry: Pulp produced by the kraft process is stronger than that made by other pulping processes.

3.6

over-packaging

situation where the size of the packaging is a multiple of the products size, leading to too much material used for packaging

3.7

parcel

postal item containing goods with or without commercial value, other than an item of correspondence, with a weight not exceeding 31,5 kg

[SOURCE: Cross border parcel delivery services regulation (EU 2018/644)]

3.8

postal item

an item addressed in the final form in which it is to be carried by a postal service provider

In addition to items of correspondence, such items also include for instance books, catalogues, newspapers, periodicals and postal parcels containing merchandise with or without commercial value

[SOURCE: Postal Services Directive; Directive 97/67/EC amended by Directive 2002/39/EC and Directive 2008/6/EC]

Note 2 to entry: Mail items are often qualified according to size, weight, handling or other service characteristics. Examples include letter mail (items), parcel post (items), registered mail.

3.9

postal operator

operator involving the clearance, sorting, transport and distribution of postal items

3.10

postal service provider organization licensed by national government to provide postal services to generic public

3.11

postal services

services involving the clearance, sorting, transport and delivery of postal items

3.12

recycled paper

paper made from recycled paper only

3.13

small packet

item conveyed under the conditions of the Letter Post Regulations. It contains a good, weighting up to 2 kg

Small packets need to have a UPU Technical Standard S 10 barcode identifier. Note 1 to entry:

3.14

substrate

base packaging material

3.15

void space

unnecessarily used volume