

SLOVENSKI STANDARD SIST EN 300 019-1-4 V2.1.1:2006

01-februar-2006

C_c`'g_]']bÿYb]f]b['f99ŁE'C_c`'g_]'dc[c']']b'dfYg_i g]'j d`]j cj 'c_c`'UbU hrY_ca i b]_UW]'g_c'cdfYa c'E'%("XY`.'?`Ug]Z]_UW]'Uc_c`'g_]\ 'dc[c'Yj 'E':]_gbU i dcfUVUbU`c_UW]'U\ z_]'b]gc'nUý]hYbY'dfYX'j fYa Ybg_]a]'j d`]j]

Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-4: Classification of environmental conditions; Stationary use at non-weatherprotected locations PREVIEW

(standards.iteh.ai)

SIST EN 300 019-1-4 V2.1.1:2006 https://standards.iteh.ai/catalog/standards/sist/9f477265-e315-4103-aaa1-4bfe1deedfdd/sist-en-300-019-1-4-v2-1-1-2006

Ta slovenski standard je istoveten z: EN 300 019-1-4 Version 2.1.1

ICS:

19.040 Preskušanje v zvezi z

okoljem

33.050.01 Telekomunikacijska

terminalska oprema na

splošno

Environmental testing

Telecommunication terminal

equipment in general

SIST EN 300 019-1-4 V2.1.1:2006 en

SIST EN 300 019-1-4 V2.1.1:2006

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 300 019-1-4 V2.1.1:2006 https://standards.iteh.ai/catalog/standards/sist/9f477265-e315-4103-aaa1-4bfe1deedfdd/sist-en-300-019-1-4-v2-1-1-2006

ETSI EN 300 019-1-4 V2.1.1 (2003-03)

European Standard (Telecommunications series)

Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-4: Classification of environmental conditions; Stationary use at non-weatherprotected locations

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 300 019-1-4 V2.1.1:2006 https://standards.iteh.ai/catalog/standards/sist/9f477265-e315-4103-aaa1-4bfe1deedfdd/sist-en-300-019-1-4-v2-1-1-2006



Reference

REN/EE-01027-1-4

Keywords environment, testing, equipment pratice

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la

Teh Sous-Préfecture de Grasse (06) N° 7803/88/ IEW

(standards.iteh.ai)

SIST EN 300 019-1-4 V2.1.1:2006 https://standards.iteh.ai/catalog/standards/sist/9f477265-e315-4103-aaa1-4bfe1deedfdding-crtant-nosice4-v2-1-1-2006

Individual copies of the present document can be downloaded from: <u>http://www.etsi.org</u>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, send your comment to: editor@etsi.org

Copyright Notification

No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2003. All rights reserved.

DECTTM, **PLUGTESTS**TM and **UMTS**TM are Trade Marks of ETSI registered for the benefit of its Members. **TIPHON**TM and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members. **3GPP**TM is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

Contents

| Intellectual Property Rights | | |
|------------------------------|---|----|
| Fore | eword | 4 |
| 1 | Scope | 5 |
| 2 | References | 5 |
| 3 | Definitions | 6 |
| 4 | Environmental classes | 6 |
| 4.1 | Class 4.1: Non-weatherprotected locations | |
| 4.2 | Class 4.1E: Non-weatherprotected locations - extended | 7 |
| 4.3 | Class 4.2L: Non-weatherprotected locations - extremely cold | 7 |
| 4.4 | Class 4.2H: Non-weatherprotected locations - extremely warm dry | 8 |
| 5 | Environmental conditions | 9 |
| 5.1 | Climatic conditions | 9 |
| 5.2 | Biological conditions | 9 |
| 5.3 | Chemically active substances | 10 |
| 5.4 | Mechanically active substances | |
| 5.5 | Mechanical conditions | |
| 5.6 | Earthquake conditions | 11 |
| Anr | nex A (informative): TBibliography | 14 |
| | tory (standards.iteh.ai) | |
| | (Stanual US.Iten.al) | |

SIST EN 300 019-1-4 V2.1.1:2006 https://standards.iteh.ai/catalog/standards/sist/9f477265-e315-4103-aaa1-4bfe1deedfdd/sist-en-300-019-1-4-v2-1-1-2006

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

All published ETSI deliverables shall include information which directs the reader to the above source of information.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document is part 1, sub part 4 of a multi-part deliverable covering the classification of environmental conditions and environmental tests for telecommunications equipment, as identified below:

Part 1: "Classification of environmental conditions"; (see note 1)

Sub-part 0: "Introduction"; "Storage"; Sub-part 1: "Transportation TANDARD PREVIEW Sub-part 2: "Stationary use at weatherprotected locations"; 21) Sub-part 3: "Stationary use at non-weatherprotected locations"; Sub-part 4: SIST EN 300 019-1-4 V2.1.1:2006 Sub-part 5: "Groundtwehicle installations" standards/sist/9f477265-e315-4103-aaa1-4bfe1deedfdd/sist-en-300-019-1-4-v2-1-1-2006
"Ship environments"; Sub-part 6: Sub-part 7: "Portable and non-stationary use"; Sub-part 8: "Stationary use at underground locations";

Part 2: "Specification of environmental tests". (see note 2)

NOTE 1: Specifies different standardized environmental classes covering climatic and biological conditions, chemically and mechanically active substances and mechanical conditions during storage, transportation and in use. Sub-part 1-0 forms a general overview of part 1.

NOTE 2: Specifies the recommended test severities and test methods for the different environmental classes.

| National transposition dates | | |
|--|------------------|--|
| Date of adoption of this EN: | 21 March 2003 | |
| Date of latest announcement of this EN (doa): | 30 June 2003 | |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 31 December 2003 | |
| Date of withdrawal of any conflicting National Standard (dow): | 31 December 2003 | |

1 Scope

The purpose of the present document is to define a class of environmental conditions and their severities to which equipment may be exposed. Only severe conditions, which may be harmful to the equipment, are included. The severities specified are those which will have a low probability of being exceeded; generally less than 1 %.

The present document applies to equipment mounted for stationary use including periods of erection work, down time, maintenance and repair at non-weatherprotected locations defined in clause 5.

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

Referenced documents which are not found to be publicly available in the expected location might be found at http://docbox.etsi.org/Reference.

| [1] | IEC 60721-3-4: "Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their/severities - Section 4: Stationary use at non-weatherprotected locations". |
|-----|---|
| [2] | (standards.iteh.ai) IEC 60721-2-4: "Classification of environmental conditions - Part 2-4: Environmental conditions appearing in nature - Solar radiation and temperature" |
| [3] | IEC 60068-2-27: "Environmental testing: Part 2: Tests: Test Ea and guidance: Shock". 4bfe1deedfdd/sist-en-300-019-1-4-v2-1-1-2006 |
| [4] | IEC 60721-2-6: "Classification of environmental conditions. Part 2: Environmental conditions appearing in nature - Earthquake vibration and shock". |
| [5] | IEC 60068-3-3: "Environmental testing - Part 3: Guidance. Seismic test methods for equipment". |
| [6] | ETSI EN 300 019-1-3: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-3: Classification of environmental conditions; Stationary use at weatherprotected locations". |
| [7] | ETSI EN 300 019-2-4: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-4: Specification of environmental tests; Stationary use at non-weatherprotected locations". |

3 Definitions

For the purposes of the present document, the following terms and definitions apply:

absolute humidity: mass of water vapour in grammes which is associated with one cubic metre of dry air in an air/water vapour mixture

non-weatherprotected location: location at which the equipment is not protected from direct weather influences

relative humidity: ratio of the partial pressure of the water vapour in moist air at a given temperature, to the partial pressure of the water vapour in saturated air at the same temperature

stationary use: The equipment is mounted firmly on the structure, or on mounting devices, or it is permanently placed at a certain site. It is not intended for portable use - but short periods of handling during erection works, down time, maintenance and repair at the location are included.

4 Environmental classes

The classes shown in parentheses, e.g. (4C3), may be selected for special applications.

These classes apply to a non-weatherprotected location.

These classes apply to locations:

- which are directly exposed to an open-air climate, including solar radiation, movement of the surrounding air, precipitation and water jets; splashing water; ARD PREVIEW
- where mould growth, or attacks by animals but excluding termites, may occur;
- with normal levels of contaminants experienced in urban areas with industrial activities scattered over the whole area and/or with heavy traffics to coastal areas;

NOTE 1: At locations in the immediate neighbourhood of industrial sources with chemical emissions either special precautions must be taken or a special chemical class must be chosen.

- in areas with sand or dust sources, including urban areas;
- NOTE 2: At locations in geographical areas with wind-driven sand or dust in air special precautions must be taken or a special class for mechanically active substances must be chosen.
- where transmitted vibrations are experienced from machines or passing vehicles. Higher level shocks may be experienced e.g. from adjacent machines.
- NOTE 3: More severe mechanical conditions are to be expected for equipment intended for public use. Special requirements should be stated for such equipment, e.g. protection against vandalism.

If earthquake conditions can be expected, the conditions stated in clause 5.6 apply.

Two groups of classes are considered:

- Classes 4.1 and 4.1E apply to general climatic conditions applies to climatic conditions in most of Europe.
- Classes 4.2L and 4.2H apply to extreme climatic conditions. These classes should be considered only in locations with extreme climates applies to extremely cold or warm climatic conditions world-wide.

4.1 Class 4.1: Non-weatherprotected locations

Class 4.1 applies to most of Europe. See note in Class 4.1E.

Class 4.1 is a combination of classes 4K2/4Z5/4Z7/4B1/4C2(4C3)/4S2/4M5 in IEC 60721-3-4 [1] and the environmental conditions are given in clause 5 it ranges from mild warm dry to cold temperate.

The climatogram is shown in figure 1.



SIST EN 300 019-1-4 V2.1.1:2006
-----: Climatic limits for class 4.1 dards.iteh.ai/catalog/standards/sist/9f477265-e315-4103-aaa1----: Climatic limits for class 4.1 dards.iteh.ai/catalog/standards/sist/9f477265-e315-4103-aaa14bfe1deedfdd/sist-en-300-019-1-4-v2-1-1-2006

Figure 1: Climatogram for classes 4.1 and 4.1E: Non-weatherprotected locations

4.2 Class 4.1E: Non-weatherprotected locations - extended

Class 4.1E covers most of Europe.

Class 4.1E is a combination of classes 4Z5/4Z7/4B1/4C2(4C3)/4S2/4M5 in IEC 60721-3-4 [1] and the environmental conditions are given in clause 4 it ranges from mild warm dry to cold (see note).

NOTE: The climatic conditions in this class do not correspond to an IEC 60721-3-4 [1] class. In order to define a non-weatherprotected class covering European locations where the mean value of the annual extreme values -45°C is chosen as the low temperature and +45°C as the high temperature for the class 4.1E.

The climatogram is shown in figure 1.

4.3 Class 4.2L: Non-weatherprotected locations - extremely cold

Class 4.2L covers extremely cold climatic conditions world-wide.

Class 4.2L is a combination of classes 4K4L /4Z5/4Z7/4B1/4C2(4C3)/4S2/4M5 in IEC 60721-3-4 [1] and the environmental conditions are given in clause 5 it ranges from warm temperate to extremely cold.

The climatogram is shown in figure 2.