



Network Functions Virtualisation (NFV) Release 4; Management and Orchestration; VNF Descriptor and Packaging Specification

<https://standards.iteh.ai/catalog/standards/sist/e7067ff0-5f6a-4194-9999-e7b3ada6287c/etsi-gs-nfv-ifa-011-v4-4-1-2023-03>

Disclaimer

The present document has been produced and approved by the Network Functions Virtualisation (NFV) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

ReferenceRGS/NFV-IFA011ed441

Keywordsmanagement, MANO, NFV, orchestration,
virtualisation

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards.iteh.ai/> <https://portal.etsi.org/People/CommitteeSupportStaff.aspx> <https://portal.etsi.org/People/CommitteeSupportStaff.aspx?c=7b3ada6287c/etsi->

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Contents

Intellectual Property Rights	9
Foreword.....	9
Modal verbs terminology.....	9
1 Scope	10
2 References	10
2.1 Normative references	10
2.2 Informative references.....	10
3 Definition of terms, symbols and abbreviations.....	11
3.1 Terms.....	11
3.2 Symbols.....	11
3.3 Abbreviations	11
4 General description.....	12
4.1 Introduction	12
4.2 Objectives.....	12
4.3 Conventions.....	13
4.4 Levels of NFV Entities.....	13
5 VNF Packaging use-cases (informative).....	14
5.1 General	14
5.2 VNF Package bundling for distribution.....	15
5.3 VNF Package testing	15
5.4 VNF pre procurement.....	16
5.5 VNF Package validation and certification.....	16
5.6 VNF install	17
5.7 Keeping NFV management and orchestration in sync about a VNF application software modification	18
5.8 VNF configurable parameter provisioning.....	19
6 Functional requirements for VNF Packaging.....	20
6.1 Generic Functional Requirements	20
6.2 Functional requirements for VNF Packaging specification.....	20
6.2.1 Requirements for the structure of a VNF Package.....	20
6.2.2 Requirements for the description of VNF Package content	21
6.2.3 Requirements for VNF Identification	21
6.2.4 Requirements for security and integrity of a VNF Package.....	22
6.2.5 Requirements for VNFD Metadata.....	23
6.2.6 Requirements for LCM scripts.....	24
6.2.6.1 General	24
6.2.6.2 Requirements for DSL	25
7 Virtualised Network Function information elements	26
7.1 VNF Descriptor (VNFD).....	26
7.1.1 Introduction.....	26
7.1.2 Vnfd information element.....	27
7.1.2.1 Description	27
7.1.2.2 Attributes.....	27
7.1.3 Information elements related to VnfExtCpd	29
7.1.3.1 Introduction.....	29
7.1.3.2 VnfExtCpd information element	29
7.1.3.2.1 Description	29
7.1.3.2.2 Attributes	29
7.1.3.3 AddressData information element.....	30
7.1.3.3.1 Description	30
7.1.3.3.2 Attributes	30
7.1.3.4 L3AddressData information element	31
7.1.3.4.1 Description	31

7.1.3.4.2	Attributes	31
7.1.3.5	L2AddressData information element	33
7.1.3.5.1	Description	33
7.1.3.5.2	Attributes	33
7.1.4	Void	33
7.1.5	Information elements related to the configuration of VNF lifecycle management operations	33
7.1.5.1	Introduction	33
7.1.5.2	VnfLcmOperationsConfiguration information element	33
7.1.5.2.1	Description	33
7.1.5.2.2	Attributes	33
7.1.5.3	InstantiateVnfOpConfig information element	34
7.1.5.3.1	Description	34
7.1.5.3.2	Attributes	34
7.1.5.4	ScaleVnfOpConfig information element	34
7.1.5.4.1	Description	34
7.1.5.4.2	Attributes	34
7.1.5.5	ScaleVnfToLevelOpConfig information element	35
7.1.5.5.1	Description	35
7.1.5.5.2	Attributes	35
7.1.5.6	HealVnfOpConfig information element	35
7.1.5.6.1	Description	35
7.1.5.6.2	Attributes	35
7.1.5.7	TerminateVnfOpConfig information element	35
7.1.5.7.1	Description	35
7.1.5.7.2	Attributes	36
7.1.5.8	OperateVnfOpConfig information element	36
7.1.5.8.1	Description	36
7.1.5.8.2	Attributes	36
7.1.5.9	ChangeVnfFlavourOpConfig information element	36
7.1.5.9.1	Description	36
7.1.5.9.2	Attributes	36
7.1.5.10	ChangeExtVnfConnectivityOpConfig information element	37
7.1.5.10.1	Description	37
7.1.5.10.2	Attributes	37
7.1.5.11	CreateSnapshotVnfOpConfig information element	37
7.1.5.11.1	Description	37
7.1.5.11.2	Attributes	37
7.1.5.12	RevertToSnapshotVnfOpConfig information element	37
7.1.5.12.1	Description	37
7.1.5.12.2	Attributes	37
7.1.5.13	ChangeCurrentVnfPackageOpConfig information element	38
7.1.5.13.1	Description	38
7.1.5.13.2	Attributes	38
7.1.6	Information elements related to the Vdu	38
7.1.6.1	Introduction	38
7.1.6.2	Vdu information element	38
7.1.6.2.1	Description	38
7.1.6.2.2	Attributes	39
7.1.6.3	Cpd information element	42
7.1.6.3.1	Description	42
7.1.6.3.2	Attributes	42
7.1.6.4	VduCpd information element	43
7.1.6.4.1	Description	43
7.1.6.4.2	Attributes	43
7.1.6.5	SwImageDesc information element	44
7.1.6.5.1	Description	44
7.1.6.5.2	Attributes	44
7.1.6.6	VirtualNetworkInterfaceRequirements information element	45
7.1.6.6.1	Description	45
7.1.6.6.2	Attributes	46
7.1.6.7	VnfcConfigurableProperties information element	46
7.1.6.7.1	Description	46

7.1.6.7.2	Attributes	46
7.1.6.8	CpProtocolData information element.....	47
7.1.6.8.1	Description	47
7.1.6.8.2	Attributes	47
7.1.6.9	SecurityGroupRule information element	47
7.1.6.9.1	Description	47
7.1.6.9.2	Attributes	48
7.1.6.10	ChecksumData information element	48
7.1.6.10.1	Description	48
7.1.6.10.2	Attributes	48
7.1.6.11	TrunkPortTopology information element	49
7.1.6.11.1	Description	49
7.1.6.11.2	Attributes	49
7.1.6.12	Subport information element.....	49
7.1.6.12.1	Description	49
7.1.6.12.2	Attributes.....	49
7.1.6.13	OsContainerDesc information element	50
7.1.6.13.1	Description	50
7.1.6.13.2	Attributes	50
7.1.7	Information elements related to the VLD	51
7.1.7.1	Introduction	51
7.1.7.2	VnfVirtualLinkDesc information element	51
7.1.7.2.1	Description	51
7.1.7.2.2	Attributes	52
7.1.7.3	ConnectivityType information element.....	52
7.1.7.3.1	Description	52
7.1.7.3.2	Attributes	52
7.1.8	Information elements related to the DeploymentFlavour	53
7.1.8.1	Introduction.....	53
7.1.8.2	VnfDf information element	53
7.1.8.2.1	Description	53
7.1.8.2.2	Attributes	53
7.1.8.3	VduProfile information element.....	55
7.1.8.3.1	Description	55
7.1.8.3.2	Attributes	55
7.1.8.4	VirtualLinkProfile information element.....	55
7.1.8.4.1	Description	55
7.1.8.4.2	Attributes	55
7.1.8.5	VirtualLinkDescFlavour information element	56
7.1.8.5.1	Description	56
7.1.8.5.2	Attributes	56
7.1.8.6	LinkBitrateRequirements information element.....	57
7.1.8.6.1	Description	57
7.1.8.6.2	Attributes	57
7.1.8.7	InstantiationLevel information element	57
7.1.8.7.1	Description	57
7.1.8.7.2	Attributes	57
7.1.8.8	ScaleInfo information element	58
7.1.8.8.1	Description	58
7.1.8.8.2	Attributes	58
7.1.8.9	VduLevel information element	58
7.1.8.9.1	Description	58
7.1.8.9.2	Attributes	58
7.1.8.10	QoS information element	59
7.1.8.10.1	Description	59
7.1.8.10.2	Attributes	59
7.1.8.11	LocalAffinityOrAntiAffinityRule information element.....	59
7.1.8.11.1	Description	59
7.1.8.11.2	Attributes	59
7.1.8.12	AffinityOrAntiAffinityGroup information element	60
7.1.8.12.1	Description	60
7.1.8.12.2	Attributes	60

7.1.8.13	VirtualLinkProtocolData information element.....	61
7.1.8.13.1	Description	61
7.1.8.13.2	Attributes	61
7.1.8.14	L2ProtocolData information element	62
7.1.8.14.1	Description	62
7.1.8.14.2	Attributes	62
7.1.8.15	L3ProtocolData information element	63
7.1.8.15.1	Description	63
7.1.8.15.2	Attributes	63
7.1.8.16	VnfInterfaceDetails information element.....	63
7.1.8.16.1	Description	63
7.1.8.16.2	Attributes	63
7.1.8.17	NfviMaintenanceInfo information element.....	64
7.1.8.17.1	Description	64
7.1.8.17.2	Attributes	64
7.1.8.18	MaxNumberOfImpactedInstances information element	65
7.1.8.18.1	Description	65
7.1.8.18.2	Attributes	65
7.1.8.19	Dependencies information element.....	66
7.1.8.19.1	Description	66
7.1.8.19.2	Attributes	66
7.1.8.20	MciopProfile information element	66
7.1.8.20.1	Description	66
7.1.8.20.2	Attributes	66
7.1.8.21	VipCpProfile information element.....	67
7.1.8.21.1	Description	67
7.1.8.21.2	Attributes	67
7.1.8.22	MinNumberOfPreservedInstances information element.....	67
7.1.8.22.1	Description	67
7.1.8.22.2	Attributes	67
7.1.9	Information elements related to Virtual Resource descriptors.....	68
7.1.9.1	Introduction	68
7.1.9.2	Information elements related to Virtual CPU.....	68
7.1.9.2.1	Introduction	68
7.1.9.2.2	VirtualComputeDesc information element.....	68
7.1.9.2.3	VirtualCpuData information elements.....	69
7.1.9.2.4	VirtualCpuPinningData information element.....	69
7.1.9.3	Information elements related to Virtual Memory.....	70
7.1.9.3.1	Introduction	70
7.1.9.3.2	VirtualMemoryData information element	70
7.1.9.4	Information elements related to Virtual Storage	71
7.1.9.4.1	Introduction	71
7.1.9.4.2	VirtualStorageDesc information element	71
7.1.9.4.3	BlockStorageData information element	72
7.1.9.4.4	ObjectStorageData information element	72
7.1.9.4.5	FileStorageData information element.....	72
7.1.9.5	RequestedAdditionalCapabilityData information element.....	73
7.1.9.5.1	Description	73
7.1.9.5.2	Attributes	73
7.1.9.6	LogicalNodeRequirements information element	73
7.1.9.6.1	Description	73
7.1.9.6.2	Attributes	73
7.1.10	Information elements related to scaling.....	74
7.1.10.1	Introduction	74
7.1.10.2	ScalingAspect information element	74
7.1.10.2.1	Description	74
7.1.10.2.2	Attributes	74
7.1.10.3	AspectDeltaDetails information element	75
7.1.10.3.1	Description	75
7.1.10.3.2	Attributes	75
7.1.10.4	ScalingDelta information element.....	76
7.1.10.4.1	Description	76

7.1.10.4.2	Attributes	76
7.1.10.5	VirtualLinkBitRateLevel information element	77
7.1.10.5.1	Description	77
7.1.10.5.2	Attributes	77
7.1.10.6	VipCpLevel information element	77
7.1.10.6.1	Description	77
7.1.10.6.2	Attributes	77
7.1.11	Information elements related to monitoring	77
7.1.11.1	Introduction	77
7.1.11.2	VnfIndicator information element	77
7.1.11.2.1	Description	77
7.1.11.2.2	Attributes	77
7.1.11.3	MonitoringParameter information element	78
7.1.11.3.1	Description	78
7.1.11.3.2	Attributes	78
7.1.12	VnfConfigurableProperties information element	78
7.1.12.1	Description	78
7.1.12.2	Attributes	78
7.1.13	LifeCycleManagementScript information element	79
7.1.13.1	Description	79
7.1.13.2	Attributes	79
7.1.14	VnfInfoModifiableAttributes information element	81
7.1.14.1	Description	81
7.1.14.2	Attributes	81
7.1.15	Information elements related to change current VNF Package	81
7.1.15.1	Introduction	81
7.1.15.2	VnfPackageChangeInfo information element	82
7.1.15.2.1	Description	82
7.1.15.2.2	Attributes	82
7.1.15.3	VersionSelector information element	83
7.1.15.3.1	Description	83
7.1.15.3.2	Attributes	83
7.1.15.4	ComponentMapping information element	84
7.1.15.4.1	Description	84
7.1.15.4.2	Attributes	84
7.1.16	Information elements related to the coordination in VNF lifecycle management operations	84
7.1.16.1	Introduction	84
7.1.16.2	VnfLcmOperationCoordination information element	85
7.1.16.2.1	Description	85
7.1.16.2.2	Attributes	85
7.1.16.3	LcmCoordinationActionMapping information element	86
7.1.16.3.1	Description	86
7.1.16.3.2	Attributes	86
7.1.17	Information elements related to VipCpd	87
7.1.17.1	Introduction	87
7.1.17.2	VipCpd information element	87
7.1.17.2.1	Description	87
7.1.17.2.2	Attributes	87
7.1.18	Information elements related to VirtualCpd	88
7.1.18.1	Introduction	88
7.1.18.2	VirtualCpd information element	88
7.1.18.2.1	Description	88
7.1.18.2.2	Attributes	89
7.1.18.3	AdditionalServiceData information element	89
7.1.18.3.1	Description	89
7.1.18.3.2	Attributes	89
7.1.18.4	ServicePortData information element	90
7.1.18.4.1	Description	90
7.1.18.4.2	Attributes	90
8	Functional requirements for VNF Snapshot Packaging	90
8.1	Generic Functional Requirements	90

8.2	Functional requirements for VNF Snapshot Packaging specification	91
8.2.1	Requirements for the structure of a VNF Snapshot Package	91
8.2.2	Requirements for the description of VNF Snapshot Package content	91
8.2.3	Requirements for security and integrity of a VNF Snapshot Package	92
Annex A (informative): Explanation of the scaling model.....		93
A.1	Overview	93
A.2	Scaling the individual scaling aspects of a VNF.....	93
A.3	Scaling a VNF to a pre-defined target size.....	94
Annex B (informative): Use of affinity/anti-affinity scopes		96
B.1	Introduction	96
B.2	Use of affinity/anti-affinity scopes for container-based VNF	97
B.2.1	Overview	97
B.2.2	Examples	98
B.2.2.1	Example of container-based VNF on physical (baremetal) CIS cluster.....	98
B.2.2.2	Example of container-based VNF on virtual CIS cluster.....	101
Annex C (informative): Implementation of ephemeral storage		103
C.1	Introduction	103
C.2	Examples	103
Annex D (informative): Change History		105
History		108

ETSI GS NFV-IFA 011 V4.4.1 (2023-03)

<https://standards.iteh.ai/catalog/standards/sist/e7067ff0-5f6a-4194-9999-e7b3ada6287c/etsi-gs-nfv-ifa-011-v4-4-1-2023-03>

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Group Specification (GS) has been produced by ETSI Industry Specification Group (ISG) Network Functions Virtualisation (NFV).

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

1 Scope

The present document provides requirements for the structure and format of a VNF Package to describe the VNF properties and associated resource requirements in an interoperable template.

The focus is on VNF packaging, meta-model descriptors (e.g. VNFD) and package integrity and security considerations.

The present document also specifies requirements for the structure and contents of VNF Snapshot Package.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <https://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Void.
- [2] [Hash Function Textual Names registry at IANA](#).
- [3] [ISO/IEC 9899](#): "Information Technology -- Programming languages -- C".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI GS NFV-IFA 002: "Network Functions Virtualisation (NFV); Acceleration Technologies; VNF Interfaces Specification".
- [i.2] ETSI GS NFV-IFA 006: "Network Functions Virtualisation (NFV); Management and Orchestration; Vi-Vnfm reference point - Interface and Information Model Specification".
- [i.3] ETSI GS NFV-IFA 007: "Network Functions Virtualisation (NFV); Management and Orchestration; Or-Vnfm reference point - Interface and Information Model Specification".
- [i.4] ETSI GS NFV-IFA 008: "Network Functions Virtualisation (NFV); Management and Orchestration; Ve-Vnfm reference point - Interface and Information Model Specification".
- [i.5] ISO/IEC 9646-7: "Information technology -- Open Systems Interconnection -- Conformance testing methodology and framework -- Part 7: Implementation Conformance Statements".
- [i.6] Void.

- [i.7] [Assigned Internet Protocol Numbers](#).
- [i.8] ETSI GS NFV-IFA 014: "Network Functions Virtualisation (NFV); Management and Orchestration; Network Service Templates Specification".
- [i.9] IETF RFC 4090: "Fast Reroute Extensions to RSVP-TE for LSP Tunnels".
- [i.10] Void.
- [i.11] ETSI GR NFV 003: "Network Functions Virtualisation (NFV); Terminology for main concepts in NFV".
- [i.12] ETSI GS NFV-IFA 040: "Network Functions Virtualisation (NFV) Release 4; Management and Orchestration; Requirements for service interfaces and object model for OS container management and orchestration specification".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the terms given in ETSI GR NFV 003 [i.11] apply.

3.2 Symbols

Void.

3.3 Abbreviations

For the purposes of the present document, the abbreviations given in ETSI GR NFV 003 [i.11] and the following apply:

ARM	Advanced RISC Machine
CDN	Content Delivery Network
CP	Connection Point
CPD	Connection Point Descriptor
CPU	Central Processing Unit
DF	Deployment Flavour
DSL	Domain Specific Language
EM	Element Manager
GS	Group Specification
IFA	Infrastructure and Architecture Working Group
IP	Internet Protocol
ISG	Industry Specification Group
LAN	Local Area Network
LCM	Life Cycle Management
MAC	Media Access Control
MPLS	MultiProtocol Label Switching
NFV	Network Functions Virtualisation
NFVI	Network Functions Virtualisation Infrastructure
NFVO	Network Functions Virtualisation Orchestrator
NS	Network Service
PM	Performance Management
QA	Quality Assurance
QoS	Quality of Service
RAM	Random Access Memory
RDMA	Remote Direct Memory Access
SAL	Service Availability Level
SW	Software
UML	Unified Modelling Language

URL	Uniform Resource Locator
VDU	Virtualisation Deployment Unit
VIM	Virtualised Infrastructure Manager
VL	Virtual Link
VLD	Virtual Link Descriptor
VM	Virtual Machine
VNF	Virtualised Network Function
VNFC	Virtualised Network Function Component
VNFD	Virtualised Network Function Descriptor
VNFM	Virtualised Network Function Manager

4 General description

4.1 Introduction

The present document develops specifications for packaging of VNFs to be delivered to service providers, focusing on the holistic end-to-end view of the VNF Package lifecycle, from design to runtime, capturing development as well as operational views. The present document provides an analysis of end-to-end VNF Package lifecycle management operations based on use-cases and NFV Architectural Framework functional blocks.

A VNF Package contains all of the required files and meta-data descriptors required to validate and instantiate a VNF.

Standardized meta-data descriptors are required to:

- describe the NFV infrastructure resource requirements for a VNF in a service provider environment;
- describe design constraints and other dependencies in order for the VNF to successfully install, instantiate and terminate; and
- describe VNF operational behaviour including VNF lifecycle events (e.g. scaling, upgrading).

Standardized packaging and validation of VNFs is required to:

- provide a consistent, documented method for VNF providers to package VNFs;
- harmonize the service provider on-boarding process for VNFs coming from different VNF providers;
- ensure integrity, trust and auditability of a VNF Package;
- allow for a flexible and extensible VNF packaging structure that accommodates a wide variety of NFV infrastructure scenarios; and
- allow the packaged VNF-related meta-data to be interpreted and the packaged VNF to be instantiated in a wide variety of orchestration systems irrespective of technology choice or infrastructure environment.

4.2 Objectives

The present document delivers:

- A description of a set of use cases involving the handling of VNF Packages.
- A set of functional requirements to be fulfilled when packaging a VNF.
- A specification of the information elements and attributes applicable to the VNFD.

4.3 Conventions

The attributes of the VNFD and associated information elements are described in the tables provided in clause 7. Each table has 5 columns, with the following significance:

- The "Attribute" column provides the attribute name.
- The "Qualifier" column indicates whether the support of the attribute is mandatory, optional or conditional.
- The "Cardinality" column contains the minimum and maximum cardinality of this information element (e.g. 1, 2, 0..N, 1..N). A cardinality range starting with 0 indicates that the attribute need not always be included.
- The "Content" column provides information on the type of the attribute values. It can be the name of an Information Element, a primitive type (Identifier, DateTime, etc.) or a generic UML type (String, Integer, etc.). If a cell in the "Content" column is marked as "Not specified", this means that the specification of the type is left to the data model design stage.
- The "Description column" provides a brief explanatory description and additional constraints.

The following notations, defined in ISO/IEC 9646-7 [i.5], are used for the qualifier column:

- M mandatory - the attribute shall be supported.
- O optional - the attribute may, but need not to, be supported.
- CM conditional mandatory - the attribute shall be supported under certain conditions. If the specified conditions are met then the attribute shall be supported. These conditions are specified in the Description column.
- CO conditional optional - the attribute may, but need not to, be supported under certain conditions. These conditions are specified in the Description column.

A Mandatory qualifier would imply that NFVO/VNFM shall understand/parse the particular element but the presence (inclusion in an occurrence of a VNFD) of the element is dictated by Cardinality. The lower bound of "1.." cardinality would imply that the attribute shall be present in the VNFD.

The following notations are used for the content column of information elements, input parameters, notifications, etc.:

- Parameters are of type "Identifier" when referring to an identifier of an actual object.
- For a "true" identifier identifying an object (information element or structure) the content type "Identifier" and the description "Identifier of this <object_name> <notification/information element/...>" is used.

EXAMPLE: Identifier "resourceId" of the "NetworkSubnet information element" shall have the description "Identifier of this NetworkSubnet information element".

- Object(s) are referenced by their identifier using the syntax "Identifier (Reference to <object_name1> [, <object_name2>...][, or <object_nameN>])".
- Names for attributes and parameters of type Identifier shall be of the following pattern: <name>Id.

4.4 Levels of NFV Entities

For NFV management, there are four levels of entities, i.e.:

- Descriptors - general type definitions for entities such as VNFs and VLs, e.g. VNFD and VLD.
- Descriptor objects - an instance of a descriptor, e.g. an instance of a VNFD (not an instance of a VNF instantiated according to this VNFD):
 - A descriptor object may provide (among other things) value ranges and default values for the attributes in the associated NFV entity class.

- In the present document, the creation of subclasses of generic descriptors (e.g. VNFD_x as a subclass of VNFD) has been avoided, since this approach would create a proliferation of descriptor classes.
- NFV Entity Classes - these are classes that represent various NFV entities such as VNF and VL. There is one-to-one mapping between a descriptor object and an NFV entity class. An example of an NFV Entity Class is CDN Cache VNF.
- NFV Entity Instances - these are instances of a given NFV entity class. An NFV entity instance is used to represent the current state and attribute values for a given NFV entity. Each NFV entity instance is bound by the associated descriptor object, e.g. value ranges and default values for attributes. An example of an NFV Entity Instance is a CDN Cache VNF instance.

Each level puts constraints on the subsequent levels.

Information in a lower level does not appear in a higher level, e.g. NFV entity instance information does not appear in the associated NFV entity class, descriptor object or descriptor.

For example:

- A VNFD has parameters such as virtualisationDeploymentUnit, intVirtualLinkDesc, extConnectionPointDesc and deploymentFlavour. These same parameters apply to every type of VNF.
- For a given type of VNF (e.g. a firewall), one would create an instance of the VNFD and populate the various VNFD parameters with values specific to the given type of firewall: specific VDU instances describing the resource requirements for this VNFD instance, VLD instances describing the various types of VL needed, specific Deployment Flavour (DF), etc.
- Next, one defines the class for the given VNF firewall. The class includes the attributes that are seen across the given reference point.
- Finally, one can instantiate one or more VNF firewall by populating the various attributes in the VNF class with actual values.

5 VNF Packaging use-cases (informative)

5.1 General

The following use cases describe the steps involving the VNF Package as it transitions from the VNF Provider to the Service Provider. They capture the generic processes as well as the actions required to be performed by actors playing different roles in order to identify the requirements for the standard packaging format.

All the use cases presented in this clause are informative.

For the purpose of the use cases, the roles identified in table 5.1-1 have been identified.

Table 5.1-1: List of roles

Role	Description
VNF Provider	The role providing the VNF. Actors that can play this role include, but are not limited to, vendor, integrator or in-house developer.
Supply Chain Specialist	Service provider function responsible for recommending or identifying VNFs required for desired services.
Service Designer	Service provider function responsible for defining and providing requirements (functional and non-functional) for required services. Also responsible for creating services to be deployed by the service provider.
Service Acceptance Specialist	Service provider function responsible to validate, certificate and on-board VNFs.
Service Deployment Manager	Service provider function responsible for managing the deployment (e.g. instantiation, update) of the VNFs and VLs validated by the Service Acceptance Specialist.

5.2 VNF Package bundling for distribution

A VNF is, from a delivery point of view, a software application so most of the general principles and processes associated with the software development lifecycle apply. After a VNF provider completes the development and functional testing for the VNF it needs to bundle all the necessary binaries and corresponding metadata for distribution to potential customers.

Roles

#	Role
1	VNF Provider

Pre-conditions

#	Pre-conditions	Comment
1	Functional Testing was performed and the version of the VNF has been identified	

Post-conditions

#	Post-conditions	Comment
1	A versioned single file package	

Base Flow

#	Role	Action/Description
1	VNF Provider	Using their own software development lifecycle tools and procedures, retrieve all the software components associated with the version to be built. This includes but not limited to own developed code, configuration files as well as third party components with their code, as well as build scripts and optionally license terms information (human readable file).
2	VNF Provider	Capture the release notes including clear description of the functionality the release delivers, any external dependencies, known bugs fixed relative to the prior releases as well as known issues in specific configurations.
3	VNF Provider	Bundle the release, sign the package and place it in a distribution repository.

5.3 VNF Package testing

The VNF Package testing encompasses steps to guarantee that the package adheres to the standard structure and contains the mandatory metadata required in order to be considered compliant with the industry format.

Roles

#	Role
1	VNF Provider

Pre-conditions

#	Pre-conditions	Comment
1	Versioned Package is signed and available for distribution	

Post-conditions

#	Post-conditions	Comment
1	Package is flagged as Validated	