## INTERNATIONAL STANDARD

Fourth edition 2016-05-01

# Dentistry — Nominal diameters and designation code numbers for rotary instruments

*Médecine bucco-dentaire — Diamètres nominaux et designation par numéro de code pour instruments rotatifs dentaires* 

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 2157:2016 https://standards.iteh.ai/catalog/standards/sist/7d5700c0-1c44-4ed8-acacba76911028d0/iso-2157-2016



Reference number ISO 2157:2016(E)

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 2157:2016 https://standards.iteh.ai/catalog/standards/sist/7d5700c0-1c44-4ed8-acacba76911028d0/iso-2157-2016



© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Page

## Contents

Forew	rord	iv
Introd	luction	<b>v</b>
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Nominal diameters and designation	2

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 2157:2016 https://standards.iteh.ai/catalog/standards/sist/7d5700c0-1c44-4ed8-acacba76911028d0/iso-2157-2016

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ASO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 106, *Dentistry*, Subcommittee SC 4, *Dental instruments*.

<u>ISO 2157:2016</u>

This fourth edition cancels and replaces the third edition (ISO 215701992); which has been technically revised with the following changes: ba76911028d0/iso-2157-2016

- a) <u>Clause 2</u>, Normative references was added;
- b) General reference to ISO 1942 vocabulary was added;
- c) <u>Clause 3</u>, Terms and definitions was added.

### Introduction

This International Standard is one of several basic standards for dental rotary instruments and describes a series of nominal diameters for the working parts of dental rotary instruments. It also lists the designations corresponding to those diameters. These designations give the diameters, in tenths of millimetres, in the form of a three-digit number which is used as part of the number code in ISO 6360 (all parts).

## iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 2157:2016</u> https://standards.iteh.ai/catalog/standards/sist/7d5700c0-1c44-4ed8-acacba76911028d0/iso-2157-2016

## iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 2157:2016 https://standards.iteh.ai/catalog/standards/sist/7d5700c0-1c44-4ed8-acacba76911028d0/iso-2157-2016

## Dentistry — Nominal diameters and designation code numbers for rotary instruments

#### 1 Scope

This International Standard specifies the nominal diameters of the working parts of dental rotary instruments, for example burs, laboratory burs, grinding instruments, diamond instruments, mandrels and the corresponding designation.

Excluded are the diameters of endodontic instruments and scaler tips.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3, Preferred numbers — Series of preferred numbers

ISO 1942, Dentistry – Vocabulary TANDARD PREVIEW

ISO 6360-1, Dentistry — Number coding system for rotary instruments — Part 1: General characteristics

#### 3 Terms and definitions

ISO 2157:2016

https://standards.iteh.ai/catalog/standards/sist/7d5700c0-1c44-4ed8-acac-For the purposes of this document, the terms and definitions given in ISO 1942 and ISO 6360-1 and the following apply.

#### 3.1

#### code number

series of numbers for specific detail information for dental *rotary instruments* (3.4) or their accessories

[SOURCE: ISO 6360-1:2004, 3.3.]

#### 3.2

#### designation code number

resulting designation as derived from the *nominal diameter* (3.3)

#### 3.3

#### nominal diameter

theoretical value of the diameter


#### 3.4

#### rotary instrument

tool used for rotary or oscillating movements, consisting of a working end, neck (if applicable) and shank, which is constructed to fit into a handpiece

Note 1 to entry: This includes continuous rotation or oscillating instruments.

Note 2 to entry: See <u>Figure 1</u>.



#### Key

- 1 working end
- 2 neck
- 3 shank

#### Figure 1 — Designation of parts of rotary instrument

## 4 Nominal diameters and designation

The nominal diameters, in millimetres, and the designation by code number of the working parts of dental rotary instruments shall be selected from those listed in <u>Table 1</u>, <u>Table 2</u> and <u>Table 3</u>.

In the range of 2,5 mm to 9,5 mm, it is recommended to use the diameters of the R 20 series. This reduces the number of diameters in this area from 21 to 12 (see <u>Table 2</u>).

Table 1 –	- Nominal diar	neters and des	signation co	ode number, :	range 0,5 mm	n to 2,3 mm

Nominal diameter	Designation code number	W
mm (stan	dards.iteh.ai)	
0,5	005	
0,6	<u>ISO 2157:2010</u> 06	
•,.	log/standards/sist <b>07017</b> 700c0-1c44-4ec	8-acac-
0,8 ba769	11028d0/iso-21 <b>57-2</b> 016	
0,9	009	
1,0	010	
1,2	012	
1,4	014	
1,6	016	
1,8	018	
2,1	021	
2,3	023	

Nominal diameter mm	Preferred sizes ISO 3: R 20 series <sup>a</sup>	Designation code number
2,5	2,50	025
2,7		027
	2,80	028
2,9		029
3,1		031
	3,15	031
3,3		033
3,5		035
	3,55	035
3,7		037
4,0	4,00	040
4,2		042
4,5	4,50	045
<b>iTe</b> <sup>4,7</sup> <sub>5,0</sub> <b>STA</b>	NDARD I	<b>REVII</b> 047 050
5,5 <b>(sta</b> )	ndards.ite	<b>h.ai</b> ) 055
	5,60	056
6,0	<u>ISO 2157:2016</u>	060
https://standards.iteh.ai/ca	1alog/standards/sist//d	5700c0-1c44-4668-acac-
6,5	571102000/150-2157-	065
7,0		070
	7,10	071
7,5		075
8,0	8,00	080
8,5		085
9,0	9,00	090
9,5		095
<sup>a</sup> It is recommended diameters of the R 20 set area from 21 to 12.	(in the range of 2,5 ries, in order to redu	mm to 9,5 mm) to substitute th ce the number of diameters in thi

#### Table 2 — Nominal diameter and designation code number, range 2,5 mm to 9,5 mm