



**SLOVENSKI STANDARD**  
**SIST EN 300 019-2-3 V2.1.2:2006**

**01-februar-2006**

Equipment Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-3: Specification of environmental tests; Stationary use at weatherprotected locations

Equipment Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-3: Specification of environmental tests; Stationary use at weatherprotected locations

**(standards.iteh.ai)**

[SIST EN 300 019-2-3 V2.1.2:2006](https://standards.iteh.ai/catalog/standards/sist/b28437e3-8ccf-465a-b479-61ee3c377cf8/sist-en-300-019-2-3-v2-1-2-2006)

<https://standards.iteh.ai/catalog/standards/sist/b28437e3-8ccf-465a-b479-61ee3c377cf8/sist-en-300-019-2-3-v2-1-2-2006>

**Ta slovenski standard je istoveten z: EN 300 019-2-3 Version 2.1.2**

**ICS:**

19.040	Preskušanje v zvezi z okoljem	Environmental testing
33.050.01	Telekomunikacijska terminalna oprema na splošno	Telecommunication terminal equipment in general

**SIST EN 300 019-2-3 V2.1.2:2006** en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 019-2-3 V2.1.2:2006](#)

<https://standards.iteh.ai/catalog/standards/sist/b28437e3-8ccf-465a-b479-61ee3c377cf8/sist-en-300-019-2-3-v2-1-2-2006>

# ETSI EN 300 019-2-3 V2.1.2 (1999-09)

---

*European Standard (Telecommunications series)*

**Equipment Engineering (EE);  
Environmental conditions and environmental tests for  
telecommunications equipment;  
Part 2-3: Specification of environmental tests;  
Stationary use at weatherprotected locations**

---

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 019-2-3 V2.1.2:2006](https://standards.iteh.ai/catalog/standards/sist/b28437e3-8ccf-465a-b479-61ee3c377cf8/sist-en-300-019-2-3-v2-1-2-2006)

<https://standards.iteh.ai/catalog/standards/sist/b28437e3-8ccf-465a-b479-61ee3c377cf8/sist-en-300-019-2-3-v2-1-2-2006>





# Contents

Intellectual Property Rights .....	5
Foreword .....	5
1 Scope .....	6
2 References .....	6
3 Environmental test specifications .....	6
3.1 Specifications T 3.1 and T 3.1 E: Temperature-controlled locations .....	7
3.2 Specification T 3.2: Partly temperature-controlled locations .....	11
3.3 Specification T 3.3: Not temperature-controlled locations .....	14
3.4 Specification T 3.4: Sites with heat-trap .....	17
3.5 Specification T 3.5: Sheltered locations .....	20
4 Earthquake test specification .....	23
4.1 Vibration response investigation .....	23
4.2 Test conditioning .....	24
5 Notes to tables .....	25
5.1 General note .....	25
5.2 Notes to tables 1 to 12 .....	25
<b>Annex A (normative): Alternative climatic test method for class 3.1 .....</b>	<b>29</b>
A.1 Description .....	29
A.2 Objectives .....	29
A.3 Test apparatus .....	29
A.4 Methodology .....	29
A.5 Pre-conditioning .....	29
A.6 Testing .....	30
A.6.1 Equipment operation .....	30
A.6.2 Equipment failures .....	30
A.6.3 Test severities .....	30
A.6.4 Scanning the climatogram .....	31
A.6.5 Rates of change .....	31
A.6.6 Functional requirements and verification .....	31
<b>Annex B (normative): Alternative climatic test method for class 3.2 .....</b>	<b>32</b>
B.1 Description .....	32
B.2 Objectives .....	32
B.3 Test apparatus .....	32
B.4 Methodology .....	32
B.5 Pre-conditioning .....	33
B.6 Testing .....	33
B.6.1 Equipment operation .....	33
B.6.2 Equipment failures .....	33
B.6.3 Test severities .....	33
B.6.4 Scanning the climatogram .....	33
B.6.5 Rates of change .....	34
B.6.6 Functional requirements and verification .....	34

<b>Annex C (normative):</b>	<b>Alternative climatic test method for class 3.3.....</b>	<b>35</b>
C.1	Description.....	35
C.2	Objectives .....	35
C.3	Test apparatus .....	35
C.4	Methodology .....	35
C.5	Pre-conditioning .....	36
C.6	Testing .....	36
C.6.1	Equipment operation.....	36
C.6.2	Equipment failures.....	36
C.6.3	Test severities .....	36
C.6.4	Scanning the climatoqram.....	36
C.6.5	Rates of change.....	37
C.6.6	Functional requirements and verification.....	37
<b>Annex D (normative):</b>	<b>Alternative climatic test method for class 3.4.....</b>	<b>38</b>
D.1	Description.....	38
D.2	Objectives .....	38
D.3	Test apparatus .....	38
D.4	Methodology .....	38
D.5	Pre-conditioning .....	39
D.6	Testing .....	39
D.6.1	Equipment operation.....	39
D.6.2	Equipment failures.....	39
D.6.3	Test severities .....	39
D.6.4	Scanning the climatoqram.....	40
D.6.5	Rates of change.....	40
D.6.6	Functional requirements and verification.....	40
<b>Annex E (normative):</b>	<b>Alternative climatic test method for class 3.5.....</b>	<b>41</b>
E.1	Description.....	41
E.2	Objectives .....	41
E.3	Test apparatus .....	41
E.4	Methodology .....	41
E.5	Pre-conditioning .....	42
E.6	Testing .....	42
E.6.1	Equipment operation.....	42
E.6.2	Equipment failures.....	42
E.6.3	Test severities .....	42
E.6.4	Scanning the climatoqram.....	43
E.6.5	Rates of change.....	43
E.6.6	Functional requirements and verification.....	43
	Bibliography .....	44
	History.....	45

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document consists of 2 parts as follows:

Part 1: "Classification of environmental conditions";

NOTE 1: Specifies different standardized environmental classes covering climatic and biological conditions, chemically and mechanically active substances and mechanical conditions during storage, transportation and in use.

Part 2: "Specification of environmental tests";

NOTE 2: Specifies the recommended test severities and test methods for the different environmental classes.

Each part of the standard is divided into sub-parts. Sub-part 2-0 forms a general overview of Part 2.

This sub-part 2-3 deals with stationary use at weatherprotected locations.

### National transposition dates

Date of adoption of this EN:	3 September 1999
Date of latest announcement of this EN (doa):	31 December 1999
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 2000
Date of withdrawal of any conflicting National Standard (dow):	30 June 2000

---

# 1 Scope

The present document specifies test severities and methods for the verification of the required resistibility of equipment according to the relevant environmental class.

The tests in Part 2-3 of this multi-part EN apply to stationary use of equipment at weatherprotected locations covering the environmental conditions stated in ETS 300 019-1-3 [1].

---

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] ETS 300 019-1-3: "Equipment Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-3: Classification of environmental conditions; Stationary use at weatherprotected locations"
- [2] IEC 60068-2: "Environmental testing - Part 2: Tests".
- [3] ETS 300 019-2-0: "Equipment Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-0: Specification of environmental tests; Introduction".
- [4] IEC 60721-3-3: "Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 3: Stationary use at weatherprotected locations".

---

# 3 Environmental test specifications

The detailed descriptions of the environmental conditions are in clauses 4 and 5 of ETS 300 019-1-3 [1].

ETS 300 019-2-0 [3] forms a general overview of Part 2 of the present document.

The equipment under test is assumed to be in its operational state throughout the test conditions described in this part unless otherwise stated. The required performance before, during and after the test needs to be specified in the product specification. Input and load conditions of the equipment shall be chosen to obtain full utilization of the equipment under test. The heat dissipation shall be maximized, except for the steady state, low temperature test, where it shall be minimized.



### 3.1 Specifications T 3.1 and T 3.1 E: Temperature-controlled locations

#### Specification T 3.1: Temperature-controlled locations - normal operating conditions.

This specification applies to permanently temperature-controlled enclosed locations where humidity is usually not controlled. See tables 1 and 2.

**Table 1: Test specification T 3.1: Temperature-controlled locations - climatic tests**

Environmental parameter			Environmental Class 3.1	Environmental test specification T3.1: In-use, Temperature-controlled locations					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes	
Air temperature	low	(°C)	+5	+5	16 h	IEC 60068-2-1	Ab/Ad: Cold	1, 21	
	high	(°C)	+40	+40 or +50	16 h	IEC 60068-2-2	Bb/Bd: Dry heat	2, 21	
	change	(°C) (°C/min)	0,5	+25/+40 0,5	half cycle t <sub>1</sub> = 3 h	IEC 60068-2-14	Nb: Change of temperature	3, 21	
Humidity	relative	low	(%)	5	none			4, 21	
		high	(%)	85	85 +30	4 d	IEC 60068-2-56	Cb: Damp heat steady state	5, 21
	absolute	condensation		no					
		low	(g/m <sup>3</sup> )	1	none				4, 21
Air	pressure	high	(g/m <sup>3</sup> )	25				7, 21	
		low	(kPa)	70	none			8	
	high	(kPa)	106	none			8		
speed	(m/s)	5,0	none				4		
Water	rain	intensity		no					
		low temperature		no					
	other sources icing & frosting			no					
Radiation	solar	(W/m <sup>2</sup> )	700					10	
	heat	(W/m <sup>2</sup> )	600					11	

Environmental parameter			Environmental Class 3.1	Environmental test specification T3.1: In-use, Temperature-controlled locations					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes	
Chemically active substances	sulphur	SO <sub>2</sub> (mg/m <sup>3</sup> )	0,3/1,0	none				12	
		H <sub>2</sub> S (mg/m <sup>3</sup> )	0,1/0,5	none				12	
	chlorine	salt mist	sea and road salt		none				12
		Cl <sub>2</sub> (mg/m <sup>3</sup> )		0,1/0,3	none				12
		HCl (mg/m <sup>3</sup> )		0,1/0,5	none				12
	nitrogen	NO <sub>x</sub> (mg/m <sup>3</sup> )		0,5/1,0	none				12
		NH <sub>3</sub> (mg/m <sup>3</sup> )		1,0/3,0	none				12
	hydrogen fluoride HF		(mg/m <sup>3</sup> )	0,01/0,03	none				12
ozone O <sub>3</sub>		(mg/m <sup>3</sup> )	0,05/0,1	none				12	
Mechanically active substances	dust	sedimentation (mg/(m <sup>2</sup> h))	1,5	none				12	
		suspension (mg/m <sup>3</sup> )	0,2	none				13	
	sand		(mg/m <sup>3</sup> )	30	none				13
Flora and fauna	micro organisms		negligible						
	rodents, insects		negligible						

NOTE 1: no = this condition does not occur in this class.  
NOTE 2: none = verification is required only in special cases.  
NOTE 3: n = number of note, see clause 5.

<http://standards.iteh.ai/catalog/standards/sist/b28437e3-8ccf-465a-b479-61ee3c377c8f/sist-en-300-019-2-3-v2-1-2-2006>  
SIST EN 300 019-2-3 V2.1.2:2006

**iteh STANDARD PREVIEW**  
**(standards.iteh.ai)**

**Table 2: Test specification T 3.1: Temperature-controlled locations - mechanical tests**

Environmental parameter			Environmental Class 3.1	Environmental test specification T 3.1: In-use, Temperature-controlled locations				
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes
Vibration	sinusoidal	displacement (mm) acceleration (m/s <sup>2</sup> ) frequency range (Hz) axes of vibration	0,3 1,0 2-9 9-200	none				15
Shocks	shocks	shock spectrum duration (ms) acceleration (m/s <sup>2</sup> ) number of shocks direction of shocks	Type L 22 40	half sine 11 30 6	3 in each direction	IEC 60068-2-27	Ea: Shock	18
NOTE 1: none = verification is required only in special cases								
NOTE 2: n = number of note, see clause 5.								

**Specification T 3.1 E: Temperature-controlled locations - exceptional operating conditions.**

This specification applies to permanently temperature-controlled locations where humidity is usually not controlled. The reference class is the same as for T 3.1, but the test specification relates to reduced performance requirements. See table 3.

https://standards.iteh.ai/catalog/standards/sist/b28437e3-8ccf-465a-b479-61ee3c377c8f/sist-en-300-019-2-3-v2-1-2-2006  
 SIST EN 300 019-2-3 V2.1.2:2006  
 (standards.iteh.ai)  
 iTeh STANDARD PREVIEW

Table 3: Test specification T 3.1 E: Temperature-controlled locations, exceptional operating conditions - climatic tests

Environmental parameter			Environmental Class 3.1E	Environmental test specification T3.1E: In-use, Temperature-controlled locations - Exceptional.					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes	
Air temperature	low	(°C)	-5	-5	16 h	IEC 60068-2-1	Ab/Ad: Cold	1; 21	
	high	(°C)	+45	+45 or +55	16 h	IEC 60068-2-2	Bb/Bd: Dry heat	2; 21	
	change	(°C) (°C/min)	0,5	+25/+45 0,5	half cycle t <sub>1</sub> = 3 h	IEC 60068-2-14	Nb: Change of temperature	3; 21	
Humidity	relative	low	(%)	5	none			4, 21	
		high	(%)	90	93	4 d	IEC 60068-2-56	Cb: Damp heat steady state	5; 21
		condensation		no					
	absolute	low	(g/m <sup>3</sup> )	1	none				4, 21
		high	(g/m <sup>3</sup> )	25					7, 21
Radiation	solar	(W/m <sup>2</sup> )	700					10	
	heat	(W/m <sup>2</sup> )	600					11	
NOTE 1: no = this condition does not occur in this class.									
NOTE 2: none = verification is required only in special cases.									
NOTE 3: n = number of note, see clause 5.									

iTeh STANDARD PREVIEW  
 (standards.iteh.ai)  
 SIST EN 300 019-2-3 V2.1.2:2006  
<https://standards.iteh.ai/catalog/standards/sist/b28437e3-8ccf-465a-b479-61ee3c377c8f/sist-en-300-019-2-3-v2-1-2-2006>

## 3.2 Specification T 3.2: Partly temperature-controlled locations

This specification applies to enclosed locations having neither temperature nor humidity control, but where heating may be used to avoid low temperatures. The building construction avoids extremely high temperatures. See tables 4 and 5.

**Table 4: Test specification T 3.2: Partly temperature-controlled locations - climatic tests**

Environmental parameter			Environmental Class 3.2	Environmental test specification T3.2: In-use, Partly temperature-controlled locations					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes	
Air temperature	low	(°C)	-5	-5	16 h	IEC 60068-2-1	Ab/Ad: Cold	1, 22	
	high	(°C)	+45	+45 or +55	16 h	IEC 60068-2-2	Bb/Bd: Dry heat	2, 22	
	change	temp range (°C)		+25/+55 or +25/+45	half cycle t <sub>1</sub> = 3 h	IEC 60068-2-14	Nb: Change of temperature	3, 22	
Humidity	relative	low	(%)	5	none			4, 22	
		high	(%)	95	93	4 d steady state	IEC 60068-2-56	Cb: Damp heat	5, 22
		condensation	(°C)	yes	+30°	1 cycle	IEC 60068-2-30	Db: Damp heat cyclic Variant 1	6, 22
	absolute	low	(g/m <sup>3</sup> )	1	none				4, 22
		high	(g/m <sup>3</sup> )	29					7, 22
Air	pressure	low	(kPa)	70	none			8	
		high	(kPa)	106	none			8	
	speed	(m/s)	5,0	none				4	
Water	rain	intensity		no					
		low temperature		no					
	other sources icing & frosting		yes					4	
Radiation	solar	(W/m <sup>2</sup> )	700					10	
	heat	(W/m <sup>2</sup> )	600					11	