



## SLOVENSKI STANDARD SIST EN 300 019-2-7 V2.1.2.2006

01-februar-2006

---

**Okoljski inženiring (EE) – Okoljski pogoji in preskusi vplivov okolja na telekomunikacijsko opremo – 2-7. del: Specifikacija preskusov vplivov okolja – Prenosna in nefiksna uporaba**

Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-7: Specification of environmental tests; Portable and non-stationary use

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN 300 019-2-7 V2.1.2.2006](#)  
<https://standards.iteh.ai/catalog/standards/sist/7dc38216-477f-457b-8d8e-5a4134de9817/sist-en-300-019-2-7-v2-1-2-2006>

---

**Ta slovenski standard je istoveten z: EN 300 019-2-7 Version 2.1.2**

---

**ICS:**

|           |  |   |
|-----------|--|---|
| 19.040    | Preskušanje v zvezi z okoljem                    | Environmental testing                           |
| 33.050.01 | Telekomunikacijska terminalska oprema na splošno | Telecommunication terminal equipment in general |

**SIST EN 300 019-2-7 V2.1.2.2006 en**

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 019-2-7 V2.1.2.2006](#)

<https://standards.iteh.ai/catalog/standards/sist/7dc38216-477f-457b-8d8e-5a4134de9817/sist-en-300-019-2-7-v2-1-2-2006>

# ETSI EN 300 019-2-7 V2.1.2 (2001-09)

European Standard (Telecommunications series)

## **Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-7: Specification of environmental tests; Portable and non-stationary use**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 300 019-2-7 V2.1.2.2006](#)

<https://standards.iteh.ai/catalog/standards/sist/7dc38216-477f-457b-8d8e-5a4134de9817/sist-en-300-019-2-7-v2-1-2-2006>



---

Reference

REN/EE-01027-2-7

---

Keywords

environment, mobile, testing

***ETSI***

650 Route des Lucioles  
 F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
 Association à but non lucratif enregistrée à la  
 Sous-Préfecture de Grasse 06 N° 7303/88

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 019-2-7 V2.1.2.2006](#)  
<https://standards.iteh.ai/catalog/standards/sist/7dc38216-477f-457b-8d8e-5a4134de9817/sist-en-300-019-2-7-v2-1-2-2006>

---

***Important notice***

Individual copies of the present document can be downloaded from:  
<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
 Information on the current status of this and other ETSI documents is available at  
<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, send your comment to:  
[editor@etsi.fr](mailto:editor@etsi.fr)

---

***Copyright Notification***

No part may be reproduced except as authorized by written permission.  
 The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2001.  
 All rights reserved.

---

## Contents

|  |           |
|--|-----------|
| Intellectual Property Rights .....   | 4         |
| Foreword.....  | 4         |
| 1 Scope .....  | 5         |
| 2 References .....   | 5         |
| 3 Environmental test specifications.....   | 5         |
| 3.1 Specification T 7.1: Temperature-controlled locations .....                                      | 6         |
| 3.2 Specification T 7.2: Partly temperature-controlled locations .....                               | 7         |
| 3.3 Specification T 7.3: Partly weatherprotected and non-weatherprotected locations .....            | 9         |
| 3.4 Specification T 7.3E: Partly weatherprotected and non-weatherprotected locations - extended..... | 10        |
| 4 Notes to tables .....  | 14        |
| 4.1 General Note .....   | 14        |
| 4.2 Notes to Tables 1 to 6.....  | 14        |
| <b>Annex A (informative):      Bibliography.....</b>   | <b>16</b> |
| History .....  | 17        |

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 300 019-2-7 V2.1.2.2006  
<https://standards.iteh.ai/catalog/standards/sist/7dc38216-477f-457b-8d8e-5a4134de9817/sist-en-300-019-2-7-v2-1-2-2006>

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/legal/home.htm>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document is part 2, sub-part 7 of a multi-part deliverable covering environmental conditions and environmental tests for telecommunications equipment, as identified below:

Part 1: "Classification of environmental conditions";

**Part 2: "Specification of environmental tests";**

Sub-part 0: "Introduction"; **iTech STANDARD PREVIEW  
(standards.itech.ai)**

Sub-part 1: "Storage"; [SIST EN 300 019-2-7 V2.1.2.2006](#)

Sub-part 2: "Transportation"; <https://stds.itech.ai/standards/standard/7dc38216-477f-457b-8d8e-5a4134de9817/sist-en-300-019-2-7-v2-1-2-2006>

Sub-part 3: "Stationary use at weatherprotected locations"; <https://stds.itech.ai/standards/standard/7dc38216-477f-457b-8d8e-5a4134de9817/sist-en-300-019-2-7-v2-1-2-2006>

Sub-part 4: "Stationary use at non-weatherprotected locations";

Sub-part 5: "Ground vehicle installations";

Sub-part 6: "Ship environments";

**Sub-part 7: "Portable and non-stationary use";**

Sub-part 8: "Stationary use at underground locations".

Part 1 specifies different standardized environmental classes covering climatic and biological conditions, chemically and mechanically active substances and mechanical conditions during storage, transportation and in use.

Part 2 specifies the recommended test severities and test methods for the different environmental classes.

Part 2-0 forms a general overview of part 2. The present document deals with portable and non-stationary use.

| <b>National transposition dates</b>  |                   |
|--|-------------------|
| Date of adoption of this EN:   | 14 September 2001 |
| Date of latest announcement of this EN (doa):  | 31 December 2001  |
| Date of latest publication of new National Standard or endorsement of this EN (dop/e): | 30 June 2002      |
| Date of withdrawal of any conflicting National Standard (dow):                         | 30 June 2002      |

---

## 1 Scope

The present document specifies test methods and severities for the verification of the required resistibility of telecommunication equipment according to the relevant environmental class.

The tests defined in the present document apply to portable and non-stationary use of equipment, covering the environments stated in ETS 300 019-1-7 [1].

---

## 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication and/or edition number or version number) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.

- [1] ETSI ETS 300 019-1-7: "Equipment Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-7: Classification of environmental conditions; Portable and non-stationary use".
- [2] IEC 60068-2: "Environmental testing - Part 2: Tests".
- [3] ETSI ETS 300 019-2-0: "Equipment Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-0: Specification of environmental tests; Introduction". [SIST EN 300 019-2-7 V2.1.2.2006](#)
- [4] IEC 60721-2-7: "Classification of environmental conditions. Part 2: Environmental conditions appearing in nature. Fauna and flora". <https://standards.itech.ai/catalog/standards/sist/7dc38216-477f-457b-8d8e-5a413ade9817/ut-en-300-019-2-7-v2-1-2-2006>

---

## 3 Environmental test specifications

The detailed descriptions of the environmental conditions are given in clauses 4 and 5 of ETS 300 019-1-7 [1].

ETS 300 019-2-0 [3] forms a general overview of part 2 of the present multipart standard.

The equipment under test is assumed to be in its operational state throughout the test conditions described in this part unless otherwise stated. The required performance before, during and after the test needs to be specified in the product specification. Input and load conditions of the equipment shall be chosen to obtain full utilization of the equipment under test. The heat dissipation shall be maximized, except for the steady state, low temperature test, where it shall be minimized.

### 3.1 Specification T 7.1: Temperature-controlled locations

This specification applies to use at, and direct transfer between, permanently temperature-controlled enclosed locations where humidity is usually not controlled. See tables 1, 5 and 6.

**Table 1: Test specification T 7.1: Temperature-controlled locations - climatic tests**

| Environmental parameter      |                   |                         | Environmental Class 7.1 | Environmental test specification T7.1: Portable, Temperature - controlled location |                         |                    |                            |       |
|------------------------------|-------------------|-------------------------|-------------------------|--|-------------------------|--------------------|----------------------------|-------|
| Type                         | Parameter         | Detail parameter        | Characteristic severity | Test severity  | Duration                | Reference          | Method                     | Notes |
| Air temperature              | low               | (°C)                    | +5                      | +5   | 16 h                    | IEC 60068-2-1 [2]  | Ab/Ad: Cold                | 1     |
|                              | high              | (°C)                    | +40                     | +40 or +50   | 16 h                    | IEC 60068-2-2 [2]  | Bb/Bd: Dry heat            | 2     |
|                              | change            | (°C)                    | +5/+25                  | +5/+25   | 3 cycles<br>$t_1 = 3$ h | IEC 60068-2-14 [2] | Na: Change of temperature  | 3     |
| Humidity                     | relative          | low (%)                 | 5                       | none   |                         |                    |                            | 4     |
|                              |                   | high (%)                | 85                      | 93   | 96 h                    | IEC 60068-2-56 [2] | Cb: Damp heat steady state | 5     |
|                              |                   | (°C)                    | +30                     | +30  |                         |                    |                            |       |
|                              | absolute          | low (g/m³)              | 1                       | none   |                         |                    |                            | 4     |
|                              |                   | high (g/m³)             | 25                      | none   |                         |                    |                            | 7     |
| Air                          | pressure          | low (kPa)               | 70                      | none   |                         |                    |                            | 8     |
|                              |                   | high (kPa)              | 106                     | none   |                         |                    |                            | 8     |
|                              | speed (m/s)       | 5,0                     |                         | none   |                         |                    |                            | 4     |
| Water                        | rain              | intensity (mm/min)      |                         | no   |                         |                    |                            |       |
|                              |                   | low temperature (°C)    |                         | no   |                         |                    |                            |       |
|                              | other sources     |                         |                         | no   |                         |                    |                            |       |
|                              | icing & frosting  |                         |                         | no   |                         |                    |                            |       |
| Radiation                    | solar             | (W/m²)                  | 700                     | none   |                         |                    |                            | 11    |
|                              | heat              | (W/m²)                  | 600                     | none   |                         |                    |                            | 11    |
| Chemically active substances | sulphur           | SO₂ (mg/m³)             | 0,3/1,0                 | none   |                         |                    |                            | 12    |
|                              |                   | H₂S (mg/m³)             | 0,1/0,5                 | none   |                         |                    |                            | 12    |
|                              | chlorine          | salts                   | Sea and road salt mist  | none   |                         |                    |                            | 12    |
|                              |                   | Cl₂ (mg/m³)             | 0,1/0,3                 | none   |                         |                    |                            | 12    |
|                              |                   | HCl (mg/m³)             | 0,1/0,5                 | none   |                         |                    |                            | 12    |
|                              | nitrogen          | NO <sub>x</sub> (mg/m³) | 0,5/1,0                 | none   |                         |                    |                            | 12    |
|                              |                   | NH <sub>3</sub> (mg/m³) | 1,0/3,0                 | none   |                         |                    |                            | 12    |
|                              | hydrogen fluoride | HF (mg/m³)              | 0,01/0,03               | none   |                         |                    |                            | 12    |
|                              | ozone             | O <sub>3</sub> (mg/m³)  | 0,05/0,1                | none   |                         |                    |                            | 12    |

| Environmental parameter   |                  |                                       | Environmental Class 7.1 | Environmental test specification T7.1: Portable, Temperature - controlled location |          |           |        |       |
|---|------------------|---------------------------------------|-------------------------|--|----------|-----------|--------|-------|
| Type  | Parameter        | Detail parameter                      | Characteristic severity | Test severity  | Duration | Reference | Method | Notes |
| Mechanically active substances  | dust             | sedimentation (mg/(m <sup>2</sup> h)) | 1,5                     | none   |          |           |        | 13    |
|   |                  | suspension (mg/m <sup>3</sup> )       | 0,2                     | none   |          |           |        | 13    |
|   | sand             | (mg/m <sup>3</sup> )                  | 30                      | none   |          |           |        | 13    |
| Flora and Fauna   | micro organisms  |                                       | no                      |  |          |           |        |       |
|   | rodents, insects |                                       | no                      |  |          |           |        |       |
| no: This condition does not occur in this class.<br>none: Verification is required only in special cases.<br>NOTES: Number of note, see clause 3.4. |                  |                                       |                         |  |          |           |        |       |

## 3.2 Specification T 7.2: Partly temperature-controlled locations

This specification applies to use at and direct transfer between, enclosed locations having neither temperature nor humidity control but where heating may be used to avoid low temperatures. Building construction avoids extremely high temperatures. See tables 2, 5 and 6.

Table 2: Test specification T 7.2: Partly temperature-controlled locations - climatic tests

| Environmental parameter |                  |                             | Environmental Class 7.2 | Environmental test specification T7.2: Portable, Partly temperature- controlled locations |          |                    |                                 |       |
|-------------------------|------------------|-----------------------------|-------------------------|---|----------|--------------------|---------------------------------|-------|
| Type                    | Parameter        | Detail parameter            | Characteristic severity | Test severity   | Duration | Reference          | Method                          | Notes |
| Air temperature         | low              | (°C) -5                     | -5                      | -5  | 16 h     | IEC 60068-2-1 [2]  | Ab/Ad: Cold                     | 1     |
|                         | high             | (°C) +45                    | +45 or +55              | +45 or +55  | 16 h     | IEC 60068-2-2 [2]  | Bb/Bd: Dry heat                 | 2     |
|                         | change           | (°C) -5/+25                 | -5/+25                  | 3 cycles<br>$t_1 = 3$ h   |          | IEC 60068-2-14 [2] | Na: Change of temperature       | 3     |
| Humidity                | relative         | low (%) 5                   | none                    |   |          |                    |                                 | 4     |
|                         |                  | high (%) 95                 | 93<br>+30               | 96 h  |          | IEC 60068-2-56 [2] | Cb: Damp heat steady state      | 5     |
|                         |                  | condensation (%) yes        | 90-100<br>+30           | 2 cycles  |          | IEC 60068-2-30 [2] | Db: Damp heat Cyclic, variant 2 | 6     |
|                         | absolute         | low (g/m <sup>3</sup> ) 1   | none                    |   |          |                    |                                 | 4     |
|                         |                  | high (g/m <sup>3</sup> ) 29 | none                    |   |          |                    |                                 | 7     |
| Air                     | pressure         | low (kPa) 70                | none                    |   |          |                    |                                 | 8     |
|                         |                  | high (kPa) 106              | none                    |   |          |                    |                                 | 8     |
|                         | speed            | (m/s) 5,0                   | none                    |   |          |                    |                                 | 4     |
| Water                   | rain             | intensity (mm/min) no       |                         |   |          |                    |                                 |       |
|                         |                  | low temperature (°C) no     |                         |   |          |                    |                                 |       |
|                         | other sources    | dripping water              | none                    |   |          |                    |                                 | 10    |
|                         | icing & frosting | yes                         | none                    |   |          |                    |                                 | 4     |