INTERNATIONAL STANDARD

First edition 2019-07

Ships and marine technology — Servicing of immersion suits, antiexposure suits and constant wear suits

Navires et technologie maritime — Entretien des combinaisons d'immersion, des vêtements de survie et des combinaisons de port permanent

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 19912:2019 https://standards.iteh.ai/catalog/standards/sist/0580ae07-4c4d-41bb-a173-009f0eae1d10/iso-19912-2019



Reference number ISO 19912:2019(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 19912:2019 https://standards.iteh.ai/catalog/standards/sist/0580ae07-4c4d-41bb-a173-009f0eae1d10/iso-19912-2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Page

Contents

Forew	vord	iv
Intro	duction	v
1	Scope	
2	Normative references	
3	Terms and definitions	
4	 Servicing of immersion suits and anti-exposure suits 4.1 General 4.2 Inspection, testing and repair 	2
5	Servicing of constant wear suits5.1General5.2Inspection, testing and repair	
6	Pressure test 6.1 General 6.2 Procedure 6.3 Repairs	5 5
7	Servicing records 7.1 General 7.2 General information 7.3 Information about suit condition when received 7.4 Inspection and test information to be recorded 7.5 Re-inspection certificate 7.6 Log card information 7.7 Condemnation documentation for suits 2 7.8 Control objects to be included in the inspection schedulab-a173-	6
8	 7.8 Control objects to be included in the inspection/scheduleb-a173- 009f0eae1d10/iso-19912-2019 Exception and deficiency reports 	8
Anne	x A (informative) Example of condemnation form for all types of immersion suits, anti-exposure suits and constant wear suits	
Anne	x B (informative) Example of re-inspection certificate for all types of immersion suits, anti-exposure suits and constant wear suits	
Biblic	ography	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see <u>www.iso</u> .org/iso/foreword.html. (standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 8, Ships and marine technology, Subcommittee SC 1, Maritime safety. ISO 19912:2019 https://standards.iteh.ai/catalog/standards/sist/0580ae07-4c4d-41bb-a173-

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <u>www.iso.org/members.html</u>.

Introduction

The IMO International Convention on the Safety of Life at Sea of 1974 (SOLAS 74) sets requirements for the monthly inspection and periodic inspection of life-saving appliances, including immersion suits, anti-exposure suits and constant wear suits. The IMO has circulated guidelines which are not sufficiently detailed as to provide uniform application by crews on board ships and for authorisation of servicing stations.

This document addresses the servicing of immersion suits, anti-exposure suits and constant wear suits. It is intended for use as a companion to the IMO recommendations. It is also intended to encompass all other relevant personal protective suits not covered by SOLAS regulations.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 19912:2019 https://standards.iteh.ai/catalog/standards/sist/0580ae07-4c4d-41bb-a173-009f0eae1d10/iso-19912-2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 19912:2019 https://standards.iteh.ai/catalog/standards/sist/0580ae07-4c4d-41bb-a173-009f0eae1d10/iso-19912-2019

Ships and marine technology — Servicing of immersion suits, anti-exposure suits and constant wear suits

1 Scope

This document, in conjunction with ISO 18079-1, specifies provisions for servicing stations conducting servicing of immersion suits, anti-exposure suits and constant wear suits, including, but not limited to, those subject to IMO regulations, recommendations and guidelines.

2 Normative references

The following referenced documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 18079-1, Ships and marine technology — Servicing of inflatable life-saving appliances — Part 1: General

ISO 18079-3, Ships and marine technology — Servicing of inflatable life-saving appliances — Part 3: Inflatable lifejackets

iTeh STANDARD PREVIEW

3 Terms and definitions (standards.iteh.ai)

For the purposes of this document, the terms and definitions given in ISO 18079-1 and the following apply. ISO 19912:2019

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at <u>http://www.electropedia.org/</u>

3.1

immersion suit

protective suit including head, hand and feet protection which reduces the body heat loss of a person wearing it in cold water

3.2

anti-exposure suit

protective suit designed for use by rescue boat crews and marine evacuation system parties, with head and hand protection, but the feet need not be covered, and a minimum buoyancy of 70 N

3.3

constant wear suit

protective suit designed to be routinely worn for activities on or near water in anticipation of accidental immersion in water, but permitting physical activity to such an extent that actions can be undertaken without undue encumbrance and thus, head, hands and feet need not be covered

3.4

dry suit

protective suit designed to protect the user against the effect of cold water immersion by precluding the entry of water upon immersion

3.5

wet suit

protective suit designed to protect the user against the effect of cold water immersion by providing insulation and permitting the entry and exit of water upon immersion

3.6

helicopter transit suit

constant wear suit (3.3) worn by helicopter occupants

3.7

passenger suit

suit worn by passengers being transported over water

3.8

rescue suit

suit worn by professional users designated to perform search and rescue operations

3.9

flood response suit

suit worn by professional users designated to carry out flood response operations

3.10

floatation suit

suit incorporating *inherent buoyant materials* (3.12) for the purpose of floatation of the wearer in water

3.11

authorized repair station

authorized servicing station

station authorized by the suit manufacturer to perform repairs or servicing and acceptable to the Administration

iTeh STANDARD PREVIEW

3.12 inherent buoyant material

inherent buoyant material (standards.iteh.ai) material that provides buoyancy, forming a permanent or separate part of the suit, with a density less than that of water

ISO 19912:2019

009f0eae1d10/iso-19912-2019

https://standards.iteh.ai/catalog/standards/sist/0580ae07-4c4d-41bb-a173-

retro-reflective tape

material that reflects light beams back to their point of origin

3.14

3.13

buddy line

length of cord which can be tied or otherwise fixed to another person, or to that person's personal flotation device or other objects, so as to keep a user in the vicinity of that person or object with a view to making location and thus rescue easier

4 Servicing of immersion suits and anti-exposure suits

4.1 General

Immersion and anti-exposure suits encompass dry suits and wet suits intended for planned immersion or emergency abandonment that are not normally used as constant wear.

Periodic servicing and repair of immersion and anti-exposure suits shall be carried out in accordance with the requirements of ISO 18079-1 and the appropriate manufacturer's servicing manual and instructions. The tests and procedures shall include, but not be limited to, those specified in <u>4.2</u>.

4.2 Inspection, testing and repair

4.2.1 Check closures on storage bag as well as general condition of bag, if provided.

4.2.2 Ensure donning instructions are legible. Confirm that suit is the type and size identified on the bag, if provided.

4.2.3 Unpack and visually inspect the suit for damage and signs of moisture or dampness. The suit shall be dry inside and out. All outer materials shall be checked for rips, tears and punctures. All separable inherent buoyant or insulation materials shall be removed for inspection. All inherent buoyant or insulation materials, both fixed and separable, shall be checked for rips, tears and undue compression, stiffening, cracking or deterioration.

Rips, tears or punctures shall be repaired in accordance with the manufacturer's instructions by an authorized servicing station using proper parts and certified personnel. Deterioration or damage to inner buoyancy and insulation materials shall be referred to the manufacturer for further checks and advice.

4.2.4 Check the zipper by fully opening and closing to check for ease of operation. Where lubricant is recommended by the manufacturer, lubricate the zipper according to manufacturer's instructions. If the zipper is not functional, the suit shall be removed from service and discarded or returned to the manufacturer or an authorized repair station.

4.2.5 If fitted, check inflatable head support and/or buoyancy ring for damage and ensure that it is properly attached. Check inflation hose(s) for deterioration. Head support/buoyancy ring shall be fully inflated and tested for leaks.

Any leaks shall be repaired in accordance with manufacturer's instructions by an authorized servicing station using proper parts and certified personnel.

4.2.6 If fitted with integral inflatable lifejacket, all appropriate checks and tests shall be carried out in accordance with ISO 18079-3 and in accordance with the manufacturer's manual.

4.2.7 If fitted, check any values for correct function and mounting in accordance with the manufacturer's manual.

<u>ISO 19912:2019</u>

4.2.8 Check all closures, fastenings, straps, belts, harnesses, buckles and D-rings for proper condition, correct function and security of attachment₁d10/iso-19912-2019

4.2.9 Check all seals at neck, wrists and ankles for condition, function, integrity and security of attachment.

4.2.10 Check hood, gloves and socks or boots for condition, function, integrity and security of attachment.

Socks or boots are not a requirement for anti-exposure suits so may not be fitted.

4.2.11 Check retro-reflective tape for condition and adhesion.

4.2.12 If fitted, inspect whistle for function and mounting.

4.2.13 If fitted, check expiration date of light and battery and inspect for function and mounting.

4.2.14 If fitted, check buddy line for condition, integrity and security of attachment.

4.2.15 If fitted, check lifting strap and/or grab loop for condition, integrity and security of attachment.

4.2.16 For all dry type suits, a pressure test shall be carried out according to <u>Clause 6</u> to check for leakages.

4.2.17 The marking shall be checked for legibility and the date of current service and next service shall be clearly marked.