

SLOVENSKI STANDARD
SIST-TP CLC IEC /TR 62453-52-90:2019
01-maj-2019

Specifikacija vmesnika orodja procesne naprave - 52-90. del: Implementacija komunikacije za skupno jezikovno infrastrukturo - IEC 61784 CPF 9 (IEC/TR 62453-52-90:2017)

Field device tool (FDT) interface specification - Part 52-90: Communication implementation for common language infrastructure - IEC 61784 CPF 9 (IEC/TR 62453-52-90:2017)

Field Device Tool (FDT)-Schnittstellenspezifikation - Teil 52-90: Kommunikationsimplementierung mit der allgemeinen Sprachinfrastruktur - Kommunikationsprofilfamilie (CPF) 9 nach IEC 61784 (IEC/TR 62453-52-90:2017)

Spécification des interfaces des outils des dispositifs de terrain (FDT) – Partie 52-90: Mise en oeuvre d'un profil de communication pour l'infrastructure commune de langage – CPF 9 de l'IEC 61784 (IEC/TR 62453-52-90:2017)

Ta slovenski standard je istoveten z: CLC IEC/TR 62453-52-90:2019

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

SIST-TP CLC IEC /TR 62453-52-90:2019 en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TP CLC IEC /TR 62453-52-90:2019](https://standards.iteh.ai/catalog/standards/sist/2a419cfb-aa03-4eae-a035-eccd53d2a9ac/sist-tp-clc-iec-tr-62453-52-90-2019)

<https://standards.iteh.ai/catalog/standards/sist/2a419cfb-aa03-4eae-a035-eccd53d2a9ac/sist-tp-clc-iec-tr-62453-52-90-2019>

TECHNICAL REPORT

CLC IEC/TR 62453-52-90

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

February 2019

ICS 25.040.40; 35.100.05; 35.110

English Version

Field device tool (FDT) interface specification - Part 52-90:
Communication implementation for common language
infrastructure - IEC 61784 CPF 9
(IEC/TR 62453-52-90:2017)

Spécification des interfaces des outils des dispositifs de terrain (FDT) – Partie 52-90: Mise en œuvre d'un profil de communication pour l'infrastructure commune de langage – CPF 9 de l'IEC 61784 (IEC/TR 62453-52-90:2017)

Field Device Tool (FDT)-Schnittstellenspezifikation - Teil 52-90: Kommunikationsimplementierung mit der allgemeinen Sprachinfrastruktur - Kommunikationsprofilfamilie (CPF) 9 nach IEC 61784 (IEC/TR 62453-52-90:2017)

This Technical Report was approved by CENELEC on 2019-01-14.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/2a419cfb-aa03-4eae-a035-eccd53d2a9ac/sist-tp-clc-iec-tr-62453-52-90-2019>



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

CLC IEC/TR 62453-52-90:2019 (E)

European foreword

This document (CLC IEC/TR 62453-52-90:2019) consists of the text of IEC/TR 62453-52-90:2017 prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation".

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC/TR 62453-52-90:2017 was approved by CENELEC as a European Standard without any modification.

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST-TP CLC IEC /TR 62453-52-90:2019](https://standards.iteh.ai/catalog/standards/sist/2a419cfb-aa03-4eae-a035-eccd53d2a9ac/sist-tp-clc-iec-tr-62453-52-90-2019)
<https://standards.iteh.ai/catalog/standards/sist/2a419cfb-aa03-4eae-a035-eccd53d2a9ac/sist-tp-clc-iec-tr-62453-52-90-2019>

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61784-1	2014	Industrial communication networks - Profiles - Part 1: Fieldbus profiles	EN 61784-1	2014
IEC 62453-1	2016	Field device tool (FDT) interface specification - Part 1: Overview and guidance	EN 62453-1	2017
IEC 62453-2	2016	Field device tool (FDT) interface specification - Part 2: Concepts and detailed description	EN 62453-2	2017
IEC TR 62453-42	2016	Field device tool (FDT) interface - specification - Part 42: Object model integration profile - Common language infrastructure	-	-
IEC 62453-309	2016	Field device tool (FDT) interface specification - Part 309: Communication profile integration - IEC 61784 CPF 9	EN 62453-309	2017

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TP CLC IEC /TR 62453-52-90:2019](https://standards.iteh.ai/catalog/standards/sist/2a419cfb-aa03-4eae-a035-eccd53d2a9ac/sist-tp-clc-iec-tr-62453-52-90-2019)

<https://standards.iteh.ai/catalog/standards/sist/2a419cfb-aa03-4eae-a035-eccd53d2a9ac/sist-tp-clc-iec-tr-62453-52-90-2019>



TECHNICAL REPORT



**Field device tool (FDT) interface specification –
Part 52-90: Communication implementation for common language
infrastructure – IEC 61784 CPF 9**

ITih STANDARD PREVIEW
(standards.iteh.ai)
<https://standards.iteh.ai/catalog/standards/sist/2a419cfb-aa03-4eae-a035-eccd53d2a9ac/sist-tp-clc-iec-tr-62453-52-90-2019>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.05; 35.110

ISBN 978-2-8322-4333-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions, symbols, abbreviated terms and conventions	8
3.1 Terms and definitions.....	8
3.2 Symbols and abbreviated terms	9
3.3 Conventions.....	9
3.3.1 Datatype names and references to datatypes	9
3.3.2 Vocabulary for requirements	9
3.3.3 Use of UML	9
4 Bus category	9
5 Access to instance and device data	9
5.1 General.....	9
5.2 IO signals provided by DTM.....	9
5.3 Data interfaces	10
5.3.1 General	10
5.3.2 Mapping HART datatypes to FDT datatypes	10
5.3.3 SemanticInfo	11
5.3.4 Data exposure using IDeviceData and InstanceData interfaces	12
6 Protocol specific behaviour.....	18
6.1 Support of burst mode.....	18
6.2 Device addressing.....	19
6.3 Support of scanning.....	19
6.4 Support of extended command numbers	19
6.5 Support for handling of communication failures and time-outs.....	19
6.6 Support for handling of Delayed Responses.....	20
6.7 Support for topologies with mixed HART protocols.....	20
6.8 Support for nested communication with multiple gateways	20
6.9 Support for topologies with WirelessHART	20
6.10 Transparent gateways.....	20
6.10.1 General	20
6.10.2 Scenario 1 – Manual topology creation	20
6.10.3 Scenario 2 – Topology scan and add	21
7 Protocol specific usage of general datatypes	21
8 Protocol specific common datatypes	21
8.1 HartDeviceAddress datatype.....	21
8.2 HartDeviceIpAddress datatype	22
8.3 HartDeviceWirelessAddress datatype	23
9 Network management datatypes	24
10 Communication datatypes.....	24
10.1 General.....	24
10.2 HartConnectRequest datatype	24
10.3 HartConnectResponse datatype.....	25
10.4 HartLongAddress datatype.....	26
10.5 HartDisconnectRequest datatype	26

10.6	HartDisconnectResponse datatype	27
10.7	HartTransactionRequest datatype	27
10.8	HartTransactionResponse datatype	28
10.9	HartStatus datatype	29
10.10	HartAbortMessage datatype	29
10.11	HartSubscribeRequest datatype	30
10.12	HartSubscribeResponse datatype	30
10.13	HartUnsubscribeRequest datatype	30
10.14	HartUnsubscribeResponse datatype	31
11	Datatypes for process data information	31
11.1	General	31
11.2	HartIOSignalInfo datatype	32
12	Device identification datatypes	33
12.1	General	33
12.2	HartDeviceScanInfo datatype	33
12.3	HartDeviceIdentInfo datatype	37
12.4	Mapping of information source	38
	Bibliography	41
	Figure 1 – Part 52-90 of the IEC 62453 series	7
	Figure 2 – Structural information for device variables	16
	Figure 3 – Structural information for dynamic variables	17
	Figure 4 – Structural information for extended device status	18
	Figure 5 – Device-initiated data transfer with burst mode	19
	Figure 6 – HartDeviceAddress datatype	21
	Figure 7 – HartDeviceIpAddress datatype	22
	Figure 8 – HartDeviceWirelessAddress datatype	23
	Figure 9 – HartNetworkData datatype	24
	Figure 10 – HartConnectRequest datatype	25
	Figure 11 – HartConnectResponse datatype	26
	Figure 12 – HartDisconnectRequest datatype	27
	Figure 13 – HartDisconnectResponse datatype	27
	Figure 14 – HartTransactionRequest datatype	28
	Figure 15 – HartTransactionResponse datatype	28
	Figure 16 – HartAbortMessage datatype	29
	Figure 17 – HartSubscribeRequest datatype	30
	Figure 18 – HartSubscribeResponse datatype	30
	Figure 19 – HartUnsubscribeRequest datatype	31
	Figure 20 – HartUnsubscribeResponse datatype	31
	Figure 21 – HartIOSignalInfo datatype	32
	Figure 22 – HartDeviceScanInfo datatype	33
	Figure 23 – HartDeviceIdentInfo datatype	37
	Table 1 – Output signal info within IOSignalInfo / HartIOSignalInfo	10
	Table 2 – Mapping of basic datatypes	11

Table 3 – SemanticInfo attributes description.....	12
Table 4 – Basic Variables exported in IDeviceData and IInstanceData interfaces.....	13
Table 5 – Basic Variables exported only in IDeviceData interface	15
Table 6 – Protocol specific usage of general datatypes.....	21
Table 7 – HartDeviceAddress datatype	22
Table 8 – HartDeviceIpAddress datatype	23
Table 9 – HartDeviceWirelessAddress datatype	24
Table 10 – HartNetworkData datatype.....	24
Table 11 – HartConnectRequest datatype	25
Table 12 – HartConnectResponse datatype	26
Table 13 – HartLongAddress datatype	26
Table 14 – HartDisconnectRequest datatype	27
Table 15 – HartDisconnectResponse datatype	27
Table 16 – HartTransactionRequest datatype	28
Table 17 – HartTransactionResponse datatype	29
Table 18 – HartStatus datatype.....	29
Table 19 – HartAbortMessage datatype	29
Table 20 – HartSubscribeRequest datatype	30
Table 21 – HartSubscribeResponse datatype.....	30
Table 22 – HartUnsubscribeRequest datatype	31
Table 23 – HartUnsubscribeResponse datatype.....	31
Table 24 – Usage of IOSignalInfo datatype.....	32
Table 25 – HartIOSignalInfo datatype.....	32
Table 26 – HartDeviceScanInfo datatype	33
Table 27 – Protocol specific mapping of scan information	35
Table 28 – HartDeviceIdentInfo datatype	37
Table 29 – Protocol specific mapping of identity information	39

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

**Part 52-90: Communication implementation
for common language infrastructure –
IEC 61784 CPF 9**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 62453-52-90, which is a technical report, has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

Each part of the IEC 62453-52-xy series is intended to be read in conjunction with its corresponding part in the IEC 62453-3xy series. This document corresponds to IEC 62453-309.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
65E/440/DTR	65E/514/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of the IEC 62453 series, under the general title *Field device tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST-TP CLC IEC /TR 62453-52-90:2019

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62453 is an interface specification for developers of Field Device Tool (FDT) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called Device Type Manager (DTM), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kind of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how this part of the IEC TR 62453-52-xy series is aligned in the structure of the IEC 62453 series.




Figure 1 – Part 52-90 of the IEC 62453 series