

SLOVENSKI STANDARD **SIST EN ISO 16972:2020**

01-junij-2020

Nadomešča:

SIST EN 132:1999

Oprema za varovanje dihal - Slovar in grafični simboli (ISO 16972:2020)

Respiratory protective devices - Vocabulary and graphical symbols (ISO 16972:2020)

Atemschutzgeräte - Begriffe und graphische Symbole (ISO 16972:2020)

iTeh STANDARD PREVIEW
Appareils de protection respiratoire - Vocabulaire et symboles graphiques (ISO 16972:2020) (standards.iteh.ai)

Ta slovenski standard je istoveten z: 05/216972:2020 SIST EN ISO 16972:2020 SIST EN ISO 16972 SIST EN ISO 16972 SI

aea001a1c49f/sist-en-iso-16972-2020

ICS:

01.040.13 Okolje. Varovanje zdravja. Environment, Health

> Varnost (Slovarji) protection. Safety

(Vocabularies)

13.340.30 Varovalne dihalne naprave Respiratory protective

devices

SIST EN ISO 16972:2020 en **SIST EN ISO 16972:2020**

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN ISO 16972**

March 2020

ICS 01.040.13; 13.340.30

English Version

Respiratory protective devices - Vocabulary and graphical symbols(ISO 16972:2020)

Appareils de protection respiratoire - Vocabulaire et symboles graphiques (ISO 16972:2020)

Atemschutzgeräte - Begriffe und graphische Symbole (ISO 16972:2020)

This European Standard was approved by CEN on 23 February 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

https://standards.iteh.ai/catalog/standards/sist/c6745535-c39a-43b1-aa88-aea001a1c49f/sist-en-iso-16972-2020



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 16972:2020 (E)

| Contents | Page |
|-------------------|------|
| | 2 |
| European foreword | 3 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

EN ISO 16972:2020 (E)

European foreword

This document (EN ISO 16972:2020) has been prepared by Technical Committee ISO/TC 94 "Personal safety -- Personal protective equipment" in collaboration with Technical Committee CEN/TC 79 "Respiratory protective devices" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2020, and conflicting national standards shall be withdrawn at the latest by September 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 132:1998.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW Endorsement notice (standards.iten.ai)

The text of ISO 16972:2020 has been approved by CEN as EN ISO 16972:2020 without any modification.

SIST EN ISO 16972:2020

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 16972:2020

INTERNATIONAL STANDARD

ISO 16972

Second edition 2020-03

Respiratory protective devices — Vocabulary and graphical symbols

Appareils de protection respiratoire — Vocabulaire et symboles graphiques

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 16972:2020</u> https://standards.iteh.ai/catalog/standards/sist/c6745535-c39a-43b1-aa88-aea001a1c49f/sist-en-iso-16972-2020



Reference number ISO 16972:2020(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 16972:2020</u> https://standards.iteh.ai/catalog/standards/sist/c6745535-c39a-43b1-aa88-aea001a1c49f/sist-en-iso-16972-2020



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

ii

| Co | ntents | Page |
|--------------|---|------|
| Foreword | | iv |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms related to respiratory protective devices | 1 |
| 4 | Terms related to human factors | 25 |
| 5 | Graphical symbols for use on respiratory protective devices | 31 |
| Bibliography | | 32 |
| Inde | e x | 33 |

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. (Standards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 94, Personal safety — Personal protective equipment, Subcommittee SC 15, Respiratory protective devices, in collaboration with the European Committee CEN/TC 79, Respiratory protective devices, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 16972:2010), which has been technically revised. The main changes compared with the previous edition are as follows:

- the terms used in the field of respiratory protective devices (RPD) have been updated;
- Clause 5, "Units of measurement", has been deleted;
- Annex A, "Terms and definitions referring to respiratory protective devices in current national standards, regulations or other national contexts", has been deleted;
- Annex B, "Abbreviations used", has been deleted.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Respiratory protective devices — Vocabulary and graphical symbols

1 Scope

This document defines terms and specifies units of measurement for respiratory protective devices (RPDs), excluding diving apparatus. It indicates graphical symbols that can be required on RPDs, parts of RPD or instruction manuals in order to instruct the person(s) using the RPD as to its operation.

NOTE Terms and definitions for diving apparatus are given in EN 250.

Normative references

There are no normative references in this document.

Terms related to respiratory protective devices

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

abrasive blasting respiratory protective device

breathing apparatus (3.32) incorporating a protective hood (3.115) or a blouse (3.23) fitted with an impact resistant (3.119) visor (3.252)

Note 1 to entry: *Breathable air* (3.28) is supplied to the *wearer* (3.257) from a source of air not carried by the wearer.

accessory

item, or items, that are attached to the respiratory protective device (RPD) (3.203) that are not necessary for the RPD to meet the requirements of the RPD performance standard and do not compromise its protection

3.3

adequacy assessment

selection method identifying the respiratory protective device (3.203) is able to reduce the wearer's (3.257) inhalation exposure to acceptable levels

3.4

adequate respiratory protective device

adequate RPD

RPD (3.203) capable of reducing the inhalation exposure to an acceptable level

aerodynamic diameter

diameter of a unit density sphere having the same settling velocity as the particle (3.170) in question

3.6

aerosol

suspension of solid, liquid, or solid and liquid particles (3.170) in a gaseous medium, having a negligible falling velocity (generally considered to be less than 0,25 m/s)

3.7

aerosol penetration

ability of particles (3.170) to pass through a particle-filtering material

3.8

air flow resistance

pressure difference between upstream and downstream locations caused by the flow of air through the parts and components of a *respiratory protective device* (3.203) such as an *exhalation valve* (3.79), *inhalation valve* (3.120), *filter(s)* (3.86), and *tube* (3.245), etc.

3.9

air supply hose

fresh air supply hose

hose (3.116) for the supply of air at about atmospheric pressure

3.10

ambient air bypass

means to enable the *wearer* (3.257) to breathe the *ambient atmosphere* (3.12) before entering and after leaving a *hazardous atmosphere* (3.108)

3.11

ambient air system

device used to deliver ambient air at a *low pressure* (3.134) directly to a *breathable gas* (3.29) *respiratory protective device* (3.203) (manually or power assisted)

3.12

iTeh STANDARD PREVIEW

ambient atmosphere

air surrounding the wearer (3.257) (standards.iteh.ai)

3.13

ambient concentration

SIST EN ISO 16972:2020

concentration of a compound in the air surrounding the wearer (3.257)39a-43b1-aa88-

3.14

ambient laboratory conditions

atmosphere where the temperature is between 16 °C and 32 °C and the relative humidity is between 20 % and 80 %

3.15

apertometer

extended hemispherical dome for measuring the angular area of the *field of vision* (3.85) [peripheral isopter (3.176)] of a respiratory protective device (3.203) when mounted on a respiratory protective device headform (3.204)

3.16

as received

not preconditioned or modified to carry out a test

3.17

assigned protection factor

APF

anticipated level of respiratory protection that would be provided by a properly functioning *respiratory* protective device (RPD) (3.203) or class of RPD within an effective RPD programme (3.207)

3.18

assisted filtering respiratory protective device

assisted filtering RPD

filtering RPD (3.90) where breathable gas (3.29) is actively supplied to the wearer (3.257) by the RPD (3.203)

3.19

averaged interactive flow rate

interactive flow rate (3.126) averaged over 10 consecutive breathing cycles (3.34) of the breathing machine (3.38)

3.20

averaged maximum interactive flow rate

average of the highest *flow rate* (3.92) within each *breathing cycle* (3.34) of 10 consecutive breathing cycles of the *breathing machine* (3.38)

3.21

averaged minimum interactive flow rate

average of the lowest *flow rate* (3.92) within each *breathing cycle* (3.34) of 10 consecutive breathing cycles of the *breathing machine* (3.38)

3.22

averaged peak interactive flow rate

average of the maximum peak *flow rate* (3.92) within each *breathing cycle* (3.34) of 10 consecutive breathing cycles of the *breathing machine* (3.38)

3.23

blouse

garment, used as a *facepiece* (3.83), that covers the head and upper part of the body to the waist and wrists and to which air is supplied

3.24 iTeh STANDARD PREVIEW

body harness

means to enable certain components of a respiratory protective device (3.203) to be worn on the body

3 25

body temperature pressure saturated EN ISO 16972:2020

PTDC https://standards.iteh.ai/catalog/standards/sist/c6745535-c39a-43b1-aa88-

standard condition for the expression of ventilation (4.20) parameters

Note 1 to entry: Body temperature (37 °C), atmospheric pressure 101,3 kPa and water vapour pressure (6,27 kPa) in saturated air.

3.26

breakthrough concentration

concentration of test gas (3.97) in effluent air at which a gas filter (3.98) undergoing a gas capacity (3.44) test is deemed exhausted

3.27

breakthrough time

 $t_{
m br}$

time taken from the start of the test until the test gas (3.97) and specified reaction products are detected at the specified *breakthrough concentration* (3.26) at the downstream side of the *filter* (3.86) under test

3.28

breathable air

air of a quality that makes it suitable for safe respiration

Note 1 to entry: For compressed air for breathing apparatus (3.32), see EN 12021:2014.

3.29

breathable gas

mixture of *gases* (3.97) that is suitable for respiration without adverse effects to health