



**SLOVENSKI STANDARD**  
**DSIST ETS 300 392-1:1999**  
**01-1 1999**

---

**Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 1. del: Splošna zasnova omrežja)**

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 1: General network design

**Ta slovenski standard je istoveten z: ETS 300 392-1 E1.% - \*!\$&**

---

**ICS:**

33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
-----------	---------------------------------	-----------------------------------

<b>DSIST ETS 300 392-1:1999</b>	<b>en</b>
---------------------------------	-----------





**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 392-1**

February 1996

---

Source: ETSI TC-RES

Reference: DE/RES-06001-1

ICS: 33.020, 30.060.50

**Key words:** TETRA, V+D

**Radio Equipment and Systems (RES);  
Trans-European Trunked Radio (TETRA);  
Voice plus Data (V+D);  
Part 1: General network design**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

\*

---

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.



## Contents

Foreword .....	11
1 Scope .....	13
2 Normative references .....	13
3 Definitions, symbols and abbreviations.....	14
3.1 Definitions.....	14
3.2 Symbols.....	19
3.3 Abbreviations.....	20
4 Circuit mode reference points.....	22
4.1 Introduction.....	22
4.2 Reference configuration .....	22
4.2.1 Configuration examples of TETRA LMNs.....	23
4.3 TETRA LMN access.....	23
4.3.1 MS access .....	23
4.3.1.1 MS functional groups.....	24
4.3.1.2 MS access points and reference points .....	24
4.3.2 LS access .....	24
4.3.2.1 LS functional groups.....	25
4.3.2.2 LS access points and reference points .....	26
4.3.3 Inter System Interface (ISI) access.....	26
4.3.3.1 ISI functional groups.....	26
4.3.3.2 ISI reference points .....	27
4.3.3.3 The significance of the CT and QT reference points .....	27
4.3.4 Location of TETRA functionality.....	27
4.3.5 TETRA terminals .....	28
5 Packet mode reference points.....	29
5.1 Introduction.....	29
5.2 Physical interfaces.....	29
5.3 Configurations .....	30
5.3.1 Basic configurations.....	30
5.3.2 Specific configuration.....	31
5.3.3 NMU configuration .....	31
5.4 Reference points .....	31
5.4.1 MS reference points.....	31
5.4.2 LS reference points.....	32
5.4.3 NMU reference point.....	33
5.4.4 TETRA to TETRA reference point .....	33
5.4.5 TETRA to non-TETRA reference point.....	33
5.5 Protocol stacks .....	34
5.5.1 Protocol stacks at R1 reference point.....	34
5.5.2 Protocol stacks at R2 reference point.....	35
5.5.3 Protocol stacks at R4 reference point.....	35
5.5.4 Protocol stacks at R6 reference point.....	35
6 Protocol architecture for V+D.....	36
6.1 Introduction.....	36
6.2 Mobile/base protocol architecture.....	36
6.2.1 Overview .....	36
6.2.2 Air interface layer 1 .....	36
6.2.3 Air interface layer 2 .....	37
6.2.3.1 Medium Access Control (MAC).....	37
6.2.3.2 Logical Link Control (LLC).....	39
6.2.4 Air interface layer 3 .....	39
6.2.4.1 Mobile/Base Link control Entity (MLE/BLE).....	39

	6.2.4.2	Sub-Network Access Functions (SNAF).....	40
		6.2.4.2.1	Mobility Management (MM) .....
		6.2.4.2.2	Circuit Mode Control Entity (CMCE) .....
		6.2.4.2.3	Packet data handling .....
		6.2.4.2.4	Connection Oriented Network Protocol (CONP) .....
		6.2.4.2.5	TETRA Specific-ConnectionLess Network Protocol (S-CLNP) .....
	6.2.5	Mobile/base protocol stack.....	42
6.3		Lower Layer Management Entity (LLME) and other layers interaction .....	42
	6.3.1	General description .....	42
7		Addressing and identities .....	43
	7.1	Introduction .....	43
	7.2	Subscriber identities.....	45
		7.2.1	General.....
		7.2.2	TSI.....
		7.2.3	SSI.....
		7.2.4	Composition of subscriber identities .....
		7.2.5	Allocation principles for subscriber identities.....
		7.2.6	Use of subscriber identities .....
		7.2.7	NSAP addresses .....
		7.2.8	Installation of TSIs.....
	7.3	TETRA Management Identity (TMI).....	49
		7.3.1	General.....
		7.3.2	Composition of management identities .....
		7.3.3	Use of management identities.....
	7.4	Network layer SAP (NSAP) addresses .....	50
		7.4.1	General.....
		7.4.2	Static binding.....
		7.4.3	Dynamic binding.....
			7.4.3.1
			7.4.3.2
			7.4.3.3
			7.4.3.4
	7.5	TETRA Equipment Identity (TEI) .....	51
		7.5.1	General.....
		7.5.2	Contents of TEI .....
		7.5.3	Allocation principles for TEI.....
		7.5.4	Use of TEI .....
	7.6	Mobile Network Identity (MNI).....	52
		7.6.1	Contents of MNI .....
	7.7	Layer 2 addresses and labels .....	52
		7.7.1	Overview.....
		7.7.2	Event labelling .....
		7.7.3	Scrambling labelling .....
		7.7.4	Use and implementation of layer 2 addresses .....
			7.7.4.1
			7.7.4.2
			7.7.4.3
		7.7.5	Use of identities for V+D control channels .....
		7.7.6	Labelling of packet channels .....
			7.7.6.1
			7.7.6.2
		7.7.7	System information broadcast.....
		7.7.8	Reserved value of group address for user information broadcast .....
	7.8	Use of individual addresses.....	55
		7.8.1	Air interface addressing functions .....
		7.8.2	Address placement in primitives and PDUs .....
			7.8.2.1
			7.8.2.2
			7.8.2.2.1
			7.8.2.2.2

7.8.3	Routing principles .....	60
7.8.3.1	Routing of intra-TETRA calls (within one TETRA network)	60
7.8.3.2	Routing of inter-TETRA calls (between two TETRA networks).....	60
7.8.3.3	Routing of external calls (to/from non-TETRA networks)....	61
7.8.4	Address and identity comparison.....	61
8	Overview of circuit mode basic services.....	61
8.1	Introduction.....	61
8.2	Functional groupings in circuit switched mode calls.....	61
8.2.1	Circuit switched call control, C-plane .....	61
8.2.2	Circuit switched call, user data, U-plane.....	61
8.3	Protocols.....	61
8.3.1	TNP1.....	62
8.3.2	TNP2.....	62
8.3.3	TNP3.....	62
8.3.4	TNP4.....	62
8.3.5	AI1.....	62
8.3.6	AI2.....	62
8.3.7	TLC1 .....	62
8.3.8	V.24T .....	62
8.4	Example configuration.....	63
8.4.1	MS to MS .....	63
8.4.2	MS to LS .....	64
8.4.3	MS and LS connected over user-interface (R <sub>T</sub> reference point) .....	65
8.4.4	MS to MS over ISI.....	66
9	Mobility Management (MM) in MS .....	68
9.1	Introduction.....	68
9.2	Overview of MM relations and procedures .....	68
9.3	Stimuli of MM.....	69
9.3.1	Stimulation through TNMM-SAP .....	69
9.3.2	Stimulation through LMM-SAP.....	69
9.3.3	Stimulation through peer MM.....	69
9.3.4	Other stimulation.....	70
9.4	Outputs from MM.....	70
9.4.1	Output through TNMM-SAP .....	70
9.4.2	Outputs through LMM-SAP .....	70
9.4.3	Output to peer MM .....	70
9.5	Database requirement.....	71
9.6	MM procedures.....	71
9.6.1	Registration.....	71
9.6.1.1	Registration at roaming .....	71
9.6.1.1.1	Implicit registration .....	71
9.6.1.1.2	Multiple registration .....	71
9.6.1.1.3	Registration procedure .....	71
9.6.1.1.4	Registration with authentication.....	73
9.6.1.1.5	Registration with identity exchange .....	73
9.6.1.2	Registration at migration .....	75
9.6.1.2.1	Registration with identity exchange .....	75
9.6.1.2.2	Registration with authentication.....	77
9.6.1.3	Network initiated registration .....	78
9.6.2	Authentication .....	78
9.6.2.1	Network initiated authentication .....	79
9.6.2.2	MS initiated authentication .....	80
9.6.3	De-registration .....	81
9.6.4	Periodic registration .....	81
9.6.5	Disable/enable .....	81
9.6.5.1	Temporary disable.....	81
9.6.5.2	Temporary enable .....	82
9.6.5.3	Permanently disable.....	82
9.6.6	Energy economy mode change .....	82
9.7	Downloading of group identities .....	82

	9.7.1	Add group identity.....	82
	9.7.2	Delete group identity.....	83
	9.7.3	Delete all group identities .....	83
	9.7.4	Report group identities .....	84
9.8		Exception conditions.....	84
	9.8.1	Undisciplined de-registration .....	84
10		MLE mobility scenarios and functionalities.....	84
	10.1	Introduction .....	84
	10.2	Overview .....	84
	10.3	MLE responsibilities.....	85
	10.4	MS-MLE model .....	86
	10.5	MLE functionalities.....	86
	10.5.1	Monitoring of neighbour cells (Scenario 1).....	87
	10.5.2	Scanning of neighbour cells (Scenario 2).....	88
	10.5.3	MM activation of the MS-MLE (Scenario 3).....	89
	10.5.4	Open up MLE service (Scenario 4) .....	89
	10.5.5	Close of MLE service (Scenario 5).....	90
	10.5.6	Changing to serving cell (Scenario 6) .....	90
	10.5.7	Surveillance of the serving cell (Scenario 7) .....	91
	10.5.8	Inviting MM intervention.....	91
	10.5.8.1	No service can be found (Scenario 8) .....	91
	10.5.8.2	LA found outside RA (Scenario 9) .....	92
	10.5.9	Set-up of MAC broadcast (SYNC + SYSINFO) (Scenario 10) .....	93
	10.5.10	Set-up of MLE broadcast (NETWORK) (Scenario 11).....	93
	10.5.11	MM registering (Scenario 12) .....	93
	10.5.12	Announce old cell and go-to-channel (Scenario 13) .....	94
	10.5.13	Announce old cell (Scenario 14) .....	94
	10.5.14	Announce new cell and successful restoration (Scenario 15).....	95
	10.5.15	Announce new cell and restoration failure (Scenario 16).....	95
	10.5.16	Path lost to the serving cell (Scenario 17).....	96
10.6		Initial cell selection .....	96
	10.6.1	MLE functions as viewed at the LMM SAP .....	97
	10.6.2	MLE functions.....	97
10.7		Cell re-selection by roaming .....	97
	10.7.1	Announced cell re-selection .....	98
	10.7.1.1	Announced cell re-selection (type-1) .....	98
	10.7.1.1.1	MLE functions as viewed at the LMM SAP.....	99
	10.7.1.1.2	MLE functions as viewed at the LCMC SAP.....	99
	10.7.1.1.3	MLE functions .....	99
	10.7.1.2	Announced cell re-selection (type-2) .....	101
	10.7.1.3	Announced cell re-selection (type-3) .....	102
	10.7.1.3.1	MLE functions as viewed at the LCMC SAP.....	102
	10.7.1.3.2	MLE functions .....	103
	10.7.2	Unannounced cell re-selection .....	103
	10.7.3	Undeclared cell re-selection .....	104
	10.7.3.1	MLE functions as viewed at the LMM SAP.....	104
10.8		MLE service requests during cell re-selection .....	104
	10.8.1	Undeclared cell re-selection .....	105
10.9		No MLE recovery .....	105
10.10		Use of LLC.....	105
	10.10.1	MS-MLE using the LLC basic link .....	105
	10.10.1.1	Basic link and connectionless MLE service.....	106
	10.10.1.2	Basic link and MLE connections.....	106
	10.10.2	MS-MLE using the LLC advanced link .....	107
	10.10.2.1	Advanced link and connectionless MLE service.....	107
	10.10.2.2	Advanced link and MLE connection.....	108
11		Technical realisation of SDS .....	108
	11.1	Introduction .....	108