

SLOVENSKI STANDARD oSIST prEN 16603-50:2021

01-januar-2021

Vesoljska tehnika - Komunikacije

Space engineering - Communications

Raumfahrttechnik - Kommunikation

Ingénierie spatiale - Communications PREVIEW

Ta slovenski standard je istoveten z: standard je istoveten z: prEN 16603-50

oSIST prEN 16603-50:2021

https://standards.iteh.ai/catalog/standards/sist/be3379c1-7c2e-481e-9b60-c8fa8987ddb3/osist-pren-16603-50-2021

ICS:

49.140 Vesoljski sistemi in operacije Space systems and operations

oSIST prEN 16603-50:2021 en,fr,de

oSIST prEN 16603-50:2021

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE **EUROPÄISCHE NORM**

DRAFT prEN 16603-50

October 2020

ICS 49.140

Will supersede EN 16603-50:2014

English version

Space engineering - Communications

Ingénierie spatiale - Communications

Raumfahrttechnik - Kommunikation

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/CLC/JTC 5.

If this draft becomes a European Standard, CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN and CENELEC in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit with their comments notification of any relevant patent rights of which they are aware and to provide supporting documentation. Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.





CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Table of contents

Europ	ıropean Foreword6			
Introd	uction.		7	
1 Sco	pe		8	
2 Norr	native ı	references	9	
3 Tern	ns, defi	nitions and abbreviated terms	10	
3.1	Terms	defined in other standards	10	
3.2	Terms	specific to the present standard	10	
3.3	Abbrev	viated terms	13	
4 Spa	ce com	munications engineering principles	15	
4.1	Comes	XI	ເກ	
4.2	Overal	space communication dards.iteh.ai)	16	
4.3	Space	communication domains not 16603-50-2021	21	
	4.3.1	Overviewlards.iteh.ai/catalog/standards/sist/be3379c1-7c2e-481e-9b60-	21	
	4.3.2	c8fa8987ddb3/osist-pren-16603-50-2021 Space network	21	
	4.3.3	Space link	22	
	4.3.4	Ground network	23	
4.4	Comm	unications engineering process	24	
	4.4.1	Introduction	24	
	4.4.2	Communication engineering activities	24	
	4.4.3	Process milestones	26	
4.5	Relatio	onship with other standards	26	
4.6	< <dele< td=""><td>eted>></td><td>27</td></dele<>	eted>>	27	
4.7	Space	craft control considerations	27	
5 Req	uiremeı	nts	28	
5.1	Introdu	uction	28	
5.2	Space	communication system engineering process	28	
	5.2.1	Requirements engineering	28	
	5.2.2	Analysis	29	
	5.2.3	Design and configuration	30	

prEN 16603-50:2020 (E)

	5.2.4	Implementation	31
	5.2.5	Verification	32
	5.2.6	Operations	33
5.3	Space o	communication system	33
	5.3.1	Bandwidth allocation	33
	5.3.2	Congestion	34
	5.3.3	Cessation of emission	34
5.4	Telecon	nmanding	34
	5.4.1	Commandability at all attitudes and rates	34
	5.4.2	Telecommand delivery service	34
	5.4.3	Erroneous telecommand rejection	34
	5.4.4	Essential telecommand distribution	34
	5.4.5	Command authentication	35
	5.4.6	Command encryption	35
	5.4.7	Commanding-in-the-blind	35
	5.4.8	Telecommand acknowledgement	35
	5.4.9	Hot redundancy of on-board telecommand chains	35
	5.4.10	Telecommand destination identification	36
5.5	Telemet	(standards.iteh.ai)	36
	5.5.1	Telemetry at all attitudes and rates 0.2021.	36
	5.5.2	https://standards.iteh.ai/catalog/standards/sist/be3379c1-7c2e-481e-9b60- Essential telemetry acquisition colars / ddb3/osist-pren-16603-50-2021	36
	5.5.3	Telemetry source identification	
	5.5.4	Telemetry-in-the-blind	37
	5.5.5	Telemetry data time stamping	37
	5.5.6	Simultaneous support of differing source rates	37
	5.5.7	Telemetry authentication and encryption	37
5.6	Space li	ink	38
	5.6.1	Introduction	38
	5.6.2	Directionality	38
	5.6.3	Short contact periods	38
	5.6.4	Interoperability	39
	5.6.5	Orbits	39
	5.6.6	Noise sources	39
	5.6.7	Mission phases	39
	5.6.8	Link setup times	39
	5.6.9	Mixed isochronous and asynchronous traffic	39
	5.6.10	Mixed housekeeping and payload data	39

prEN 16603-50:2020 (E)

	5.6.11	Space link performance	40
	5.6.12	Space link frequency	41
	5.6.13	Space link protocol	42
	5.6.14	Space link service	43
5.7	Space	network	45
	5.7.1	On-board network	45
	5.7.2	On-board network services	46
	5.7.3	Inter-spacecraft network	47
	5.7.4	Inter-spacecraft network services	48
5.8	Ground	network	48
	5.8.1	Overview	48
	5.8.2	Data labelling	48
	5.8.3	Security	49
	5.8.4	Error rates	49
	5.8.5	Hot redundant operation of ground network nodes	49
	5.8.6	Ground network availability	49
Annex	B (norn	native) Communication system baseline definition (CSBD) - OSIST prEN 16603-50:2021 https://standards.iteh.ai/catalog/standards/sist/be3379c1-7c2e-481e-9b60-	54
Annex	C (norn	https://standards.iteh.ai/catalog/standards/sist/be3379c1-7c2e-481e-9b60- native) Communication system analysis document (CSAD) -	59
Annex	d D (norn	native) Communication system verification plan (CSVP) -	
Annex	E (norn	native) Communication system architectural design CSADD) - DRD	
	•	native) Communication system detailed design document DRD	68
DIVL		native) Communication system profile document (CSPD) -	70
Annex	O H (norn		
Annex DRI	H (norn	native) Communication system operations manual (CSOM) -	72

oSIST prEN 16603-50:2021

prEN 16603-50:2020 (E)

Figures	
Figure 4-1: Example configuration of a space communication system	16
Figure 4-2: CCSDS and Internet space link protocols	20
Tables	
Table I-1 : ECSS-E-ST-50 DRD list	76

iTeh STANDARD PREVIEW (standards.iteh.ai)

European Foreword

This document (prEN 16603-50:2020) has been prepared by Technical Committee CEN/CLC/TC 5 "Space", the secretariat of which is held by DIN (Germany).

This document (prEN 16603-50:2020) originates from ECSS-E-ST-50C Rev.1 DIR1.

This document is currently submitted to the Enquiry.

This document will supersede EN 16603-50:2014. [if applicable].

The main changes with respect to EN 16603-50:2014 are listed below:

- Implementation of Change Requests,
- Update w.r.t. update of EN 16603-50-01:2014, EN 16603-50-03:2014 and EN 16603-50-04, DARD PREVIEW
- CHANGE LOG TO BE COMPLETED BEFORE PUBLICATION.

This document has been developed to cover specifically space systems and will therefore have precedence over any EN covering the same scope but with a https://document.org/appticability/(eigh-paerospace)-481e-9b60-

Introduction

This standard specifies requirements for the development of the end-to-end data communication system for spacecraft. Implementation aspects are defined in ECSS-E-ST-50 Level 3 standards, ECSS Adoption Notices, and CCSDS standards.

The complete set of standards to define a complete communication link is project dependent and cannot be specified here. ECSS-E-HB-50 provides some guidance on this aspect, and gives some practical examples.

iTeh STANDARD PREVIEW (standards.iteh.ai)

1 Scope

This Standard specifies the requirements for the development of the end-to-end data communications system for spacecraft.

Specifically, this standard specifies:

- The terminology to be used for space communication systems engineering.
- The activities to be performed as part of the space communication system engineering process, in accordance with the ECSS-E-ST-10 standard.
- Specific requirements on space communication systems in respect of functionality and performance.

The communications links covered by this Standard are the space-ground (i.e. space-to-ground and ground to space) and space-to-space links used during spacecraft operations, and the communications links to the spacecraft used during the assembly, integration and test, and operational phases.

Spacecraft end-to-end communication systems comprise components in three distinct domains, namely the ground network, the space link, and the space network. This Standard covers the components of the space link and space network in detail. However, this Standard only covers those aspects of the ground network that are necessary for the provision of the end-to-end communication services.

NOTE Other aspects of the ground network are covered in ECSS-E-ST-70.

This Standard may be tailored for the specific characteristics and constraints of a space project in conformance with ECSS-S-ST-00.

Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revisions of any of these publications, do not apply. However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references the latest edition of the publication referred to applies.

EN reference	Reference in text	Title
EN 16601-00-01	ECSS-S-ST-00-01	ECSS system — Glossary of terms

(standards.iteh.ai)

3

Terms, definitions and abbreviated terms

3.1 Terms defined in other standards

- a. For the purpose of this Standard, the terms and definitions from ECSS-S-ST-00-01 apply, in particular for the following terms:
 - 1. function
 - interface
- b. For the purpose of this Standard, the terms and definitions from ECSS-E-ST-20 apply, in particular for the following term:
 - essential function

iTeh STANDARD PREVIEW function" from (stancessee ST-70-11 ai)

c. For the purpose of this Standard, the terms and definitions from ECSS-E-ST-70-11 apply, in particular for the following terms:

https://standards.iteh.ai/catalog/standards/sist/be3379c1-7c2e-481e-9b60-

- 1. ccommandable vital function 2021
- 2. high priority command
- 3. high priority telemetry
- 4. vital function

NOTE Synonym to the term "essential function" from ECSS-E-ST-20.

5. vital telecommand

3.2 Terms specific to the present standard

3.2.1 channel

combination of protocol and medium that provides a physical layer service from end-to-end

NOTE This is the transfer of the unstructured bitstream from point-to-point.

3.2.2 communication service

service that provides the capability of moving data between users.

NOTE At least two users are involved when a communication service is used, one sending data and the other(s) receiving data.

3.2.3 cross support

use by one party of part of another party's data system resources to complement its own system

3.2.4 downlink

see "telemetry link"

3.2.5 duplex service

point-to-point system composed of two or more connected parties or devices that can communicate with one another in both directions

3.2.6 entity

active element within a system

3.2.7 essential telecommand

telecommand that controls essential or vital functions

iTeh NOTE This corresponds to "high priority telecommand" in ECSS-E-ST-70-11)

3.2.8 (standards iteh.ai)

telemetry that enables a reliable determination of the current status of vital http://board.equipment.layailable.under.all/circumstances9b60-

c8fa8987ddb3/osist-pren-16603-50-2021 NOTE This correspond to "high priority telemetry" in ECSS-E-ST-70-11.

3.2.9 frame

service data unit passed, at the sending end, from the protocol sublayer to the coding and synchronization sublayer

NOTE For definition of layers see Figure 4-2.

3.2.10 isochronous service

service providing for the transfer of data with a defined maximum deviation from a nominal delay from end to end

3.2.11 protocol

set of rules and formats (semantic and syntactic) that determine the communication behaviour of layer entities in the performance of communication functions

3.2.12 service

capability of a layer, and the layers beneath it (a service-provider), that is provided to service-users at the boundary between the service-provider and the service-users

prEN 16603-50:2020 (E)

NOTE

The service defines the external behaviour of the service-provider, independent of the mechanisms used to provide that behaviour. Layers, layer and application-service-elements are examples of components of a service-provider.

3.2.13 (N) service data unit

amount of information whose identity is preserved when transferred between peer (N+1) entities and which is not interpreted by the supporting (N) entities

3.2.14 service-provider

abstract representation of the totality of those entities which provide a service to service-users

NOTE

A service provider includes entities in the layer at which the service is provided, and in the layers beneath it.

3.2.15 service-user

entity in a single system that makes use of a service

NOTE The service-user makes use of the service through iTeh STAN a collection of service primitives defined for the

(standards.iteh.ai) 3.2.16

communicating in one direction from data source to data sink

https://standards.iteh.ai/catalog/standards/sist/be3379c1-7c2e-481e-9b60-**3.2.17** c8**SOUTC9**b3/osist-pren-16603-50-2021

c8**\$.94**°C**@**b3/osist-pren-16603-50-2021

entity that sends service-data-units, using a service provider

3.2.18 sink

entity that receives service-data-units from a service provider

3.2.19 telecommand

command data transmitted to a spacecraft through a telecommand link

3.2.20 telecommand link

communication link from ground to space by which a spacecraft is commanded

NOTE The term "uplink" is synonymous.

3.2.21 telemetry

housekeeping data and payload data generated on-board the spacecraft and transmitted through a telemetry link

3.2.22 telemetry link

communication link from spacecraft to ground over which data generated on the spacecraft is provided to ground

> **NOTE** The term "downlink" is synonymous.

3.2.23 uplink

see "telecommand link"

3.2.24 user

service-user

3.2.25 user application

application that makes use of data handling system services

NOTE An application can be a software entity or a

non-software entity which is controlling an

onboard system.

3.3 Abbreviated terms

For the purpose of this Standard, the abbreviated terms from ECSS-ST-00-01 and the following apply:

Abbreviation Meaning

AIT assembly, integration, and test

AR acceptance review

Argen STAND automatic repeat request. W

BER (standa bit error rate ai)

CCITT Consultative Committee for International Telegraph and

oSIST prENTelephone2021

https://standards.iteh.ai/catalog/standards/sist/be3379c1-7c2e-481e-9b60-Consultative Committee for Space Data Systems c8fa8987ddb3/osist-pren-16603-50-2021

CDMU central data management unit

CDR critical design review

CSAD communication system analysis document

CSADD communication system architectural design document

CSBD communication system baseline definition

CSDDD communication system detailed design document

CSOM communication system operations manual CSPD communication system profile document

CSRD communication system requirements document

CSVP communication system verification plan
DRD document requirements definitions
EIRP equivalent isotropically radiated power

EMC electromagnetic compatibility

ISO International Organization for Standardization

ITU International Telecommunication Union

ITU/RR ITU / Radio Regulations

LEOP launch and early operations phase

MEC mission experiment centre