



**SLOVENSKI STANDARD**  
**SIST ETS 300 392-10-13 E1:2003**  
**01-december-2003**

---

F U X ] ' g \_ U c d f Y a U ] b ' g ] g h Y a ] ' f F 9 G L E ' J g Y Y j f c d g \_ ] ' g b c d c j b ] ' f U X ] c ' f H 9 H F 5 L E ' ; c j c f ] b ' d c X U h \_ ] ' f U Z 8 L E ' % \$ " X Y . ' 8 c d c ` b ] ' b Y g h c f ] h j Y g h c d b ^ Y % E ' % \$ ! % " X Y . ' 8 c \_ c b U b ^ \_ ] W b ^ U n U g Y X Y b Y [ U b U f c b ] \_ U

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 10: Supplementary services stage 1; Sub-part 13: Call completion to busy subscriber

**ITeH STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 392-10-13 E1:2003](https://standards.iteh.ai/catalog/standards/sist/b1ca73b9-5f88-4a4b-b560-291a9d7ad246/sist-ets-300-392-10-13-e1-2003)

Ta slovenski standard je istoveten z: **ETS 300 392-10-13 Edition 1**

---

**ICS:**

33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
-----------	---------------------------------	-----------------------------------

**SIST ETS 300 392-10-13 E1:2003**      en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 392-10-13 E1:2003](https://standards.iteh.ai/catalog/standards/sist/b1ca73b9-5fc8-4a4b-b560-291a9d7fa240/sist-ets-300-392-10-13-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/b1ca73b9-5fc8-4a4b-b560-291a9d7fa240/sist-ets-300-392-10-13-e1-2003>



**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 392-10-13**

April 1996

Source: ETSI TC-RES

Reference: DE/RES-06001-10-13

ICS: 33.020, 33.060.50

**Key words:** TETRA, V+D

**Radio Equipment and Systems (RES);  
Trans-European Trunked Radio (TETRA);  
Voice plus Data (V+D);  
Part 10: Supplementary services stage 1;  
Part 10-13: Call completion to busy subscriber**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 392-10-13 E1:2003](https://standards.iteh.ai/catalog/standards/sist/b1ca73b9-5fc8-4a4b-b560-291a9d7fa240/sist-ets-300-392-10-13-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/b1ca73b9-5fc8-4a4b-b560-291a9d7fa240/sist-ets-300-392-10-13-e1-2003>

## Contents

Foreword .....	5
1 Scope .....	7
2 Normative references .....	7
3 Definitions and abbreviations .....	7
3.1 Definitions .....	7
3.2 Abbreviations .....	8
3.2.1 General abbreviations .....	8
3.2.2 Supplementary service abbreviations .....	8
4 Organisation of document .....	9
5 ECMA - 185 Delta .....	9
5.1 Scope .....	9
5.2 Conformance .....	9
5.3 References .....	9
5.4 Definitions .....	9
5.4.1 External definitions .....	9
5.4.2 Additional network feature .....	9
5.4.3 Busy .....	9
5.4.4 Call/Basic call .....	9
5.4.5 Call completion .....	9
5.4.6 Originating number .....	9
5.4.7 Path reservation .....	9
5.4.8 Service retention .....	9
5.4.9 SS-CC recall .....	10
5.4.10 user A .....	10
5.4.11 user B .....	10
5.5 List of acronyms .....	10
5.6 SS-CCBS stage 1 specification .....	10
5.6.1 Description .....	10
5.6.1.1 General description .....	10
5.6.1.2 Qualifications on applicability to telecommunication services .....	10
5.6.2 Procedures .....	10
5.6.2.1 Provision/Withdrawal .....	10
5.6.2.2 Normal procedures .....	10
5.6.2.2.1 Activation, deactivation, registration and interrogation .....	10
5.6.2.2.2 Invocation and operation .....	11
5.6.2.2.3 Cancellation .....	11
5.6.2.3 Exceptional procedures .....	11
5.6.2.3.1 Activation, deactivation, registration and interrogation .....	11
5.6.2.3.2 Invocation and operation .....	11
5.6.2.3.2.1 Rejection of SS-CCBS service request .....	11
5.6.2.3.2.2 user A is busy on SS-CC recall .....	11
5.6.2.3.2.3 Network congestion .....	11
5.6.2.3.2.4 user B becomes busy after successful SS-CC recall .....	11
5.6.2.3.2.5 user B becomes busy during path reservation .....	11
5.6.2.3.2.6 Duplicate SS-CCBS requests .....	11
5.6.2.3.2.7 Other failure situations .....	11
5.6.2.3.3 Cancellation .....	11

5.6.3	Interactions with other supplementary services.....	12
5.6.3.1	Calling Line Identification Presentation (SS-CLIP).....	12
5.6.3.2	Calling/Connected Line Identification Restriction (SS-CLIR).....	12
5.6.3.3	Connected Line Identification Presentation (SS-COLP) .....	12
5.6.3.4	Calling Name Identification Presentation(SS-CNIP) .....	12
5.6.3.5	Calling/Connected Name Identification Restriction (SS-CNIR).....	12
5.6.3.6	Connected Name Identification Presentation (SS-CONP)..	12
5.6.3.7	Call Forwarding Unconditional (SS-CFU) .....	12
5.6.3.8	Call Forwarding Busy (SS-CFB) .....	12
5.6.3.9	Call Forwarding on No Reply (SS-CFNR <sub>y</sub> ).....	12
5.6.3.10	Call Transfer (SS-CT) .....	12
5.6.3.11	Completion of Calls on No Reply (SS-CCNR) .....	12
5.6.3.12	Path Replacement (ANF-PR).....	12
5.6.3.13	Call Report (SS-CR).....	12
5.6.3.14	Talking Party Identification (SS-TPI) .....	12
5.6.3.15	Call Forwarding on Not Reachable (SS-CFNR <sub>c</sub> ).....	13
5.6.3.16	List Search Call (SS-LSC).....	13
5.6.3.17	Call Authorised by Dispatcher (SS-CAD).....	13
5.6.3.18	Short Number Addressing (SS-SNA).....	13
5.6.3.19	Area Selection (SS-AS).....	13
5.6.3.20	Access Priority (SS-AP) .....	13
5.6.3.21	Priority Call (SS-PC) .....	13
5.6.3.22	Call Waiting (SS-CW) .....	13
5.6.3.23	Call Hold (SS-HOLD) .....	13
5.6.3.24	Late Entry (SS-LE) .....	13
5.6.3.25	Transfer of Control (SS-TC).....	13
5.6.3.26	Pre-emptive Priority Call (SS-PPC).....	13
5.6.3.27	Include Call (SS-IC) .....	14
5.6.3.28	Advice of Charge (SS-AoC).....	14
5.6.3.29	Barring of Outgoing Calls (SS-BOC).....	14
5.6.3.30	Barring of Incoming Calls (SS-BIC) .....	14
5.6.3.31	Discreet Listening (SS-DL) .....	14
5.6.3.32	Ambience Listening (SS-AL) .....	14
5.6.3.33	Dynamic Group Number Assignment (SS-DGNA) .....	14
5.6.3.34	Call Retention (SS-CRT).....	14
5.6.4	Inter-working considerations.....	14
5.6.5	Overall SDL .....	14
History .....		15

## Foreword

This European Telecommunication Standard (ETS) has been produced by the Radio Equipment and Systems (RES) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS is a multi-part standard and will consist of the following parts:

- Part 1: "General network design".
- Part 2: "Air Interface (AI)".
- Part 3: "Inter-working", (DE/RES-06001-3).
- Part 4: "Gateways", (DE/RES-06001-4).
- Part 5: "Terminal equipment interface", (DE/RES-06001-5).
- Part 6: "Line connected stations", (DE/RES-06001-6).
- Part 7: "Security".
- Part 8: "Management services", (DE/RES-06001-8).
- Part 9: "Performance objectives", (DE/RES-06001-9).
- Part 10: "Supplementary services stage 1".**
- Part 11: "Supplementary services stage 2", (DE/RES-06001-11).
- Part 12: "Supplementary services stage 3", (DE/RES-06001-12).
- Part 13: "SDL Model of the Air Interface", (DE/RES-06001-13).
- Part 14: "PICS Proforma", (DE/RES-06001-14).
- Part 15: "Inter-working - Extended Operations", (DE/RES-06001-15).
- Part 16: "Gateways for Supplementary Services", (DE/RES-06001-16).

### Transposition dates

Date of adoption of this ETS:	1 March 1996
Date of latest announcement of this ETS (doa):	31 July 1996
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 January 1997
Date of withdrawal of any conflicting National Standard (dow):	31 January 1997

Blank page

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ETS 300 392-10-13 E1:2003](https://standards.iteh.ai/catalog/standards/sist/b1ca73b9-5fc8-4a4b-b560-291a9d7fa240/sist-ets-300-392-10-13-e1-2003)

<https://standards.iteh.ai/catalog/standards/sist/b1ca73b9-5fc8-4a4b-b560-291a9d7fa240/sist-ets-300-392-10-13-e1-2003>



## 1 Scope

This is a delta document detailing the deviations of the Trans-European Trunked Radio (TETRA) Call Completion to Busy Subscriber (CCBS) supplementary service from the Standard ECMA 185 [2] stage 1 descriptions. Stage 1 is an overall service description from the users point of view but does not deal with the details of the human interface itself.

This European Telecommunication Standard (ETS) specifies the service description of the supplementary service and the procedures to be expected with successful and unsuccessful outcomes. In addition this ETS specifies the interactions with other TETRA supplementary services and inter-working considerations.

Charging principles are outside the scope of this ETS.

The CCBS supplementary service enables a calling user A, encountering a busy destination user B, to have the call completed when user B becomes not busy, without having to make a new call attempt.

## 2 Normative references

This ETS incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] CCITT Recommendation I.130 (1988): "Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN".

- [2] Standard ECMA 185 (December 1992): "Specification, Functional Model and Information Flows, Call Completion Supplementary Services".

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of this ETS, the following definitions apply:

**bearer service:** A type of telecommunication service that provides the capability for the transmission of signals between user-network interfaces.

**supplementary service:** A supplementary service modifies or supplements a bearer service or a teleservice. A supplementary service cannot be offered to a customer as a stand alone service. It should be offered in combination with a bearer service or a teleservice.

**Switching And Management Infrastructure (SwMI):** All of the TETRA equipment for a Voice plus Data (V+D) network except for subscriber terminals. The SwMI enables subscriber terminals to communicate with each other via the SwMI.

**teleservice:** A type of telecommunications service that provides the complete capability, including terminal equipment functions, for communication between users according to agreed protocols.