

## SLOVENSKI STANDARD SIST EN IEC 61169-64:2020

01-januar-2020

Radiofrekvenčni konektorji - 64. del: Področna specifikacija - Radiofrekvenčni (RF) koaksialni konektorji z notranjim premerom 0,8 mm zunanjega vodnika - Karakteristična impedanca 50 ohm (tip 0,8) (IEC 61169-64:2019)

Radio frequency connectors - Part 64: Sectional specification - RF coaxial connectors with 0,8 mm inner diameter of outer conductor - Characteristic impedance 50  $\Omega$  (type 0,8) (IEC 61169-64:2019)

ochfrequenz-Steckverbinder - Teil 64: Rahmenspezifikation für koaxiale HF-Steckverbinder mit 0,8 mm Innendurchmesser des Außenleiters - Wellenwiderstand 50 Ω (Typ 0,8) (IEC 61169-64:2019)

### SIST EN IEC 61169-64:2020

Connecteurs pour fréquences radioélectriques - Partie 64: Spécification intermédiaire - Connecteurs RF coaxiaux avec un conducteur extérieur disposant d'un diamètre intérieur de 0,8 mm - Impédance caractéristique de 50  $\Omega$  (type 0,8) (IEC 61169-64:2019)

Ta slovenski standard je istoveten z: EN IEC 61169-64:2019

ICS:

33.120.30 Radiofrekvenční konektorji RF connectors

(RF)

SIST EN IEC 61169-64:2020 en

**SIST EN IEC 61169-64:2020** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 61169-64:2020

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN IEC 61169-64** 

November 2019

ICS 33.120.30

## **English Version**

Radio frequency connectors - Part 64: Sectional specification - RF coaxial connectors with 0,8 mm inner diameter of outer conductor - Characteristic impedance 50  $\Omega$  (type 0,8) (IEC 61169-64:2019)

Connecteurs pour fréquences radioélectriques - Partie 64: Spécification intermédiaire - Connecteurs RF coaxiaux avec un conducteur extérieur disposant d'un diamètre intérieur de 0,8 mm - Impédance caractéristique de 50  $\Omega$  (type 0,8) (IEC 61169-64:2019)

Hochfrequenz-Steckverbinder - Teil 64: Rahmenspezifikation für koaxiale HF-Steckverbinder mit 0,8 mm Innendurchmesser des Außenleiters -Wellenwiderstand 50 Ω (Typ 0,8) (IEC 61169-64:2019)

This European Standard was approved by CENELEC on 2019-10-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member. III and III a

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions. Let a vertage standards sixt 58d9 /541-/6d6-4d0c-a03/-

16d645b8fe8d/sist-en-iec-61169-64-2020

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## EN IEC 61169-64:2019 (E)

## **European foreword**

The text of document 46F/469/FDIS, future edition 1 of IEC 61169-64, prepared by SC 46F "RF and microwave passive components" of IEC/TC 46 "Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61169-64:2019.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-07-17
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2022-10-17

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

## iTeh STANDARD PREVIEW

(Stendorsement notice)

SIST EN IEC 61169-64:2020

The text of the International Standard IEC 61169-64:2019 was approved by CENELEC as a European Standard without any modification.

EN IEC 61169-64:2019 (E)

## Annex ZA

(normative)

## Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	EN/HD	<u>Year</u>
IEC 61169-1	2013	Radio frequency connectors - Part Generic specification - Gene requirements and measuring methods		2013
IEC 62037-3	- iT	Passive RF and microwave device intermodulation level measurement - P 3: Measurement of passive intermodulati in coaxial connectors	art	-

SIST EN IEC 61169-64:2020

**SIST EN IEC 61169-64:2020** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 61169-64:2020



## IEC 61169-64

Edition 1.0 2019-09

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE

Radio-frequency connectors ANDARD PREVIEW
Part 64: Sectional specification – RF coaxial connectors with 0,8 mm inner diameter of outer conductor – Characteristic impedance 50  $\Omega$  (type 0,8)

SIST EN IEC 61169-64:2020

Connecteurs pour fréquences radioélectriques 7541-76d6-4d0c-a037-Partie 64: Spécification intermédiaire — Connecteurs RF coaxiaux avec un conducteur extérieur disposant d'un diamètre intérieur de 0,8 mm – Impédance caractéristique de 50 Ω (type 0,8)

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.120.30 ISBN 978-2-8322-7311-1

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

## CONTENTS

FC	FOREWORD4					
1	Scope	6				
2	Normative references	6				
3	Terms and definitions					
4	Mating face and gauge information	7				
	4.1 Dimensions – General connectors					
	4.1.1 Connector with pin-centre conductor					
	4.1.2 Connector with socket-centre contact					
	4.2 Gauges for general purpose connectors					
	4.2.1 Gauge pins for socket centre contact	9				
	4.2.2 Test procedure	9				
	4.3 Dimensions – Standard test connectors – Grade 0					
	4.3.1 Connector with pin-centre contact	10				
	4.3.2 Connector with socket-centre contact					
5	Quality assessment procedures	12				
	5.1 General	12				
	5.2 Ratings and characteristics (see Clause 5 of IEC 61169-1:2013)	.12				
	5.3 Test schedule and inspection requirements					
	5.3.1 Acceptance tests standards.iteh.ai					
	5.3.2 Periodic tests					
	5.4 Procedures for the quality conformance 69-64-2020.	15				
	5.4.1 Quality conformance inspection description of the conformance of	15				
c						
6	Instructions for preparation of detail specifications					
	6.1 General					
	6.2 Identification of the component					
	6.3 Performances					
	6.4 Marking, ordering information and related matters					
	6.5 Selection of tests, test conditions and severities					
7	Marking					
'	-					
	7.1 Marking of component					
	7.2 Marking and contents of package	22				
Fig	gure 1 – Connector with pin centre conductor	7				
	gure 2 – Connector with socket centre conductor					
	gure 3 – Gauge pin for socket-centre contact					
	gure 4 – Connector with pin centre conductor					
L1(	gure 5 – Connector with socket centre conductor	11				
Та	able 1 – Dimensions of connector with pin-centre contact	7				
	Table 2 – Dimensions of connector with socket-centre conductor					
	Table 3 – Dimensions of gauge pin for socket-centre contact9					
	Table 4 – Dimensions of connector with pin-centre contact					
ıa	ible 4 – Dimensions of connector with pin-centre contact	10				

## SIST EN IEC 61169-64:2020

Table 5 – Dimensions of cor	nnector with socket-centre	contact1	1

– 3 –

IEC 61169-64:2019 © IEC 2019

## 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN IEC 61169-64:2020

### – 4 –

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## **RADIO-FREQUENCY CONNECTORS -**

## Part 64: Sectional specification – RF coaxial connectors with 0,8 mm inner diameter of outer conductor – Characteristic impedance 50 $\Omega$ (type 0,8)

### **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user. (Standards.11en.al)
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter. https://standards.itch.ai/catalog/standards/sist/58d9/541-76d6-4d0c-a037-
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61169-64 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories.

The text of this standard is based on the following documents:

FDIS	Report on voting	
46F/469/FDIS	46F/485/RVD	

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61169-64:2019 © IEC 2019

– 5 –

A list of all parts of the IEC 61169 series, under the general title: *Radio-frequency connectors*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN IEC 61169-64:2020</u> https://standards.iteh.ai/catalog/standards/sist/58d97541-76d6-4d0c-a037-16d645b8fe8d/sist-en-iec-61169-64-2020