

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



BASIC EMC PUBLICATION  
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –  
Part 4-13: Testing and measurement techniques – Harmonics and  
interharmonics including mains signalling at a.c. power port, low frequency  
immunity tests**

**Compatibilité électromagnétique (CEM) –  
Partie 4-13: Techniques d'essai et de mesure – Essais d'immunité basse  
fréquence aux harmoniques et inter-harmoniques incluant les signaux transmis  
sur le réseau électrique alternatif**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2015 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

More than 60 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 15 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

Plus de 60 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).



IEC 61000-4-13

Edition 1.2 2015-12  
CONSOLIDATED VERSION

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



BASIC EMC PUBLICATION  
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –  
Part 4-13: Testing and measurement techniques – Harmonics and  
interharmonics including mains signalling at a.c. power port, low frequency  
immunity tests**

**Compatibilité électromagnétique (CEM) –  
Partie 4-13: Techniques d'essai et de mesure – Essais d'immunité basse  
fréquence aux harmoniques et inter-harmoniques incluant les signaux transmis  
sur le réseau électrique alternatif**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 33.100.20

ISBN 978-2-8322-3081-7

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**



## REDLINE VERSION

## VERSION REDLINE



BASIC EMC PUBLICATION  
PUBLICATION FONDAMENTALE EN CEM

**Electromagnetic compatibility (EMC) –  
Part 4-13: Testing and measurement techniques – Harmonics and  
interharmonics including mains signalling at a.c. power port, low frequency  
immunity tests**

**Compatibilité électromagnétique (CEM) –  
Partie 4-13: Techniques d'essai et de mesure – Essais d'immunité basse  
fréquence aux harmoniques et inter-harmoniques incluant les signaux transmis  
sur le réseau électrique alternatif**

## CONTENTS

FOREWORD .....	3
INTRODUCTION .....	5
1 Scope and object .....	6
2 Normative references .....	6
3 Definitions .....	7
4 General .....	8
4.1 Description of the phenomenon .....	8
4.2 Sources .....	9
5 Test levels .....	10
5.1 Harmonics test levels .....	10
5.2 Test levels for interharmonics <del>and mains signalling</del> .....	12
6 Test instrumentation .....	13
6.1 Test generator .....	13
6.2 Verification of the characteristics of the generator .....	15
7 Test set up .....	15
8 Test procedures .....	16
8.1 Test procedure .....	16
8.2 Application of the test .....	16
9 Evaluation of test results .....	24
10 Test report .....	24
Annex A (informative) Impedance network between voltage source and EUT .....	30
Annex B (informative) Resonance point .....	31
Annex C (informative) Electromagnetic environment classes .....	32
Bibliography .....	33

INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**ELECTROMAGNETIC COMPATIBILITY (EMC) –**

**Part 4-13 : Testing and measurement techniques –  
Harmonics and interharmonics including mains signalling at  
a.c. power port, low frequency immunity tests**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

**This consolidated version of the official IEC Standard and its amendments has been prepared for user convenience.**

**IEC 61000-4-13 edition 1.2 contains the first edition (2002-03) [documents 77A/368/FDIS and 77A/377/RVD], its amendment 1 (2009-05) [documents 77A/668/CDV and 77A/684/RVC] and its amendment 2 (2015-12) [documents 77A/904/FDIS and 77A/916/RVD].**

**In this Redline version, a vertical line in the margin shows where the technical content is modified by amendments 1 and 2. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.**

International Standard IEC 61000-4-13 has been prepared by subcommittee 77A: Low frequency phenomena, of IEC technical committee 77: Electromagnetic compatibility.

This standard has the status of a basic EMC publication in accordance with IEC Guide 107.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 3.

Annexes A, B, and C, are for information only.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh Standards

(<https://standards.itih.ai>)

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

[IEC 61000-4-13:2002](#)

<https://standards.itih.ai/catalog/standards/iec/cbdf0fb2-a3f7-4d91-951a-60ac13085a44/iec-61000-4-13-2002>



## INTRODUCTION

IEC 61000 is published in separate parts according to the following structure :

### **Part 1: General**

General considerations (introduction, fundamental principles)  
Definitions, terminology

### **Part 2: Environment**

Description of the environment  
Classification of the environment  
Compatibility levels

### **Part 3: Limits**

Emission limits  
Immunity limits (in so far as they do not fall under the responsibility of the product committees)

### **Part 4: Testing and measurement techniques**

Measurement techniques  
Testing techniques

### **Part 5: Installation and mitigation guidelines**

Installation guidelines  
Mitigation methods and devices

### **Part 6: Generic Standards**

[IEC 61000-4-13:2002](https://standards.iteh.ai/catalog/standards/iec/cbdf0fb2-a3f7-4d91-951a-60ac13085a44/iec-61000-4-13-2002)

<https://standards.iteh.ai/catalog/standards/iec/cbdf0fb2-a3f7-4d91-951a-60ac13085a44/iec-61000-4-13-2002>

### **Part 9: Miscellaneous**

Each part is further subdivided into several parts, published either as International Standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: 61000-6-1).

This part is an EMC basic standard which gives immunity requirements and test procedures related to harmonics and interharmonics including mains signalling at a.c. power port.

## ELECTROMAGNETIC COMPATIBILITY (EMC) –

### Part 4-13: Testing and measurement techniques – Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests

#### 1 Scope and object

This part of IEC 61000 defines the immunity test methods and range of recommended basic test levels for electrical and electronic equipment with rated current up to 16 A per phase at disturbance frequencies up to and including 2 kHz (for 50 Hz mains) and 2,4 kHz (for 60 Hz mains) for harmonics and interharmonics on low voltage power networks.

It does not apply to electrical and electronic equipment connected to 16 2/3 Hz, or to 400 Hz a.c. networks. Tests for these networks will be covered by future standards.

The object of this standard is to establish a common reference for evaluating the functional immunity of electrical and electronic equipment when subjected to harmonics and interharmonics and mains signalling frequencies. The test method documented in this part of IEC 61000 describes a consistent method to assess the immunity of an equipment or system against a defined phenomenon. As described in IEC guide 107, this is a basic EMC publication for use by product committees of the IEC. As also stated in Guide 107, the IEC product committees are responsible for determining whether this immunity test standard should be applied or not, and if applied, they are responsible for determining the appropriate test levels and performance criteria. TC 77 and its sub-committees are prepared to co-operate with product committees in the evaluation of the value of particular immunity tests for their products.

The verification of the reliability of electrical components (for example capacitors, filters, etc.) is not in the scope of the present standard. Long term thermal effects (greater than 15 min) are not considered in this standard.

The levels proposed are more adapted for residential, commercial and light industry environments. For heavy industrial environments the product committees are responsible for the definition of a class X with the necessary levels. They have also the possibility of defining more complex waveforms for their own need. Nevertheless, the simple waveforms proposed have been mainly observed on several networks (flat curve more often for single phase system) and also on industrial networks (overswing curve more for three phase systems).

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(161), *International Electrotechnical Vocabulary (IEV) – Chapter 161: Electromagnetic compatibility*

IEC 61000-2-2, *Electromagnetic compatibility (EMC) – Part 2-2: Environment – Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current  $\leq 16$  A per phase)*

IEC 61000-4-7, *Electromagnetic compatibility (EMC) – Part 4-7: Testing and measurement techniques – General guide on harmonics and interharmonics measurements and instrumentation, for power supply systems and equipment connected thereto*

### 3 Definitions

For the purposes of this part of IEC 61000, the following definitions and terms apply as well as the definitions of IEC 60050(161):

#### 3.1

##### **immunity**

ability of a device, equipment or system to perform without degradation in the presence of an electromagnetic disturbance

[IEV 161-01-20]

#### 3.2

##### **harmonic (component)**

component of order greater than 1 of the Fourier series of a periodic quantity

[IEV 161-02-18]

#### 3.3

##### **fundamental (component)**

component of order 1 of the Fourier series of a periodic quantity

[IEV 161-02-17]

#### 3.4

##### **flat curve waveshape**

waveform that follows a time related function in which each half-wave consists of three parts:

Part 1: starts from zero and follows a pure sine function up to the specified value;

Part 2: is a constant value;

Part 3: follows a pure sine function down to zero

#### 3.5

##### **overswing waveshape**

waveform which consists of discrete values of the fundamental harmonic, the 3<sup>rd</sup> and the 5<sup>th</sup> harmonics with the specified phase shift

#### 3.6

##### **$f_1$**

fundamental frequency

#### 3.7

##### **mains signalling frequencies**

signal frequencies between harmonics for control and communication

#### 3.8

##### **EUT**

equipment under test

## 4 General

### 4.1 Description of the phenomenon

#### 4.1.1 Harmonics

Harmonics are sinusoidal voltages and currents with frequencies that are integer multiples of the frequency at which the supply system operates.

Harmonic disturbances are generally caused by equipment with non-linear voltage – current characteristics or by periodic and line-synchronised switching of loads. Such equipment may be regarded as sources of harmonic currents.

The harmonic currents from the different sources produce harmonic voltage drops across the impedance of the network.

As a result of cable capacitance, line inductance and the connection of power factor correction capacitors, parallel or series resonance may occur in the network and cause a harmonic voltage amplification even at a remote point from the distorting load. The waveforms proposed are the result of the summation of different harmonic orders of one or several harmonic sources.

#### 4.1.2 Interharmonics


Between the harmonics of the power frequency voltage and current, further frequencies can be observed which are not an integer multiple of the fundamental. They can appear as discrete frequencies or as a wide-band spectrum. Summation of different interharmonic sources is not likely and is not taken into account in this standard.

#### 4.1.3 Mains signalling (ripple control)

Signal frequencies ranging from ~~110~~ 100 Hz to 3 kHz used in networks or parts of them in order to transfer information from a sending point to one or more receiving points.

For the scope of this standard, the frequency range is limited to ~~2 kHz/50 Hz~~ 2,4 kHz (2,4 kHz/60 Hz).

For the Meister curve, see Figure 8.



IEC

NOTE The figure is taken from IEC 61000-2-2:2007, Figure 3.

**Figure 8 – Meister curve for ripple control systems in public networks (100 Hz to 3 000 Hz)**

## 4.2 Sources

### 4.2.1 Harmonics

Harmonic currents are generated to a small extent by generation, transmission and distribution equipment and to a greater extent by industrial and residential loads. Sometimes, there are only a few sources generating significant harmonic currents in a network; the individual harmonic level of the majority of the other devices is low, nevertheless these may make a relatively high contribution to the harmonic voltage distortion, at least for low order harmonics due to their summation.

Significant harmonic currents in a network can be generated by non-linear loads, for example:

- controlled and uncontrolled rectifiers, especially with capacitive smoothing (for example used in television, indirect and direct static frequency converters, and self-ballasted lamps), because these harmonics are in approximately the same phase from different sources and there is only poor compensation in the network;
- phase controlled equipment, some types of computers and UPS equipment.

Sources may produce harmonics at a constant or varying level, depending on the method of operation.

### 4.2.2 Interharmonics

Sources of interharmonics can be found in low-voltage networks as well as in medium-voltage and high voltage networks. The interharmonics produced in the medium-voltage/high voltage networks flow in the low-voltage networks they supply and vice versa.

The main sources are indirect and direct static frequency converters, welding machines and arc furnaces.

### 4.2.3 Mains signalling (ripple control)

Sources of mains signalling frequencies covered by this standard are transmitters operating mostly in the ~~100~~ 100 Hz to ~~2,4~~ 2,4 kHz (~~2,4 kHz~~) frequency range in order for the public supplier to control equipment in the supply network (public lighting, tariffs for meters, etc.). The transmitter energy is coupled into the system on HV, MV, or LV level. The transmitters operate with interrupted signals, and normally for a short time only. The frequencies used lie normally in between the harmonics.

## 5 Test levels

The test level is the harmonic voltage specified as a percentage of the fundamental voltage. The voltages given in this standard have the nominal power supply network voltage ( $U_1$  fundamental) as a basis.

It is essential that the r.m.s. voltage of the resultant waveforms remain at the nominal value during the application of these tests by adjusting the voltage values of fundamental and harmonics according to the percentages indicated in the corresponding tables (for example 230 V r.m.s., 120 V r.m.s.).

### 5.1 Harmonics test levels

The preferential range of test levels for individual harmonics are given in tables 1 to 3.

Harmonic voltages at a test level of 3 % and higher, up to the 9th harmonic, shall be applied using a phase shift of both 0° and 180° with respect to the positive zero-crossing of the fundamental. Harmonic voltages at a test level of less than 3 % shall be applied using no phase-shift with respect to the positive zero-crossing of the fundamental.

For compatibility levels see IEC 61000-2-2 using factor  $k$ . Immunity levels have to be higher (for example times 1,5 additionally).

[IEC 61000-4-13:2002](https://www.60ac13085a44/iec-61000-4-13-2002)

<https://www.60ac13085a44/iec-61000-4-13-2002>