

ETSI GS CIM 009 V1.7.1 (2023-06)



Context Information Management (CIM); NGSI-LD API

(standards.iteh.ai)

[ETSI GS CIM 009 V1.7.1 \(2023-06\)](https://standards.iteh.ai/catalog/standards/sist/f788f999-5b04-4f59-bac7-810ff38b7e96/etsi-gs-cim-009-v1-7-1-2023-06)

<https://standards.iteh.ai/catalog/standards/sist/f788f999-5b04-4f59-bac7-810ff38b7e96/etsi-gs-cim-009-v1-7-1-2023-06>

Disclaimer

The present document has been produced and approved by the cross-cutting Context Information Management (CIM) ETSI Industry Specification Group (ISG) and represents the views of those members who participated in this ISG. It does not necessarily represent the views of the entire ETSI membership.

Reference

RGS/CIM-009v171

Keywords

API, architecture, digital twins, GAP, information model, interoperability, NGSI-LD, smart agriculture, smart city, smart water, WoT

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards.iteh.ai> <https://portal.etsi.org/People/CommitteeSupportStaff.aspx> 7-810ff38b7e96/etsi-

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Contents

Intellectual Property Rights	17
Foreword.....	17
Modal verbs terminology.....	17
Executive summary	17
Introduction	18
1 Scope	19
2 References	19
2.1 Normative references	19
2.2 Informative references.....	20
3 Definition of terms, symbols and abbreviations.....	21
3.1 Terms.....	21
3.2 Symbols.....	24
3.3 Abbreviations	24
4 Context Information Management Framework.....	25
4.1 Introduction	25
4.2 NGSI-LD Information Model.....	25
4.2.1 Introduction.....	25
4.2.2 NGSI-LD Meta Model.....	26
4.2.3 Cross Domain Ontology	27
4.2.4 NGSI-LD domain-specific models and instantiation.....	28
4.2.5 UML representation.....	29
4.3 NGSI-LD Architectural Considerations	29
4.3.1 Introduction.....	29
4.3.2 Centralized architecture	30
4.3.3 Distributed architecture	30
4.3.4 Federated architecture	31
4.3.5 NGSI-LD API Structure and Implementation Options	32
4.3.6 Distributed Operations	36
4.3.6.1 Introduction.....	36
4.3.6.2 Additive Registrations.....	36
4.3.6.3 Proxied Registrations	37
4.3.6.4 Limiting Cascading Distributed Operations.....	37
4.3.6.5 Extra information to provide when contacting Context Source	37
4.3.6.6 Additional pre- and post-processing of extra information when contacting Context Source.....	38
4.4 Core and user NGSI-LD @context	38
4.5 NGSI-LD Data Representation.....	39
4.5.0 Introduction.....	39
4.5.1 NGSI-LD Entity Representation.....	39
4.5.2 NGSI-LD Property Representations	40
4.5.2.1 Introduction.....	40
4.5.2.2 Normalized NGSI-LD Property	40
4.5.2.3 Concise NGSI-LD Property	41
4.5.3 NGSI-LD Relationship Representations.....	42
4.5.3.1 Introduction.....	42
4.5.3.2 Normalized NGSI-LD Relationship.....	42
4.5.3.3 Concise NGSI-LD Relationship.....	43
4.5.4 Simplified Representation.....	44
4.5.5 Multi-Attribute Support	45
4.5.6 Temporal Representation of an Entity	46
4.5.7 Temporal Representation of a Property	46
4.5.8 Temporal Representation of a Relationship.....	46
4.5.9 Simplified Temporal Representation of an Entity	46
4.5.10 Entity Type List Representation	48

4.5.11	Detailed Entity Type List Representation	48
4.5.12	Entity Type Information Representation	49
4.5.13	Attribute List Representation	49
4.5.14	Detailed Attribute List Representation	49
4.5.15	Attribute Information Representation	49
4.5.16	GeoJSON Representation of Entities	50
4.5.16.0	Foreword	50
4.5.16.1	Top-level "geometry" field selection algorithm	50
4.5.16.2	GeoJSON Representation of an individual Entity	50
4.5.16.3	GeoJSON Representation of Multiple Entities	51
4.5.17	Simplified GeoJSON Representation of Entities	51
4.5.17.0	Foreword	51
4.5.17.1	Simplified GeoJSON Representation of an individual Entity	51
4.5.17.2	Simplified GeoJSON Representation of multiple Entities	52
4.5.18	NGSI-LD LanguageProperty Representations	52
4.5.18.1	Introduction	52
4.5.18.2	Normalized NGSI-LD LanguageProperty	52
4.5.18.3	Concise NGSI-LD LanguageProperty	52
4.5.19	Aggregated Temporal Representation of an Entity	53
4.5.19.0	Foreword	53
4.5.19.1	Supported behaviours for aggregation functions	54
4.5.20	NGSI-LD VocabularyProperty Representations	56
4.5.20.1	Introduction	56
4.5.20.2	Normalized NGSI-LD VocabularyProperty	56
4.5.20.3	Concise NGSI-LD VocabularyProperty	56
4.6	Data Representation Restrictions	57
4.6.1	Supported text encodings	57
4.6.2	Supported names	57
4.6.3	Supported data types for Values	57
4.6.4	Supported Entity Content	58
4.6.5	Supported data types for LanguageMaps	59
4.6.6	Ordering of Entities in arrays having more than one instance of the same Entity	59
4.7	Geospatial Properties	59
4.7.1	GeoJSON Geometries	59
4.7.2	Representation of GeoJSON Geometries in JSON-LD	59
4.7.3	Concise NGSI-LD GeoProperty	60
4.8	Temporal Properties	60
4.9	NGSI-LD Query Language	61
4.10	NGSI-LD Geoquery Language	67
4.11	NGSI-LD Temporal Query Language	69
4.12	NGSI-LD Pagination	70
4.13	Counting the Number of Results	70
4.14	Supporting Multiple Tenants	71
4.15	NGSI-LD Language Filter	71
4.16	Supporting Multiple Entity Types	72
4.17	NGSI-LD Entity Type Selection Language	72
4.18	NGSI-LD Scopes	73
4.19	NGSI-LD Scope Query Language	73
4.20	NGSI-LD Distributed Operation Names	74
5	API Operation Definition	75
5.1	Introduction	75
5.2	Data Types	76
5.2.1	Introduction	76
5.2.2	Common members	76
5.2.3	@context	76
5.2.4	Entity	77
5.2.5	Property	77
5.2.6	Relationship	78
5.2.7	GeoProperty	79
5.2.8	EntityInfo	79
5.2.9	CSourceRegistration	79

5.2.10	RegistrationInfo	83
5.2.11	TimeInterval	83
5.2.12	Subscription	83
5.2.13	GeoQuery.....	85
5.2.14	NotificationParams	85
5.2.14.1	NotificationParams data type definition.....	85
5.2.14.2	Additional members	86
5.2.15	Endpoint.....	87
5.2.16	BatchOperationResult.....	87
5.2.17	BatchEntityError.....	88
5.2.18	UpdateResult.....	88
5.2.19	NotUpdatedDetails.....	88
5.2.20	EntityTemporal	88
5.2.21	TemporalQuery	89
5.2.22	KeyValuePair.....	89
5.2.23	Query	89
5.2.24	EntityTypeList	90
5.2.25	EntityType	90
5.2.26	EntityTypeInfo.....	91
5.2.27	AttributeList.....	91
5.2.28	Attribute	91
5.2.29	Feature	92
5.2.30	FeatureCollection.....	92
5.2.31	FeatureProperties	93
5.2.32	LanguageProperty.....	93
5.2.33	EntitySelector	94
5.2.34	RegistrationManagementInfo	94
5.2.35	VocabularyProperty	95
5.3	Notification data types.....	95
5.3.1	Notification	95
5.3.2	CSourceNotification	96
5.3.3	TriggerReasonEnumeration	97
5.4	NGSI-LD Fragments	97
5.5	Common Behaviours.....	98
5.5.1	Introduction.....	98
5.5.2	Error types	98
5.5.3	Error response payload body	98
5.5.4	General NGSI-LD validation.....	98
5.5.5	Default @context assignment	99
5.5.6	Operation execution.....	99
5.5.7	Term to URI expansion or compaction.....	99
5.5.8	Partial Update Patch Behaviour	100
5.5.9	Pagination Behaviour.....	102
5.5.10	Multi-Tenant Behaviour	103
5.5.11	More than one instance of the same Entity in an Entity array	103
5.5.11.0	Foreword.....	103
5.5.11.1	Batch Entity Creation case	104
5.5.11.2	Batch Entity Creation or Update (Upsert) case	104
5.5.11.3	Batch Entity Update case	104
5.5.11.4	Batch Entity Delete case	104
5.5.11.5	Batch Entity Merge case	104
5.5.12	Merge Patch Behaviour	104
5.6	Context Information Provision	106
5.6.1	Create Entity	106
5.6.1.1	Description	106
5.6.1.2	Use case diagram	106
5.6.1.3	Input data	106
5.6.1.4	Behaviour	106
5.6.1.5	Output data.....	107
5.6.2	Update Attributes.....	107
5.6.2.1	Description.....	107
5.6.2.2	Use case diagram	107

5.6.2.3	Input data	108
5.6.2.4	Behaviour	108
5.6.2.5	Output data	109
5.6.3	Append Attributes	109
5.6.3.1	Description	109
5.6.3.2	Use case diagram	109
5.6.3.3	Input data	110
5.6.3.4	Behaviour	110
5.6.3.5	Output data	111
5.6.4	Partial Attribute update	111
5.6.4.1	Description	111
5.6.4.2	Use case diagram	111
5.6.4.3	Input data	112
5.6.4.4	Behaviour	112
5.6.4.5	Output data	113
5.6.5	Delete Attribute	113
5.6.5.1	Description	113
5.6.5.2	Use case diagram	113
5.6.5.3	Input data	113
5.6.5.4	Behaviour	114
5.6.5.5	Output data	114
5.6.6	Delete Entity	114
5.6.6.1	Description	114
5.6.6.2	Use case diagram	115
5.6.6.3	Input data	115
5.6.6.4	Behaviour	115
5.6.6.5	Output data	116
5.6.7	Batch Entity Creation	116
5.6.7.1	Description	116
5.6.7.2	Use case diagram	116
5.6.7.3	Input data	116
5.6.7.4	Behaviour	116
5.6.7.5	Output data	117
5.6.8	Batch Entity Creation or Update (Upsert)	117
5.6.8.1	Description	117
5.6.8.2	Use case diagram	117
5.6.8.3	Input data	118
5.6.8.4	Behaviour	118
5.6.8.5	Output data	120
5.6.9	Batch Entity Update	120
5.6.9.1	Description	120
5.6.9.2	Use case diagram	120
5.6.9.3	Input data	120
5.6.9.4	Behaviour	120
5.6.9.5	Output data	122
5.6.10	Batch Entity Delete	122
5.6.10.1	Description	122
5.6.10.2	Use case diagram	122
5.6.10.3	Input data	122
5.6.10.4	Behaviour	122
5.6.10.5	Output data	123
5.6.11	Create or Update (Upsert) Temporal Representation of an Entity	123
5.6.11.1	Description	123
5.6.11.2	Use case diagram	123
5.6.11.3	Input data	124
5.6.11.4	Behaviour	124
5.6.11.5	Output data	125
5.6.12	Add Attributes to Temporal Representation of an Entity	125
5.6.12.1	Description	125
5.6.12.2	Use case diagram	125
5.6.12.3	Input data	125
5.6.12.4	Behaviour	126

5.6.12.5	Output data	126
5.6.13	Delete Attribute from Temporal Representation of an Entity	126
5.6.13.1	Description	126
5.6.13.2	Use case diagram	126
5.6.13.3	Input data	127
5.6.13.4	Behaviour	127
5.6.13.5	Output data	128
5.6.14	Modify Attribute instance in Temporal Representation of an Entity	128
5.6.14.1	Description	128
5.6.14.2	Use case diagram	128
5.6.14.3	Input data	129
5.6.14.4	Behaviour	129
5.6.14.5	Output data	129
5.6.15	Delete Attribute instance from Temporal Representation of an Entity	130
5.6.15.1	Description	130
5.6.15.2	Use case diagram	130
5.6.15.3	Input data	130
5.6.15.4	Behaviour	130
5.6.15.5	Output data	131
5.6.16	Delete Temporal Representation of an Entity	131
5.6.16.1	Description	131
5.6.16.2	Use case diagram	131
5.6.16.3	Input data	132
5.6.16.4	Behaviour	132
5.6.16.5	Output data	132
5.6.17	Merge Entity	133
5.6.17.1	Description	133
5.6.17.2	Use case diagram	133
5.6.17.3	Input data	133
5.6.17.4	Behaviour	133
5.6.17.5	Output data	135
5.6.18	Replace Entity	135
5.6.18.1	Description	135
5.6.18.2	Use case diagram	135
5.6.18.3	Input data	135
5.6.18.4	Behaviour	136
5.6.18.5	Output data	136
5.6.19	Replace Attribute	136
5.6.19.1	Description	136
5.6.19.2	Use case diagram	136
5.6.19.3	Input data	137
5.6.19.4	Behaviour	137
5.6.19.5	Output data	138
5.6.20	Batch Entity Merge	138
5.6.20.1	Description	138
5.6.20.2	Use case diagram	138
5.6.20.3	Input data	138
5.6.20.4	Behaviour	139
5.6.20.5	Output data	140
5.7	Context Information Consumption	140
5.7.1	Retrieve Entity	140
5.7.1.1	Description	140
5.7.1.2	Use case diagram	140
5.7.1.3	Input data	140
5.7.1.4	Behaviour	141
5.7.1.5	Output data	141
5.7.2	Query Entities	141
5.7.2.1	Description	141
5.7.2.2	Use case diagram	142
5.7.2.3	Input data	142
5.7.2.4	Behaviour	143
5.7.2.5	Output data	144

5.7.3	Retrieve Temporal Evolution of an Entity	144
5.7.3.1	Description	144
5.7.3.2	Use case diagram	144
5.7.3.3	Input data	145
5.7.3.4	Behaviour	145
5.7.3.5	Output data	146
5.7.4	Query Temporal Evolution of Entities	146
5.7.4.1	Description	146
5.7.4.2	Use case diagram	146
5.7.4.3	Input data	147
5.7.4.4	Behaviour	147
5.7.4.5	Output Data	149
5.7.5	Retrieve Available Entity Types	149
5.7.5.1	Description	149
5.7.5.2	Use case diagram	149
5.7.5.3	Input data	149
5.7.5.4	Behaviour	149
5.7.5.5	Output data	149
5.7.6	Retrieve Details of Available Entity Types	150
5.7.6.1	Description	150
5.7.6.2	Use case diagram	150
5.7.6.3	Input data	150
5.7.6.4	Behaviour	150
5.7.6.5	Output data	150
5.7.7	Retrieve Available Entity Type Information	150
5.7.7.1	Description	150
5.7.7.2	Use case diagram	151
5.7.7.3	Input data	151
5.7.7.4	Behaviour	151
5.7.7.5	Output data	151
5.7.8	Retrieve Available Attributes	151
5.7.8.1	Description	151
5.7.8.2	Use case diagram	151
5.7.8.3	Input data	152
5.7.8.4	Behaviour	152
5.7.8.5	Output data	152
5.7.9	Retrieve Details of Available Attributes	152
5.7.9.1	Description	152
5.7.9.2	Use case diagram	152
5.7.9.3	Input data	153
5.7.9.4	Behaviour	153
5.7.9.5	Output data	153
5.7.10	Retrieve Available Attribute Information	153
5.7.10.1	Description	153
5.7.10.2	Use case diagram	153
5.7.10.3	Input data	154
5.7.10.4	Behaviour	154
5.7.10.5	Output data	154
5.7.11	Architecture-related aspects of retrieval of entity types and attributes	154
5.8	Context Information Subscription	155
5.8.1	Create Subscription	155
5.8.1.1	Description	155
5.8.1.2	Use case diagram	155
5.8.1.3	Input data	155
5.8.1.4	Behaviour	155
5.8.1.5	Output data	157
5.8.2	Update Subscription	157
5.8.2.1	Description	157
5.8.2.2	Use case diagram	157
5.8.2.3	Input data	157
5.8.2.4	Behaviour	157
5.8.2.5	Output data	158

5.8.3	Retrieve Subscription.....	158
5.8.3.1	Description.....	158
5.8.3.2	Use case diagram	158
5.8.3.3	Input data	159
5.8.3.4	Behaviour.....	159
5.8.3.5	Output data.....	159
5.8.4	Query Subscriptions.....	159
5.8.4.1	Description.....	159
5.8.4.2	Use case diagram	159
5.8.4.3	Input data	160
5.8.4.4	Behaviour.....	160
5.8.4.5	Output data.....	160
5.8.5	Delete Subscription.....	160
5.8.5.1	Description.....	160
5.8.5.2	Use case diagram	160
5.8.5.3	Input data	161
5.8.5.4	Behaviour.....	161
5.8.5.5	Output data.....	161
5.8.6	Notification behaviour	161
5.9	Context Source Registration.....	163
5.9.1	Introduction.....	163
5.9.2	Register Context Source	163
5.9.2.1	Description.....	163
5.9.2.2	Use case diagram	163
5.9.2.3	Input data	163
5.9.2.4	Behaviour.....	164
5.9.2.5	Output data.....	164
5.9.3	Update Context Source Registration.....	164
5.9.3.1	Description.....	164
5.9.3.2	Use case diagram	165
5.9.3.3	Input data	165
5.9.3.4	Behaviour.....	165
5.9.3.5	Output data.....	166
5.9.4	Delete Context Source Registration.....	166
5.9.4.1	Description.....	166
5.9.4.2	Use case diagram	166
5.9.4.3	Input data	166
5.9.4.4	Behaviour.....	166
5.9.4.5	Output data.....	167
5.10	Context Source Discovery.....	167
5.10.1	Retrieve Context Source Registration.....	167
5.10.1.1	Description.....	167
5.10.1.2	Use case diagram	167
5.10.1.3	Input data	167
5.10.1.4	Behaviour.....	167
5.10.1.5	Output data.....	168
5.10.2	Query Context Source Registrations.....	168
5.10.2.1	Description.....	168
5.10.2.2	Use case diagram	168
5.10.2.3	Input data	168
5.10.2.4	Behaviour.....	169
5.10.2.5	Output data.....	170
5.11	Context Source Registration Subscription.....	170
5.11.1	Introduction.....	170
5.11.2	Create Context Source Registration Subscription.....	170
5.11.2.1	Description.....	170
5.11.2.2	Use case diagram	170
5.11.2.3	Input data	171
5.11.2.4	Behaviour.....	171
5.11.2.5	Output data.....	172
5.11.3	Update Context Source Registration Subscription.....	172
5.11.3.1	Description.....	172

5.11.3.2	Use case diagram	172
5.11.3.3	Input data	173
5.11.3.4	Behaviour	173
5.11.3.5	Output data	173
5.11.4	Retrieve Context Source Registration Subscription	173
5.11.4.1	Description	173
5.11.4.2	Use case diagram	173
5.11.4.3	Input data	174
5.11.4.4	Behaviour	174
5.11.4.5	Output data	174
5.11.5	Query Context Source Registration Subscriptions	174
5.11.5.1	Description	174
5.11.5.2	Use case diagram	174
5.11.5.3	Input data	175
5.11.5.4	Behaviour	175
5.11.5.5	Output data	175
5.11.6	Delete Context Source Registration Subscription	175
5.11.6.1	Description	175
5.11.6.2	Use case diagram	175
5.11.6.3	Input data	176
5.11.6.4	Behaviour	176
5.11.6.5	Output data	176
5.11.7	Notification behaviour	176
5.12	Matching Context Source Registrations	177
5.13	Storing, Managing and Serving @contexts	178
5.13.1	Introduction	178
5.13.2	Add @context	179
5.13.2.1	Description	179
5.13.2.2	Use case diagram	179
5.13.2.3	Input data	179
5.13.2.4	Behaviour	179
5.13.2.5	Output data	179
5.13.3	List @contexts	180
5.13.3.1	Description	180
5.13.3.2	Use case diagram	180
5.13.3.3	Input data	180
5.13.3.4	Behaviour	180
5.13.3.5	Output data	180
5.13.4	Serve @context	181
5.13.4.1	Description	181
5.13.4.2	Use case diagram	181
5.13.4.3	Input data	181
5.13.4.4	Behaviour	182
5.13.4.5	Output data	182
5.13.5	Delete and Reload @context	182
5.13.5.1	Description	182
5.13.5.2	Use case diagram	182
5.13.5.3	Input data	182
5.13.5.4	Behaviour	183
5.13.5.5	Output data	183
6	API HTTP Binding	183
6.1	Introduction	183
6.2	Global Definitions and Resource Structure	183
6.3	Common Behaviours	186
6.3.1	Introduction	186
6.3.2	Error Types	186
6.3.3	Reporting errors	187
6.3.4	HTTP request preconditions	187
6.3.5	JSON-LD @context resolution	188
6.3.6	HTTP response common requirements	188
6.3.7	Representation of Entities	189

6.3.8	Notification behaviour	189
6.3.9	CSource Notification behaviour	190
6.3.10	Pagination behaviour	190
6.3.11	Including system generated attributes.....	191
6.3.12	Simplified or aggregated temporal representation of entities	192
6.3.13	Counting number of results.....	192
6.3.14	Tenant specification.....	192
6.3.15	GeoJSON representation of spatially bound entities	192
6.3.16	Expiration time for cached @contexts.....	193
6.3.17	Distributed Operations Caching and Timeout Behaviour	193
6.3.18	Limiting Distributed Operations	194
6.3.19	Extra information to provide when contacting Context Source.....	194
6.3.20	Invalid parameters.....	194
6.4	Resource: entities/	194
6.4.1	Description.....	194
6.4.2	Resource definition.....	195
6.4.3	Resource methods.....	195
6.4.3.1	POST.....	195
6.4.3.2	GET.....	196
6.5	Resource: entities/{entityId}	198
6.5.1	Description.....	198
6.5.2	Resource definition	198
6.5.3	Resource methods.....	199
6.5.3.1	GET.....	199
6.5.3.2	DELETE	200
6.5.3.3	PUT.....	201
6.5.3.4	PATCH	202
6.6	Resource: entities/{entityId}/attrs/	204
6.6.1	Description.....	204
6.6.2	Resource definition	204
6.6.3	Resource methods.....	204
6.6.3.1	POST.....	204
6.6.3.2	PATCH	205
6.7	Resource: entities/{entityId}/attrs/{attrId}	206
6.7.1	Description.....	206
6.7.2	Resource definition	206
6.7.3	Resource methods.....	207
6.7.3.1	PATCH	207
6.7.3.2	DELETE	208
6.7.3.3	PUT.....	209
6.8	Resource: csourceRegistrations/	210
6.8.1	Description.....	210
6.8.2	Resource definition	210
6.8.3	Resource methods.....	210
6.8.3.1	POST.....	210
6.8.3.2	GET.....	211
6.9	Resource: csourceRegistrations/{registrationId}	213
6.9.1	Description.....	213
6.9.2	Resource definition	213
6.9.3	Resource methods.....	214
6.9.3.1	GET.....	214
6.9.3.2	PATCH	214
6.9.3.3	DELETE	215
6.10	Resource: subscriptions/	216
6.10.1	Description.....	216
6.10.2	Resource definition	216
6.10.3	Resource methods.....	216
6.10.3.1	POST.....	216
6.10.3.2	GET.....	217
6.11	Resource: subscriptions/{subscriptionId}	218
6.11.1	Description.....	218
6.11.2	Resource definition	218

6.11.3	Resource methods	218
6.11.3.1	GET	218
6.11.3.2	PATCH	219
6.11.3.3	DELETE	219
6.12	Resource: csourceSubscriptions/	220
6.12.1	Description	220
6.12.2	Resource definition	220
6.12.3	Resource methods	220
6.12.3.1	POST	220
6.12.3.2	GET	221
6.13	Resource: csourceSubscriptions/{subscriptionId}	222
6.13.1	Description	222
6.13.2	Resource definition	222
6.13.3	Resource methods	222
6.13.3.1	GET	222
6.13.3.2	PATCH	223
6.13.3.3	DELETE	224
6.14	Resource: entityOperations/create	224
6.14.1	Description	224
6.14.2	Resource definition	225
6.14.3	Resource methods	225
6.14.3.1	POST	225
6.15	Resource: entityOperations/upsert	226
6.15.1	Description	226
6.15.2	Resource definition	226
6.15.3	Resource methods	227
6.15.3.1	POST	227
6.16	Resource: entityOperations/update	228
6.16.1	Description	228
6.16.2	Resource definition	229
6.16.3	Resource methods	229
6.16.3.1	POST	229
6.17	Resource: entityOperations/delete	230
6.17.1	Description	230
6.17.2	Resource definition	230
6.17.3	Resource methods	231
6.17.3.1	POST	231
6.18	Resource: temporal/entities/	232
6.18.1	Description	232
6.18.2	Resource definition	232
6.18.3	Resource methods	232
6.18.3.1	POST	232
6.18.3.2	GET	233
6.19	Resource: temporal/entities/{entityId}	235
6.19.1	Description	235
6.19.2	Resource definition	235
6.19.3	Resource methods	235
6.19.3.1	GET	235
6.19.3.2	DELETE	237
6.20	Resource: temporal/entities/{entityId}/attrs/	237
6.20.1	Description	237
6.20.2	Resource definition	238
6.20.3	Resource methods	238
6.20.3.1	POST	238
6.21	Resource: temporal/entities/{entityId}/attrs/{attrId}	239
6.21.1	Description	239
6.21.2	Resource definition	239
6.21.3	Resource methods	239
6.21.3.1	DELETE	239
6.22	Resource: temporal/entities/{entityId}/attrs/{attrId}/ {instanceId}	240
6.22.1	Description	240
6.22.2	Resource definition	240

6.22.3	Resource methods	240
6.22.3.1	PATCH	240
6.22.3.2	DELETE	241
6.23	Resource: entityOperations/query	242
6.23.1	Description	242
6.23.2	Resource definition	242
6.23.3	Resource methods	242
6.23.3.1	POST	242
6.24	Resource: temporal/entityOperations/query	243
6.24.1	Description	243
6.24.2	Resource definition	243
6.24.3	Resource methods	243
6.24.3.1	POST	243
6.25	Resource: types/	244
6.25.1	Description	244
6.25.2	Resource definition	244
6.25.3	Resource methods	244
6.25.3.1	GET	244
6.26	Resource: types/{type}	245
6.26.1	Description	245
6.26.2	Resource definition	245
6.26.3	Resource methods	246
6.26.3.1	GET	246
6.27	Resource: attributes/	246
6.27.1	Description	246
6.27.2	Resource definition	247
6.27.3	Resource methods	247
6.27.3.1	GET	247
6.28	Resource: attributes/{attrId}	248
6.28.1	Description	248
6.28.2	Resource definition	248
6.28.3	Resource methods	248
6.28.3.1	GET	248
6.29	Resource: jsonldContexts/	249
6.29.1	Description	249
6.29.2	Resource definition	249
6.29.3	Resource methods	249
6.29.3.1	POST	249
6.29.3.2	GET	249
6.30	Resource: jsonldContexts/{contextId}	250
6.30.1	Description	250
6.30.2	Resource definition	250
6.30.3	Resource methods	251
6.30.3.1	GET	251
6.30.3.2	DELETE	252
6.31	Resource: entityOperations/merge	253
6.31.1	Description	253
6.31.2	Resource definition	253
6.31.3	Resource methods	253
6.31.3.1	POST	253
7	API MQTT Notification Binding	254
7.1	Introduction	254
7.2	Notification behaviour	254
Annex A (normative):	NGSI-LD identifier considerations	256
A.1	Introduction	256
A.2	Entity identifiers	256
A.3	NGSI-LD namespace	256

Annex B (normative):	Core NGSI-LD @context definition.....	257
Annex C (informative):	Examples of using the API	262
C.1	Introduction	262
C.2	Entity Representation	262
C.2.1	Property Graph	262
C.2.2	Vehicle Entity.....	263
C.2.3	Parking Entity.....	266
C.2.4	@context	272
C.3	Context Source Registration.....	273
C.4	Context Subscription	274
C.5	HTTP REST API Examples	274
C.5.1	Introduction	274
C.5.2	Create Entity of Type Vehicle	274
C.5.2.1	HTTP Request	274
C.5.2.2	HTTP Response	275
C.5.3	Query Entities.....	275
C.5.3.1	Introduction.....	275
C.5.3.2	HTTP Request	275
C.5.3.3	HTTP Response	275
C.5.4	Query Entities (Pagination)	275
C.5.4.1	Introduction.....	275
C.5.4.2	HTTP Request	275
C.5.4.3	HTTP Response	276
C.5.5	Temporal Query	276
C.5.5.1	Introduction.....	276
C.5.5.2	HTTP Request #1	276
C.5.5.3	HTTP Response #1	276
C.5.5.2	HTTP Request #2	277
C.5.5.3	HTTP Response #2	277
C.5.6	Temporal Query (Simplified Representation)	278
C.5.6.1	Introduction.....	278
C.5.6.2	HTTP Request	278
C.5.6.3	HTTP Response	278
C.5.7	Retrieve Available Entity Types	278
C.5.7.1	Introduction.....	278
C.5.7.2	HTTP Request	279
C.5.7.3	HTTP Response	279
C.5.8	Retrieve Details of Available Entity Types	279
C.5.8.1	Introduction.....	279
C.5.8.2	HTTP Request	279
C.5.8.3	HTTP Response	279
C.5.9	Retrieve Available Entity Type Information	280
C.5.9.1	Introduction.....	280
C.5.9.2	HTTP Request	280
C.5.9.3	HTTP Response	280
C.5.10	Retrieve Available Attributes	281
C.5.10.1	Introduction.....	281
C.5.10.2	HTTP Request	281
C.5.10.3	HTTP Response	281
C.5.11	Retrieve Details of Available Attributes	282
C.5.11.1	Introduction.....	282
C.5.11.2	HTTP Request	282
C.5.11.3	HTTP Response	282
C.5.12	Retrieve Available Attribute Information.....	283
C.5.12.1	Introduction.....	283
C.5.12.2	HTTP Request	283
C.5.12.3	HTTP Response	283
C.5.13	Query Entities (Natural Language Filtering).....	283

C.5.13.1	Introduction.....	283
C.5.13.2	HTTP Request	283
C.5.13.3	HTTP Response	284
C.5.14	Temporal Query (Aggregated Representation)	284
C.5.14.1	Introduction.....	284
C.5.14.2	HTTP Request	284
C.5.14.3	HTTP Response	284
C.5.15	Scope Queries.....	285
C.5.15.1	Introduction.....	285
C.5.15.2	HTTP Request	285
C.5.15.3	HTTP Response	285
C.5.16	Temporal Scope Queries	286
C.5.16.1	Introduction.....	286
C.5.16.2	HTTP Request	286
C.5.16.3	HTTP Response	287
C.6	Date Representation	288
C.7	@context utilization clarifications	289
C.8	Link header utilization clarifications.....	290
C.9	@context processing clarifications.....	292
Annex D (informative):	Transformation Algorithms.....	294
D.1	Introduction	294
D.2	Algorithm for transforming an NGSI-LD Entity into a JSON-LD document (ALG1)	294
D.3	Algorithm for transforming an NGSI-LD Property into JSON-LD (ALG1.1)	295
D.4	Algorithm for transforming an NGSI-LD Relationship into JSON-LD (ALG1.2).....	296
Annex E (informative):	RDF-compatible specification of NGSI-LD meta-model.....	297
Annex F (informative):	Conventions and syntax guidelines.....	298
Annex G (informative):	Localization and Internationalization Support.....	299
G.0	Foreword	299
G.1	Introduction	299
G.1.0	Foreword	299
G.1.1	Associating an Entity with a Natural Language	299
G.1.2	Associating a Property with a Natural Language	299
G.1.3	Associating as equivalent entity	300
G.2	Natural Language Collation Support.....	300
G.2.0	Foreword	300
G.2.1	Maintain collations as metadata	301
G.2.2	Route language sensitive queries via a proxy.....	301
G.3	Localization of Dates, Currency formats, etc.....	301
G.3.0	Foreword	301
G.3.1	Localizing Dates.....	301
Annex H (informative):	Suggested actuation workflows.....	303
H.1	Actuators and feedback to the consumer.....	303
H.2	Architecture for actuation.....	303
H.3	Structure of Commands and additional Properties.....	304
H.3.0	Introduction	304
H.3.1	Property for listing available commands	305
H.3.2	Properties for command endpoints.....	305