



SLOVENSKI STANDARD SIST EN IEC 62769-5:2021

01-julij-2021

Nadomešča:
SIST EN 62769-5:2015

Integracija procesne naprave (FDI) - 5. del: Informacijski model (IEC 62769-5:2021)

Field Device Integration (FDI) - Part 5: Information Model (IEC 62769-5:2021)

Feldgeräteintegration (FDI) - Teil 5: FDI-Informationsmodell (IEC 62769-5:2021)

Intégration des appareils de terrain (FDI) - Partie 5: Modèle d'Information (IEC 62769-5:2021)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: [SIST EN IEC 62769-5:2021](https://standards.iteh.ai/catalog/standards/sist/6b174281-6d93-47e9-b5e1-85edb7cebc22/sist-en-iec-62769-5-2021)
EN IEC 62769-5:2021

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

SIST EN IEC 62769-5:2021

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN IEC 62769-5:2021

<https://standards.iteh.ai/catalog/standards/sist/8b1412bf-6d53-47c9-b5e1-85edb7cebc22/sist-en-iec-62769-5-2021>

EUROPEAN STANDARD

EN IEC 62769-5

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2021

ICS 25.040.40; 35.100.05

Supersedes EN 62769-5:2015 and all of its amendments
and corrigenda (if any)

English Version

**Field Device Integration (FDI) - Part 5: Information Model
(IEC 62769-5:2021)**Intégration des appareils de terrain (FDI) - Partie 5: Modèle
d'Information
(IEC 62769-5:2021)Feldgeräteintegration (FDI) - Teil 5: FDI-Informationsmodell
(IEC 62769-5:2021)

This European Standard was approved by CENELEC on 2021-03-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62769-5:2021 (E)**European foreword**

The text of document 65E/762(F)/FDIS, future edition 2 of IEC 62769-5, prepared by SC 65E “Devices and integration in enterprise systems” of IEC/TC 65 “Industrial-process measurement, control and automation” was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62769-5:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2021-12-12 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2024-03-12 document have to be withdrawn

This document supersedes EN 62769-5:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice**iTeh STANDARD PREVIEW**

The text of the International Standard IEC 62769-5:2021 was approved by CENELEC as a European Standard without any modification. (standards.iteh.ai)

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

<https://standards.iteh.ai/catalog/standards/sist/8b1412bf-6d53-47c9-b5e1-85edb7cebc22/sist-en-iec-62769-5-2021>

IEC 62541-7 NOTE Harmonized as EN IEC 62541-7

IEC 62769-1 NOTE Harmonized as EN 62769-1

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61784-1	-	Industrial communication networks Profiles Part 1: Fieldbus profiles	-EN IEC 61784-1	-
IEC 61804-3	-	Devices and integration in enterprise systems - Function blocks (FB) for process control and electronic device description language (EDDL) - Part 3: EDDL syntax and semantics	EN IEC 61804-3	-
IEC 61804-4	-	Devices and integration in enterprise systems - Function blocks (FB) for process control and electronic device description language (EDDL) - Part 4: EDD interpretation	EN IEC 61804-4	-
IEC 62541-3	-	OPC Unified Architecture - Part 3: Address Space Model	EN IEC 62541-3	-
IEC 62541-4	-	OPC Unified Architecture - Part 4: Services	EN IEC 62541-4	-
IEC 62541-5	-	OPC Unified Architecture - Part 5: Information Model	EN IEC 62541-5	-
IEC 62541-6	-	OPC Unified Architecture - Part 6: Mappings	EN IEC 62541-6	-
IEC 62541-8	-	OPC Unified Architecture - Part 8: Data Access	EN IEC 62541-8	-
IEC 62541-100	-	OPC Unified Architecture - Part 100: Device Interface	EN 62541-100	-
IEC 62769-1	-	Field Device Integration (FDI) - Part 1: Overview	EN IEC 62769-1	-
IEC 62769-2	-	Field Device Integration (FDI) - Part 2: FDI Client	EN IEC 62769-2	-
IEC 62769-4	-	Field Device Integration (FDI) - Part 4: FDI Packages	EN IEC 62769-4	-

EN IEC 62769-5:2021 (E)

IEC 62769-7 - Field Device Integration (FDI) - Part 7:EN IEC 62769-7
Communication Devices -

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN IEC 62769-5:2021](https://standards.iteh.ai/catalog/standards/sist/8b1412bf-6d53-47c9-b5e1-85edb7cebc22/sist-en-iec-62769-5-2021)

<https://standards.iteh.ai/catalog/standards/sist/8b1412bf-6d53-47c9-b5e1-85edb7cebc22/sist-en-iec-62769-5-2021>



IEC 62769-5

Edition 2.0 2021-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Field device integration (FDI) –
Part 5: Information Model
(standards.iteh.ai)

Intégration des appareils de terrain (FDI) –
Partie 5: Modèle d'Information
<https://standards.iteh.ai/catalog/standards/sist/8b1412bf-6d53-47c9-b5e1-85edb7cebc22/sist-en-iec-62769-5-2021>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05

ISBN 978-2-8322-9313-3

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references	11
3 Terms, definitions, abbreviated terms and conventions.....	11
3.1 Terms and definitions.....	11
3.2 Abbreviated terms.....	11
3.3 Conventions.....	12
3.4 Conventions for graphical notation.....	12
4 Overview of OPC Unified Architecture	14
4.1 General.....	14
4.2 Overview of OPC UA Devices	14
5 Concepts	16
5.1 General.....	16
5.2 Device topology	16
5.3 Online/offline	18
5.4 Catalogue (Type Definitions).....	19
5.5 Communication	19
6 AddressSpace organization.....	19
7 Device Model for FDI.....	20
7.1 General.....	20
7.2 Online/offline.....	20
7.3 Device health.....	21
7.3.1 DeviceHealth Mapping.....	21
7.3.2 DeviceHealth Diagnostics	22
7.4 User interface elements	23
7.4.1 General	23
7.4.2 UI Description Type	24
7.4.3 UI Plug-in Type.....	24
7.5 Type-specific support information	26
7.6 Actions	27
7.6.1 Overview	27
7.6.2 Action Type	27
7.6.3 ActionService Type.....	28
7.6.4 ActionService Object	28
7.6.5 InvokeAction Method	29
7.6.6 RespondAction Method.....	30
7.6.7 AbortAction Method	31
8 Network and connectivity.....	32
9 Utility functions.....	32
9.1 Overview.....	32
9.2 Locking	32
9.3 EditContext.....	33
9.3.1 Overview	33
9.3.2 EditContext Type.....	33

9.3.3	EditContext Object.....	33
9.3.4	GetEditContext Method.....	34
9.3.5	RegisterNodes Method	35
9.3.6	Apply Method	36
9.3.7	Reset Method	37
9.3.8	Discard Method	38
9.4	Direct Device Access	39
9.4.1	General	39
9.4.2	DirectDeviceAccess Type	39
9.4.3	DirectDeviceAccess Object.....	40
9.4.4	InitDirectAccess Method	41
9.4.5	EndDirectAccess Method	41
9.4.6	Transfer Method	42
10	Parameter Types	43
10.1	General.....	43
10.2	ScalingFactor Property	44
10.3	Min_Max_Values Property	44
11	FDI StatusCodes	45
12	Specialized topology elements.....	46
13	Auditing.....	47
13.1	General.....	47
13.2	FDI Client-provided context information.....	47
13.3	LogAuditTrailMessage Method	47
14	FDI Server Version.....	48
15	Mapping FDI Package information to the FDI Information Model.....	48
15.1	General.....	48
15.2	Localization	49
15.2.1	Localized text	49
15.2.2	Engineering units.....	49
15.3	Device	49
15.3.1	General	49
15.3.2	Mapping to Attributes to a specific DeviceType Node.....	49
15.3.3	Mapping to Properties.....	49
15.3.4	Mapping to ParameterSet	50
15.3.5	Mapping to Functional Groups	50
15.3.6	Mapping to DeviceTypeImage.....	50
15.3.7	Mapping to Documentation	50
15.3.8	Mapping to ProtocolSupport.....	50
15.3.9	Mapping to ImageSet.....	51
15.3.10	Mapping to ActionSet.....	51
15.3.11	Mapping to MethodSet.....	51
15.4	Modular Device.....	51
15.5	Block	51
15.5.1	General	51
15.5.2	Mapping to Attributes.....	51
15.5.3	Mapping to ParameterSet	52
15.5.4	Mapping to Functional Groups	52
15.5.5	Mapping to ActionSet.....	52

15.5.6	Mapping to MethodSet.....	52
15.5.7	Instantiation rules	52
15.6	Parameter.....	52
15.6.1	General	52
15.6.2	Private Parameters	56
15.6.3	MIN_Value and MAX_Value.....	57
15.6.4	Engineering units.....	57
15.6.5	Enumerated Parameters	57
15.6.6	Bit-enumerated Parameters	57
15.6.7	Representation of records.....	57
15.6.8	Representation of arrays, and lists of Parameters with simple data types	58
15.6.9	Representation of values arrays, and lists of RECORD Parameters	59
15.6.10	Representation of COLLECTION and REFERENCE ARRAY	59
15.6.11	SCALING_FACTOR.....	60
15.7	Functional Groups.....	60
15.8	AXIS elements in UIDs.....	61
15.9	Actions	61
15.10	UIPs	61
15.11	Protocols, Networks and Connection Points	61
16	Profiles.....	62
Annex A (normative)	Namespace and Mappings.....	63
Bibliography.....		64
Figure 1	– FDI architecture diagram.....	10
Figure 2	– OPC UA Graphical Notation for NodeClasses.....	12
Figure 3	– OPC UA Graphical Notation for References	12
Figure 4	– OPC UA Graphical Notation Example.....	13
Figure 5	– Optimized Type Reference	13
Figure 6	– OPC UA Devices Example: Functional Groups	15
Figure 7	– OPC UA Devices example: Configurable components	16
Figure 8	– Example of an automation system.....	17
Figure 9	– Example of a Device topology	18
Figure 10	– Example Device Types representing a catalogue	19
Figure 11	– Online component for access to device data	21
Figure 12	– Hierarchy of user interface Types.....	24
Figure 13	– Integration of Actions within a TopologyElement	27
Figure 14	– Action Service	29
Figure 15	– EditContext type and instance.....	34
Figure 16	– DirectDeviceAccessType.....	39
Figure 17	– DirectDeviceAccess instance	40
Figure 18	– OPC UA VariableTypes including OPC UA DataAccess.....	44
Figure 19	– Example: Complex variable representing a RECORD	58
Figure 20	– Complex variable representing a VALUE_ARRAY of RECORDs	59
Table 1	– DeviceHealth Mapping	22

Table 2 – DeviceType definition (excerpt applicable to this clause).....	22
Table 3 – DeviceType definition with DeviceHealth and DeviceHealthDiagnostics.....	23
Table 4 – UIDescriptionType Definition	24
Table 5 – UIPlugInType Definition.....	25
Table 6 – ActionType Definition	28
Table 7 – ActionServiceType Definition.....	28
Table 8 – InvokeAction Method Arguments	30
Table 9 – InvokeAction Method AddressSpace Definition.....	30
Table 10 – RespondAction Method Arguments.....	31
Table 11 – RespondAction Method AddressSpace Definition	31
Table 12 – AbortAction Method Arguments	31
Table 13 – AbortAction Method AddressSpace Definition.....	32
Table 14 – EditContextType Definition	33
Table 15 – GetEditContext Method Arguments.....	34
Table 16 – GetEditContext Method AddressSpace Definition	35
Table 17 – RegisterNodes Method Arguments	35
Table 18 – RegisterNodes Method AddressSpace Definition.....	35
Table 19 – RegistrationParameters DataType Structure.....	36
Table 20 – RegisterNodesResult DataType Structure.....	36
Table 21 – Apply Method Arguments.....	37
Table 22 – Apply Method AddressSpace Definition	37
Table 23 – ApplyResult DataType Structure.....	37
Table 24 – Reset Method Arguments.....	38
Table 25 – Reset Method AddressSpace Definition.....	38
Table 26 – Discard Method Arguments	38
Table 27 – Discard Method AddressSpace Definition	39
Table 28 – DirectDeviceAccessType Definition	40
Table 29 – DirectDeviceAccess Instance Definition.....	41
Table 30 – InitDirectAccess Method Arguments	41
Table 31 – InitDirectAccess Method AddressSpace Definition.....	41
Table 32 – EndDirectAccess Method Arguments	42
Table 33 – EndDirectAccess Method AddressSpace Definition.....	42
Table 34 – Transfer Method Arguments	42
Table 35 – Transfer Method AddressSpace Definition.....	43
Table 36 – ScalingFactor Property Definition	44
Table 37 – Min_Max_Values Property Definition	45
Table 38 – Variant_Range DataType Structure	45
Table 39 – Variant_Range Definition.....	45
Table 40 – Good operation level result codes	46
Table 41 – Uncertain operation level result codes.....	46
Table 42 – Bad operation level result codes.....	46
Table 43 – LogAuditTrailMessage Method Arguments.....	48
Table 44 – LogAuditTrailMessage Method AddressSpace Definition	48

Table 45 – FDIServerVersion Property Definition	48
Table 46 – DeviceType Property Mapping	50
Table 47 – Setting OPC UA Variable Attributes from EDDL variable attributes	53
Table 48 – Correspondence between EDDL and OPC UA standard data types	54
Table 49 – FDI Server Facet Definition	62
Table 50 – FDI Client Facet Definition.....	62

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN IEC 62769-5:2021](https://standards.iteh.ai/catalog/standards/sist/8b1412bf-6d53-47c9-b5e1-85edb7cebc22/sist-en-iec-62769-5-2021)

<https://standards.iteh.ai/catalog/standards/sist/8b1412bf-6d53-47c9-b5e1-85edb7cebc22/sist-en-iec-62769-5-2021>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE INTEGRATION (FDI) –

Part 5: Information Model

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62769-5 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) support for generic protocol extension for faster adoption of other technologies;
- b) support of new protocols;
- c) generic protocol extension to allow adoption of other communication protocols;
- d) based on generic protocol extension: Modbus RTU.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
65E/762/FDIS	65E/772/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62769 series, published under the general title *Field Device Integration (FDI)*, can be found on the IEC website.

This standard contains attached files in the form of XML schema. These files are intended to be used as a complement and do not form an integral part of the standard.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

ITeH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN IEC 62769-5:2021

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 62769 series has the general title *Field Device Integration (FDI)* and the following parts:

- Part 1: Overview
- Part 2: FDI Client
- Part 3: FDI Server
- Part 4: FDI Packages
- Part 5: FDI Information Model
- Part 6: FDI Technology Mapping
- Part 7: FDI Communication Devices
- Part 100: Profiles – Generic Protocol Extensions
- Part 101-1: Profiles – Foundation Fieldbus H1
- Part 101-2: Profiles – Foundation Fieldbus HSE
- Part 103-1: Profiles – PROFIBUS
- Part 103-4: Profiles – PROFINET
- Part 109-1: Profiles – HART and WirelessHART
- Part 115-2: Profiles – Protocol-specific Definitions for Modbus RTU
- Part 150-1: Profiles – ISA 100.11a

ITeH STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN IEC 62769-5:2021](https://standards.iteh.ai/catalog/standards/sist/8b1412bf-6d53-47c9-b5e1-85edb7cebc22/sist-en-iec-62769-5-2021)

<https://standards.iteh.ai/catalog/standards/sist/8b1412bf-6d53-47c9-b5e1-85edb7cebc22/sist-en-iec-62769-5-2021>