This document is not an ASTM standard and is intended only to provide the user of an ASTM standard an indication of what changes have been made to the previous version. Because it may not be technically possible to adequately depict all changes accurately, ASTM recommends that users consult prior editions as appropriate. In all cases only the current version of the standard as published by ASTM is to be considered the official document.

INTERNATIONAL

Designation:D4835-03 Designation: D 4835 - 08

# Standard Specification for Propylene Glycol Monomethyl Ether Acetate<sup>1</sup>

This standard is issued under the fixed designation D 4835; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon ( $\varepsilon$ ) indicates an editorial change since the last revision or reapproval.

## 1. Scope\*

1.1 This specification covers propylene glycol monomethyl ether acetate (PMA).

Note 1-Propylene glycol monomethyl ether acetate (PMA) is a mixture of 1-methoxy-2-acetoxypropane and 2-methoxy-1-acetoxypropane.

1.2 The values stated in SI units are to be regarded as the standard. The values given in parentheses No other units of measurement are for information only. included in this standard.

1.3 The following applies to all specified limits in this standard; for purposes of determining conformance with this standard, an observed value or a calculated value shall be rounded off "to the nearest unit" in the last right-hand digit used in expressing the specification limit, in accordance with the rounding-off method of Practice E 29.

1.4 For specific hazard information and guidance, consult the supplier's Material Safety Data Sheet for materials listed in this standard.

### 2. Referenced Documents

2.1 ASTM Standards:<sup>2</sup>

D 1078 Test Method for Distillation Range of Volatile Organic Liquids

D 1209 Test Method for Color of Clear Liquids (Platinum-Cobalt Scale)

D 1364 Test Method for Water in Volatile Solvents (Karl Fischer Reagent Titration Method)

D 1613 Test Method for Acidity in Volatile Solvents and Chemical Intermediates Used in Paint, Varnish, Lacquer, and Related Products

D 4773 Test Method for Purity of Propylene Glycol Monomethyl Ether, Dipropylene Glycol Monomethyl Ether, and Propylene Glycol Monomethyl Ether Acetate

D 5386 Test Method for Color of Liquids Using Tristimulus Colorimetry

E 29 Practice for Using Significant Digits in Test Data to Determine Conformance with Specifications

E 300 Practice for Sampling Industrial Chemicals

2.2 U.S. Federal Specification:<sup>3</sup>

PPP-C-2020 Chemicals, Liquid, Dry, and Paste: Packaging of 82a6-4b9f-989e-0353bb95ce40/astm-d4835-08

#### 3. Properties

3.1 Propylene glycol monomethyl ether acetate (PMA) shall conform to the following requirements:

Purity, min, weight %	99
Color, platinum-cobalt scale, max	<del>15</del>
Color, platinum-cobalt scale, max (Note 2)	15
Water, max, weight %	0.05
Distillation range, °C:	
Initial boiling point, min	140
Dry boiling point, max	150
Acidity (free acid as acetic acid), max, weight %	0.02 <sup>A</sup>
Glycol ether, max, weight %	0.5

<sup>a</sup>Equivalent to 0.2 mg of potassium hydroxide (KOH) per gram of specimen. Equivalent to 0.2 mg of potassium hydroxide (KOH) per gram of specimen.

Note 2-Instrumental Pt-Co color determined by Test Method D 5386 have been shown to have no statistically significant difference from Pt-Co color

#### \*A Summary of Changes section appears at the end of this standard.

Copyright © ASTM International, 100 Barr Harbor Drive, PO Box C700, West Conshohocken, PA 19428-2959, United States.

<sup>&</sup>lt;sup>1</sup> This specification is under the jurisdiction of ASTM Committee D01 on Paint and Related Coatings, Materials, and Applications and is the direct responsibility of Subcommittee D01.35 on Solvents, Plasticizers, and Chemical Intermediates.

Current edition approved Oct: Nov. 1, 2003. 2008. Published October 2003. December 2008. Originally approved in 1988. Last previous edition approved in 19932003 as D4835-93(1998): D 4835 - 03.

<sup>&</sup>lt;sup>2</sup> For referenced ASTM standards, visit the ASTM website, www.astm.org, or contact ASTM Customer Service at service@astm.org. For Annual Book of ASTM Standards volume information, refer to the standard's Document Summary page on the ASTM website.

<sup>&</sup>lt;sup>3</sup> Available from Standardization Documents Order Desk, DODSSP, Bldg. 4, Section D, 700 Robbins Ave., Philadelphia, PA 19111-5098, http://www.dodssp.daps.mil.