



**SLOVENSKI STANDARD**  
**DSIST ETS 300 392-2:1999**  
**01-1 1999**

---

**Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 2. del: Radijski vmesnik (AI)**

Terrestrial Trunked Radio (TETRA); Voice plus Data (V+D); Part 2: Air Interface (AI)

**Ta slovenski standard je istoveten z: ETS 300 392-2 Edition 1**

---

**ICS:**

33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
-----------	---------------------------------	-----------------------------------

<b>DSIST ETS 300 392-2:1999</b>	<b>en</b>
---------------------------------	-----------





**E**UROPEAN  
**T**ELECOMMUNICATION  
**S**TANDARD

**ETS 300 392-2**

March 1996

---

Source: ETSI TC-RES

Reference: DE/RES-06001-2

ICS: 33.020, 30.060.50

**Key words:** TETRA, V+D

**Radio Equipment and Systems (RES);  
Trans-European Trunked Radio (TETRA);  
Voice plus Data (V+D);  
Part 2: Air Interface (AI)**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** F-06921 Sophia Antipolis CEDEX - FRANCE

**Office address:** 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**X.400:** c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

---

**Copyright Notification:** No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.



## Contents

Foreword .....		27
1	Scope .....	29
2	Normative references .....	30
3	Definitions, symbols and abbreviations .....	30
3.1	Definitions .....	30
3.2	Symbols and Abbreviations .....	34
4	Radio aspects.....	36
4.1	Introduction .....	36
4.2	Set of logical channels.....	36
4.3	Reference configuration.....	36
4.4	Error control schemes.....	37
4.5	Multiple access and time slot structure.....	37
4.5.1	Hyperframes, multiframes and frames.....	38
4.5.2	Time slots and bursts .....	38
4.5.3	Mapping of logical channels onto physical channels.....	38
4.6	Coding, interleaving and scrambling.....	39
4.7	Modulation .....	39
4.8	Transmission and reception.....	39
4.9	Other radio-related functions .....	39
4.10	Performance .....	39
4.11	TETRA modes of operation .....	40
4.11.1	Transmission modes .....	40
4.11.1.1	D-CT mode .....	40
4.11.1.2	D-CTT mode.....	40
4.11.1.3	D-MCCTT mode .....	40
4.11.1.4	U-MST mode .....	40
4.11.2	Control modes.....	40
4.11.2.1	NCM.....	40
4.11.2.2	MC mode .....	41
5	Modulation.....	41
5.1	Introduction .....	41
5.2	Modulation type.....	41
5.3	Modulation rate .....	41
5.4	Modulation symbol definition.....	41
5.5	Modulated signal definition .....	42
5.6	Modulation filter definition .....	42
5.7	Modulation block diagram.....	43
6	Radio transmission and reception.....	43
6.1	Introduction .....	43
6.2	Frequency bands and channel arrangement .....	43
6.3	Reference test planes.....	44
6.4	Transmitter characteristics .....	44
6.4.1	Output power .....	44
6.4.1.1	BS .....	45
6.4.1.2	MS .....	45
6.4.2	Unwanted conducted emissions.....	45
6.4.2.1	Definitions.....	45
6.4.2.2	Unwanted emissions close to the carrier.....	46
6.4.2.2.1	Measurement over the useful part of the burst.....	46

	6.4.2.2.2	Measurement during the switching transients.....	46
	6.4.2.3	Unwanted emissions far from the carrier .....	47
	6.4.2.4	Unwanted emissions during the CLCH and BLCH .....	47
	6.4.2.5	Unwanted emissions in the non-transmit state .....	47
6.4.3		Unwanted radiated emissions.....	47
6.4.4		RF tolerance .....	47
6.4.5		RF Output power time mask.....	48
	6.4.5.1	BS (BS) .....	49
	6.4.5.2	MS (MS) .....	49
6.4.6		Intermodulation attenuation .....	49
	6.4.6.1	Definition .....	49
	6.4.6.2	BS .....	49
	6.4.6.3	MS.....	49
6.4.7		Intra-BS intermodulation requirements.....	50
6.5		Receiver characteristics .....	50
6.5.1		Blocking characteristics .....	50
	6.5.1.1	Definition .....	50
	6.5.1.2	Specification.....	50
6.5.2		Spurious response rejection .....	51
	6.5.2.1	Definition .....	51
	6.5.2.2	Specification.....	51
6.5.3		Intermodulation response rejection .....	51
	6.5.3.1	Definition .....	51
	6.5.3.2	Specification.....	51
6.5.4		Unwanted conducted emissions .....	52
	6.5.4.1	Definition .....	52
	6.5.4.2	Specification.....	52
6.5.5		Unwanted radiated emissions.....	52
6.6		Transmitter/receiver performance.....	52
6.6.1		Modulation accuracy.....	52
	6.6.1.1	Ideal case.....	52
	6.6.1.2	Vector error magnitude requirement at symbol time.....	53
6.6.2		Receiver performance .....	53
	6.6.2.1	Nominal error rates .....	54
	6.6.2.2	Dynamic reference sensitivity performance .....	54
	6.6.2.2.1	BS receiver performance .....	55
	6.6.2.2.2	MS receiver performance.....	55
	6.6.2.3	Reference interference performance .....	55
	6.6.2.3.1	BS receiver performance .....	56
	6.6.2.3.2	MS receiver performance.....	56
	6.6.2.4	Static reference sensitivity performance .....	56
	6.6.2.4.1	BS receiver performance .....	57
	6.6.2.4.2	MS receiver performance.....	57
	6.6.2.5	MS receiver performance for synchronisation burst acquisition .....	57
6.6.3		Propagation conditions .....	58
	6.6.3.1	Propagation conditions - introduction.....	58
	6.6.3.2	Tap-gain process types.....	58
	6.6.3.3	Propagation models .....	59
7		Radio sub-system synchronisation .....	59
7.1		Introduction.....	59
7.2		General description of synchronisation system.....	59
7.3		Timebase counters.....	60
	7.3.1	Timing counters .....	60
	7.3.2	Values of the counters .....	60
7.4		Timing of transmitted signals .....	60
7.5		BS requirements for synchronisation .....	61
7.6		MS requirements for synchronisation.....	61
8		Channel coding.....	61
8.1		Introduction.....	61

8.2	General .....	62
8.2.1	Interfaces in the error control structure .....	62
8.2.2	Notation .....	63
8.2.3	Definition of error control codes .....	63
8.2.3.1	16-state Rate-Compatible Punctured Convolutional (RCPC) codes .....	63
8.2.3.1.1	Encoding by the 16-state mother code of rate 1/4.....	63
8.2.3.1.2	Puncturing of the mother code.....	64
8.2.3.1.3	Puncturing scheme of the RCPC code of rate 2/3.....	64
8.2.3.1.4	Puncturing scheme of the RCPC code of rate 1/3.....	64
8.2.3.1.5	Puncturing scheme of the RCPC code of rate 292/432.....	64
8.2.3.1.6	Puncturing scheme of the RCPC code of rate 148/432.....	64
8.2.3.2	Shortened (30,14) Reed-Muller (RM) code .....	65
8.2.3.3	$(K_1+16, K_1)$ block code .....	65
8.2.4	Definition of interleaving schemes.....	66
8.2.4.1	Block interleaving.....	66
8.2.4.2	Interleaving over $N$ blocks .....	66
8.2.5	Definition of scrambling .....	66
8.2.5.1	Scrambling method.....	66
8.2.5.2	Scrambling sequence .....	66
8.3	Error control schemes.....	67
8.3.1	Access Assignment Channel (AACH) .....	68
8.3.2	Broadcast Synchronisation Channel (BSCH).....	68
8.3.3	Traffic channels in circuit switched mode.....	69
8.3.3.1	Traffic CHannel, net rate = 4,8 kbit/s (TCH/4,8) .....	69
8.3.3.2	Traffic CHannel, net rate = 2,4 kbit/s (TCH/2,4) .....	69
8.3.3.3	Traffic CHannel, net rate = 7,2 kbit/s (TCH/7,2) .....	70
8.3.4	Signalling channels for signalling and packet mode data.....	70
8.3.4.1	Signalling CHannel for mapping onto Half-bursts on the Downlink (SCH/HD), Broadcast Network CHannel (BNCH), and STEaling CHannel (STCH).....	70
8.3.4.2	Signalling CHannel for mapping onto Half-bursts on the Uplink (SCH/HU) .....	71
8.3.4.3	Signalling CHannel for mapping onto Full bursts (SCH/F) ..	71
9	Channel multiplexing for V+D.....	72
9.1	Introduction .....	72
9.2	Logical channels .....	72
9.2.1	Logical channels hierarchy.....	72
9.2.2	Traffic channels.....	72
9.2.3	Control CHannels (CCH).....	73
9.2.3.1	General .....	73
9.2.3.2	BCCH.....	73
9.2.3.3	LCH.....	73
9.2.3.4	SCH .....	73
9.2.3.5	AACH.....	74
9.2.3.6	STCH.....	74
9.3	The physical resource.....	74
9.3.1	General.....	74
9.3.2	RF channels .....	74
9.3.3	Timeslots.....	75
9.3.4	TDMA frame .....	75
9.3.5	Timeslot numbering.....	75
9.3.6	Subslot .....	75
9.3.7	Multiframe.....	76
9.3.8	Hyperframe.....	76
9.3.9	Frame alignment .....	76
9.4	Physical channels .....	76

9.4.1	General .....	76
9.4.2	Types of physical channels.....	76
9.4.2.1	CP channel.....	76
9.4.2.2	TP channel.....	76
9.4.2.3	UP channel.....	76
9.4.3	Bursts.....	77
9.4.3.1	General .....	77
9.4.3.2	Modulation symbol numbering.....	77
9.4.3.3	Modulation bit numbering.....	77
9.4.3.4	Burst timing.....	77
9.4.4	Type of bursts.....	77
9.4.4.1	General .....	77
9.4.4.2	Modulation bits allocation.....	79
9.4.4.2.1	Control uplink Burst (CB) .....	79
9.4.4.2.2	Linearisation uplink Burst (LB) .....	79
9.4.4.2.3	Linearisation downlink burst.....	80
9.4.4.2.4	Normal Uplink Burst (NUB) .....	80
9.4.4.2.5	Normal continuous downlink burst .....	80
9.4.4.2.6	Synchronisation continuous downlink burst .....	81
9.4.4.2.7	Normal discontinuous downlink burst... ..	81
9.4.4.2.8	Synchronisation discontinuous downlink burst .....	82
9.4.4.3	Burst fields .....	82
9.4.4.3.1	Frequency correction field.....	82
9.4.4.3.2	Normal training sequence .....	82
9.4.4.3.3	Extended training sequence.....	83
9.4.4.3.4	Synchronisation training sequence .....	83
9.4.4.3.5	Tail bits.....	83
9.4.4.3.6	Phase adjustment bits.....	83
9.4.5	Transmission modes .....	84
9.4.5.1	BS continuous transmission.....	84
9.4.5.2	BS timesharing transmission .....	84
9.4.5.3	MS multiple slot transmission .....	85
9.5	Mapping of logical channels into physical channels.....	86
9.5.1	General mapping of logical channels.....	86
9.5.2	Mapping of BCCH and CLCH .....	87
9.5.3	Mapping of SCH .....	88
9.5.4	Mapping of TCH and STCH.....	88
9.5.5	Mapping of AACH.....	88
9.6	Monitoring pattern for transmitting MSs .....	88
9.7	BS timesharing transmission.....	89
9.7.1	Carrier sharing .....	89
9.7.2	MCCH sharing .....	89
9.8	Modes of control.....	89
9.8.1	NCM.....	89
9.8.2	MCM .....	90
10	Radio subsystem link control .....	90
10.1	Introduction.....	90
10.2	RF power control.....	91
10.3	Radio link measurements.....	91
10.3.1	Received signal strength .....	91
10.3.1.1	Sample duration for signal strength measurement .....	91
10.3.2	Signal quality.....	91
10.3.3	Round-trip MS-BS path delay .....	91
11	Call Control (CC) service description.....	91
11.1	Introduction.....	91
11.2	Services offered .....	92
11.3	CC service.....	92
11.3.1	CC primitives exchanged through the TNCC-SAP .....	92
11.3.2	Service primitives at the TNCC-SAP .....	93