

ETSI TS 138 413 V17.2.0 (2022-10)



**5G;
NG-RAN;
NG Application Protocol (NGAP)
(3GPP TS 38.413 version 17.2.0 Release 17)**

[ETSI TS 138 413 V17.2.0 \(2022-10\)](https://standards.iteh.ai/catalog/standards/sist/efb8f8fa-6e9e-4d04-be37-0b5e1a92ae7f/etsi-ts-138-413-v17-2-0-2022-10)

<https://standards.iteh.ai/catalog/standards/sist/efb8f8fa-6e9e-4d04-be37-0b5e1a92ae7f/etsi-ts-138-413-v17-2-0-2022-10>



ReferenceRTS/TSGR-0338413vh20

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards.iteh.ai/> <https://portal.etsi.org/People/CommitteeSupportStaff.aspx> <https://portal.etsi.org/People/CommitteeSupportStaff.aspx?7-0b5e1a92ae7f/etsi->

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2022.

All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document **"shall"**, **"shall not"**, **"should"**, **"should not"**, **"may"**, **"need not"**, **"will"**, **"will not"**, **"can"** and **"cannot"** are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and **"must not"** are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	18
1 Scope	19
2 References	19
3 Definitions and abbreviations.....	21
3.1 Definitions	21
3.2 Abbreviations	22
4 General	23
4.1 Procedure Specification Principles.....	23
4.2 Forwards and Backwards Compatibility	23
4.3 Specification Notations	24
5 NGAP Services	24
6 Services Expected from Signalling Transport.....	24
7 Functions of NGAP	24
8 NGAP Procedures	24
8.1 List of NGAP Elementary Procedures.....	24
8.2 PDU Session Management Procedures	28
8.2.1 PDU Session Resource Setup	28
8.2.1.1 General	28
8.2.1.2 Successful Operation.....	28
8.2.1.3 Unsuccessful Operation	32
8.2.1.4 Abnormal Conditions	32
8.2.2 PDU Session Resource Release	32
8.2.2.1 General	32
8.2.2.2 Successful Operation.....	33
8.2.2.3 Unsuccessful Operation	33
8.2.2.4 Abnormal Conditions	33
8.2.3 PDU Session Resource Modify	34
8.2.3.1 General	34
8.2.3.2 Successful Operation.....	34
8.2.3.3 Unsuccessful Operation	37
8.2.3.4 Abnormal Conditions	37
8.2.4 PDU Session Resource Notify.....	38
8.2.4.1 General	38
8.2.4.2 Successful Operation.....	38
8.2.4.3 Abnormal Conditions	39
8.2.5 PDU Session Resource Modify Indication	39
8.2.5.1 General	39
8.2.5.2 Successful Operation.....	39
8.2.5.3 Unsuccessful Operation	41
8.2.5.4 Abnormal Conditions	41
8.3 UE Context Management Procedures.....	41
8.3.1 Initial Context Setup	41
8.3.1.1 General	41
8.3.1.2 Successful Operation.....	41
8.3.1.3 Unsuccessful Operation	45
8.3.1.4 Abnormal Conditions	45
8.3.2 UE Context Release Request (NG-RAN node initiated)	45
8.3.2.1 General	45

8.3.2.2	Successful Operation.....	46
8.3.2.3	Abnormal Conditions	46
8.3.3	UE Context Release (AMF initiated).....	46
8.3.3.1	General	46
8.3.3.2	Successful Operation.....	46
8.3.3.3	Unsuccessful Operation	47
8.3.3.4	Abnormal Conditions	47
8.3.4	UE Context Modification.....	47
8.3.4.1	General	47
8.3.4.2	Successful Operation.....	47
8.3.4.3	Unsuccessful Operation	50
8.3.4.4	Abnormal Conditions	50
8.3.5	RRC Inactive Transition Report	50
8.3.5.1	General	50
8.3.5.2	Successful Operation.....	51
8.3.5.3	Abnormal Conditions	51
8.3.6	Connection Establishment Indication	51
8.3.6.1	General	51
8.3.6.2	Successful Operation.....	51
8.3.6.3	Abnormal Conditions	52
8.3.7	AMF CP Relocation Indication	52
8.3.7.1	General	52
8.3.7.2	Successful Operation.....	52
8.3.7.3	Abnormal Conditions	53
8.3.8	RAN CP Relocation Indication.....	53
8.3.8.1	General	53
8.3.8.2	Successful Operation.....	53
8.3.8.3	Abnormal Conditions	54
8.3.9	Retrieve UE Information	54
8.3.9.1	General	54
8.3.9.2	Successful Operation.....	54
8.3.9.3	Abnormal Conditions	54
8.3.10	UE Information Transfer	54
8.3.10.1	General	54
8.3.10.2	Successful Operation.....	54
8.3.10.3	Abnormal Conditions	55
8.3.11	UE Context Suspend	55
8.3.11.1	General	55
8.3.11.2	Successful Operation.....	55
8.3.11.3	Unsuccessful Operation	56
8.3.11.4	Abnormal Conditions	56
8.3.12	UE Context Resume.....	56
8.3.12.1	General	56
8.3.12.2	Successful Operation.....	57
8.3.12.3	Unsuccessful Operation	58
8.4	UE Mobility Management Procedures	58
8.4.1	Handover Preparation	58
8.4.1.1	General	58
8.4.1.2	Successful Operation.....	58
8.4.1.3	Unsuccessful Operation	60
8.4.1.4	Abnormal Conditions	61
8.4.2	Handover Resource Allocation	61
8.4.2.1	General	61
8.4.2.2	Successful Operation.....	61
8.4.2.3	Unsuccessful Operation	67
8.4.2.4	Abnormal Conditions	68
8.4.3	Handover Notification	68
8.4.3.1	General	68
8.4.3.2	Successful Operation.....	69
8.4.3.3	Abnormal Conditions	69
8.4.4	Path Switch Request	69
8.4.4.1	General	69

8.4.4.2	Successful Operation.....	69
8.4.4.3	Unsuccessful Operation	73
8.4.4.4	Abnormal Conditions	74
8.4.5	Handover Cancellation	74
8.4.5.1	General	74
8.4.5.2	Successful Operation.....	74
8.4.5.3	Unsuccessful Operation	74
8.4.5.4	Abnormal Conditions	74
8.4.6	Uplink RAN Status Transfer.....	74
8.4.6.1	General	74
8.4.6.2	Successful Operation.....	75
8.4.6.3	Abnormal Conditions	75
8.4.7	Downlink RAN Status Transfer.....	75
8.4.7.1	General	75
8.4.7.2	Successful Operation.....	75
8.4.7.3	Abnormal Conditions	76
8.4.8	Handover Success	76
8.4.8.1	General	76
8.4.8.2	Successful Operation.....	76
8.4.8.3	Abnormal Conditions	76
8.4.9	Uplink RAN Early Status Transfer	76
8.4.9.1	General	76
8.4.9.2	Successful Operation.....	77
8.4.9.3	Abnormal Conditions	77
8.4.10	Downlink RAN Early Status Transfer	77
8.4.10.1	General	77
8.4.10.2	Successful Operation.....	77
8.4.10.3	Abnormal Conditions	78
8.5	Paging Procedures	78
8.5.1	Paging	78
8.5.1.1	General	78
8.5.1.2	Successful Operation.....	78
8.5.1.3	Abnormal Conditions	79
8.5.2	Multicast Group Paging.....	79
8.5.2.1	General	79
8.5.2.2	Successful Operation.....	79
8.5.2.3	Abnormal Conditions	80
8.6	Transport of NAS Messages Procedures	80
8.6.1	Initial UE Message.....	80
8.6.1.1	General	80
8.6.1.2	Successful Operation.....	80
8.6.1.3	Abnormal Conditions	81
8.6.2	Downlink NAS Transport.....	81
8.6.2.1	General	81
8.6.2.2	Successful Operation.....	81
8.6.2.3	Abnormal Conditions	83
8.6.3	Uplink NAS Transport.....	83
8.6.3.1	General	83
8.6.3.2	Successful Operation.....	83
8.6.3.3	Abnormal Conditions	83
8.6.4	NAS Non Delivery Indication	84
8.6.4.1	General	84
8.6.4.2	Successful Operation.....	84
8.6.4.3	Abnormal Conditions	84
8.6.5	Reroute NAS Request.....	84
8.6.5.1	General	84
8.6.5.2	Successful Operation.....	84
8.6.5.3	Abnormal Conditions	85
8.7	Interface Management Procedures	85
8.7.1	NG Setup	85
8.7.1.1	General	85
8.7.1.2	Successful Operation.....	85

8.7.1.3	Unsuccessful Operation	86
8.7.1.4	Abnormal Conditions	86
8.7.2	RAN Configuration Update	87
8.7.2.1	General	87
8.7.2.2	Successful Operation.....	87
8.7.2.3	Unsuccessful Operation	88
8.7.2.4	Abnormal Conditions	88
8.7.3	AMF Configuration Update	88
8.7.3.1	General	88
8.7.3.2	Successful Operation.....	88
8.7.3.3	Unsuccessful Operation	90
8.7.3.4	Abnormal Conditions	90
8.7.4	NG Reset.....	90
8.7.4.1	General	90
8.7.4.2	Successful Operation.....	90
8.7.4.2.1	NG Reset initiated by the AMF	90
8.7.4.2.2	NG Reset initiated by the NG-RAN node	91
8.7.4.3	Unsuccessful Operation	92
8.7.4.4	Abnormal Conditions	92
8.7.4.4.1	Abnormal Condition at the 5GC.....	92
8.7.4.4.2	Abnormal Condition at the NG-RAN.....	92
8.7.4.4.3	Crossing of NG RESET Messages	92
8.7.5	Error Indication.....	93
8.7.5.1	General	93
8.7.5.2	Successful Operation.....	93
8.7.5.3	Abnormal Conditions	93
8.7.6	AMF Status Indication.....	93
8.7.6.1	General	93
8.7.6.2	Successful Operation.....	94
8.7.6.3	Abnormal Conditions	94
8.7.7	Overload Start.....	94
8.7.7.1	General	94
8.7.7.2	Successful Operation.....	94
8.7.7.3	Abnormal Conditions	95
8.7.8	Overload Stop	95
8.7.8.1	General	95
8.7.8.2	Successful Operation.....	96
8.7.8.3	Abnormal Conditions	96
8.8	Configuration Transfer Procedures	96
8.8.1	Uplink RAN Configuration Transfer	96
8.8.1.1	General	96
8.8.1.2	Successful Operation.....	96
8.8.1.3	Abnormal Conditions	97
8.8.2	Downlink RAN Configuration Transfer	97
8.8.2.1	General	97
8.8.2.2	Successful Operation.....	97
8.8.2.3	Abnormal Conditions	98
8.9	Warning Message Transmission Procedures	98
8.9.1	Write-Replace Warning	98
8.9.1.1	General	98
8.9.1.2	Successful Operation.....	98
8.9.1.3	Unsuccessful Operation	99
8.9.1.4	Abnormal Conditions	99
8.9.2	PWS Cancel.....	100
8.9.2.1	General	100
8.9.2.2	Successful Operation.....	100
8.9.2.3	Unsuccessful Operation	100
8.9.2.4	Abnormal Conditions	100
8.9.3	PWS Restart Indication.....	101
8.9.3.1	General	101
8.9.3.2	Successful Operation.....	101
8.9.3.3	Abnormal Conditions	101

8.9.4	PWS Failure Indication.....	101
8.9.4.1	General.....	101
8.9.4.2	Successful Operation.....	101
8.9.4.3	Abnormal Conditions.....	102
8.10	NRPPa Transport Procedures.....	102
8.10.1	General.....	102
8.10.2	Successful Operations.....	102
8.10.2.1	DOWNLINK UE ASSOCIATED NRPPA TRANSPORT.....	102
8.10.2.2	UPLINK UE ASSOCIATED NRPPA TRANSPORT.....	102
8.10.2.3	DOWNLINK NON UE ASSOCIATED NRPPA TRANSPORT.....	103
8.10.2.4	UPLINK NON UE ASSOCIATED NRPPA TRANSPORT.....	103
8.10.3	Unsuccessful Operations.....	103
8.10.4	Abnormal Conditions.....	103
8.11	Trace Procedures.....	104
8.11.1	Trace Start.....	104
8.11.1.1	General.....	104
8.11.1.2	Successful Operation.....	104
8.11.1.3	Abnormal Conditions.....	105
8.11.2	Trace Failure Indication.....	105
8.11.2.1	General.....	105
8.11.2.2	Successful Operation.....	105
8.11.2.3	Abnormal Conditions.....	105
8.11.3	Deactivate Trace.....	105
8.11.3.1	General.....	105
8.11.3.2	Successful Operation.....	105
8.11.3.3	Abnormal Conditions.....	106
8.11.4	Cell Traffic Trace.....	106
8.11.4.1	General.....	106
8.11.4.2	Successful Operation.....	106
8.11.4.3	Abnormal Conditions.....	106
8.12	Location Reporting Procedures.....	106
8.12.1	Location Reporting Control.....	106
8.12.1.1	General.....	106
8.12.1.2	Successful Operation.....	107
8.12.1.3	Abnormal Conditions.....	107
8.12.2	Location Reporting Failure Indication.....	108
8.12.2.1	General.....	108
8.12.2.2	Successful Operation.....	108
8.12.2.3	Abnormal Conditions.....	108
8.12.3	Location Report.....	108
8.12.3.1	General.....	108
8.12.3.2	Successful Operation.....	108
8.12.3.3	Abnormal Conditions.....	109
8.13	UE TNLA Binding Procedures.....	109
8.13.1	UE TNLA Binding Release.....	109
8.13.1.1	General.....	109
8.13.1.2	Successful Operation.....	109
8.13.1.3	Abnormal Conditions.....	109
8.14	UE Radio Capability Management Procedures.....	109
8.14.1	UE Radio Capability Info Indication.....	109
8.14.1.1	General.....	109
8.14.1.2	Successful Operation.....	110
8.14.1.3	Abnormal Conditions.....	110
8.14.2	UE Radio Capability Check.....	110
8.14.2.1	General.....	110
8.14.2.2	Successful Operation.....	110
8.14.2.3	Unsuccessful Operation.....	111
8.14.2.4	Abnormal Conditions.....	111
8.14.3	UE Radio Capability ID Mapping.....	111
8.14.3.1	General.....	111
8.14.3.2	Successful Operation.....	111
8.14.3.3	Unsuccessful Operation.....	111

8.14.3.4	Abnormal Conditions	111
8.15	Data Usage Reporting Procedures.....	112
8.15.1	Secondary RAT Data Usage Report	112
8.15.1.1	General	112
8.15.1.2	Successful Operation.....	112
8.15.1.3	Abnormal Conditions	112
8.16	RIM Information Transfer Procedures	112
8.16.1	Uplink RIM Information Transfer	112
8.16.1.1	General	112
8.16.1.2	Successful Operation.....	113
8.16.1.3	Abnormal Conditions	113
8.16.2	Downlink RIM Information Transfer	113
8.16.2.1	General	113
8.16.2.2	Successful Operation.....	113
8.16.2.3	Abnormal Conditions	113
8.17	Broadcast Session Management Procedures	114
8.17.1	Broadcast Session Setup	114
8.17.1.1	General	114
8.17.1.2	Successful Operation.....	114
8.17.1.3	Unsuccessful Operation	114
8.17.1.4	Abnormal Conditions	114
8.17.2	Broadcast Session Modification	115
8.17.2.1	General	115
8.17.2.2	Successful Operation.....	115
8.17.2.3	Unsuccessful Operation	115
8.17.2.4	Abnormal Conditions	115
8.17.3	Broadcast Session Release.....	116
8.17.3.1	General	116
8.17.3.2	Successful Operation.....	116
8.17.3.3	Unsuccessful Operation	116
8.17.3.4	Abnormal Conditions	116
8.17.4	Broadcast Session Release Required	116
8.17.4.1	General	116
8.17.4.2	Successful Operation.....	117
8.17.4.3	Abnormal Conditions	117
8.18	Multicast Session Management Procedures	117
8.18.1	Distribution Setup	117
8.18.1.1	General	117
8.18.1.2	Successful Operation.....	117
8.18.1.3	Unsuccessful Operation	118
8.18.1.4	Abnormal Conditions	118
8.18.2	Distribution Release.....	118
8.18.2.1	General	118
8.18.2.2	Successful Operation.....	118
8.18.2.3	Unsuccessful Operation	119
8.18.2.4	Abnormal Conditions	119
8.18.3	Multicast Session Activation	119
8.18.3.1	General	119
8.18.3.2	Successful Operation.....	119
8.18.3.3	Unsuccessful Operation	120
8.18.3.4	Abnormal Conditions	120
8.18.4	Multicast Session Deactivation.....	120
8.18.4.1	General	120
8.18.4.2	Successful Operation.....	120
8.18.4.3	Unsuccessful Operation	121
8.18.4.4	Abnormal Conditions	121
8.18.5	Multicast Session Update.....	121
8.18.5.1	General	121
8.18.5.2	Successful Operation.....	121
8.18.5.3	Unsuccessful Operation	122
8.18.5.4	Abnormal Conditions	122

9	Elements for NGAP Communication.....	122
9.0	General	122
9.1	Tabular Format Contents.....	122
9.1.1	Presence	122
9.1.2	Criticality	123
9.1.3	Range	123
9.1.4	Assigned Criticality	123
9.2	Message Functional Definition and Content	123
9.2.1	PDU Session Management Messages	123
9.2.1.1	PDU SESSION RESOURCE SETUP REQUEST.....	123
9.2.1.2	PDU SESSION RESOURCE SETUP RESPONSE.....	124
9.2.1.3	PDU SESSION RESOURCE RELEASE COMMAND	125
9.2.1.4	PDU SESSION RESOURCE RELEASE RESPONSE	126
9.2.1.5	PDU SESSION RESOURCE MODIFY REQUEST	126
9.2.1.6	PDU SESSION RESOURCE MODIFY RESPONSE	128
9.2.1.7	PDU SESSION RESOURCE NOTIFY	128
9.2.1.8	PDU SESSION RESOURCE MODIFY INDICATION.....	129
9.2.1.9	PDU SESSION RESOURCE MODIFY CONFIRM	130
9.2.2	UE Context Management Messages	131
9.2.2.1	INITIAL CONTEXT SETUP REQUEST	131
9.2.2.2	INITIAL CONTEXT SETUP RESPONSE	133
9.2.2.3	INITIAL CONTEXT SETUP FAILURE.....	134
9.2.2.4	UE CONTEXT RELEASE REQUEST	135
9.2.2.5	UE CONTEXT RELEASE COMMAND	135
9.2.2.6	UE CONTEXT RELEASE COMPLETE	136
9.2.2.7	UE CONTEXT MODIFICATION REQUEST	136
9.2.2.8	UE CONTEXT MODIFICATION RESPONSE.....	138
9.2.2.9	UE CONTEXT MODIFICATION FAILURE.....	138
9.2.2.10	RRC INACTIVE TRANSITION REPORT.....	138
9.2.2.11	CONNECTION ESTABLISHMENT INDICATION.....	138
9.2.2.12	AMF CP RELOCATION INDICATION	139
9.2.2.13	RAN CP RELOCATION INDICATION.....	139
9.2.2.14	RETRIEVE UE INFORMATION	139
9.2.2.15	UE INFORMATION TRANSFER	140
9.2.2.16	UE CONTEXT SUSPEND REQUEST	140
9.2.2.17	UE CONTEXT SUSPEND RESPONSE	141
9.2.2.18	UE CONTEXT SUSPEND FAILURE	141
9.2.2.19	UE CONTEXT RESUME REQUEST.....	141
9.2.2.20	UE CONTEXT RESUME RESPONSE.....	142
9.2.2.21	UE CONTEXT RESUME FAILURE.....	143
9.2.3	UE Mobility Management Messages	143
9.2.3.1	HANDOVER REQUIRED	143
9.2.3.2	HANDOVER COMMAND	144
9.2.3.3	HANDOVER PREPARATION FAILURE	145
9.2.3.4	HANDOVER REQUEST	146
9.2.3.5	HANDOVER REQUEST ACKNOWLEDGE.....	148
9.2.3.6	HANDOVER FAILURE	149
9.2.3.7	HANDOVER NOTIFY.....	150
9.2.3.8	PATH SWITCH REQUEST	151
9.2.3.9	PATH SWITCH REQUEST ACKNOWLEDGE	152
9.2.3.10	PATH SWITCH REQUEST FAILURE	154
9.2.3.11	HANDOVER CANCEL	155
9.2.3.12	HANDOVER CANCEL ACKNOWLEDGE	155
9.2.3.13	UPLINK RAN STATUS TRANSFER	155
9.2.3.14	DOWNLINK RAN STATUS TRANSFER.....	155
9.2.3.15	HANDOVER SUCCESS	156
9.2.3.16	UPLINK RAN EARLY STATUS TRANSFER	156
9.2.3.17	DOWNLINK RAN EARLY STATUS TRANSFER.....	156
9.2.4	Paging Messages.....	156
9.2.4.1	PAGING	156
9.2.4.2	MULTICAST GROUP PAGING	157
9.2.5	NAS Transport Messages	158

9.2.5.1	INITIAL UE MESSAGE	158
9.2.5.2	DOWNLINK NAS TRANSPORT.....	159
9.2.5.3	UPLINK NAS TRANSPORT	159
9.2.5.4	NAS NON DELIVERY INDICATION.....	160
9.2.5.5	REROUTE NAS REQUEST	160
9.2.6	Interface Management Messages	160
9.2.6.1	NG SETUP REQUEST.....	160
9.2.6.2	NG SETUP RESPONSE.....	161
9.2.6.3	NG SETUP FAILURE.....	162
9.2.6.4	RAN CONFIGURATION UPDATE.....	162
9.2.6.5	RAN CONFIGURATION UPDATE ACKNOWLEDGE	164
9.2.6.6	RAN CONFIGURATION UPDATE FAILURE	164
9.2.6.7	AMF CONFIGURATION UPDATE.....	164
9.2.6.8	AMF CONFIGURATION UPDATE ACKNOWLEDGE.....	166
9.2.6.9	AMF CONFIGURATION UPDATE FAILURE	166
9.2.6.10	AMF STATUS INDICATION.....	167
9.2.6.11	NG RESET.....	167
9.2.6.12	NG RESET ACKNOWLEDGE.....	167
9.2.6.13	ERROR INDICATION.....	168
9.2.6.14	OVERLOAD START	168
9.2.6.15	OVERLOAD STOP	168
9.2.7	Configuration Transfer Messages	169
9.2.7.1	UPLINK RAN CONFIGURATION TRANSFER.....	169
9.2.7.2	DOWNLINK RAN CONFIGURATION TRANSFER	169
9.2.8	Warning Message Transmission Messages.....	169
9.2.8.1	WRITE-REPLACE WARNING REQUEST	169
9.2.8.2	WRITE-REPLACE WARNING RESPONSE	170
9.2.8.3	PWS CANCEL REQUEST.....	170
9.2.8.4	PWS CANCEL RESPONSE.....	170
9.2.8.5	PWS RESTART INDICATION	171
9.2.8.6	PWS FAILURE INDICATION	171
9.2.9	NRPPa Transport Messages.....	172
9.2.9.1	DOWNLINK UE ASSOCIATED NRPPA TRANSPORT	172
9.2.9.2	UPLINK UE ASSOCIATED NRPPA TRANSPORT	172
9.2.9.3	DOWNLINK NON UE ASSOCIATED NRPPA TRANSPORT	173
9.2.9.4	UPLINK NON UE ASSOCIATED NRPPA TRANSPORT	173
9.2.10	Trace Messages.....	173
9.2.10.1	TRACE START	173
9.2.10.2	TRACE FAILURE INDICATION	173
9.2.10.3	DEACTIVATE TRACE	173
9.2.10.4	CELL TRAFFIC TRACE	174
9.2.11	Location Reporting Messages.....	174
9.2.11.1	LOCATION REPORTING CONTROL	174
9.2.11.2	LOCATION REPORTING FAILURE INDICATION	175
9.2.11.3	LOCATION REPORT	175
9.2.12	UE TNLA Binding Messages	175
9.2.12.1	UE TNLA BINDING RELEASE REQUEST.....	175
9.2.13	UE Radio Capability Management Messages.....	176
9.2.13.1	UE RADIO CAPABILITY INFO INDICATION	176
9.2.13.2	UE RADIO CAPABILITY CHECK REQUEST.....	176
9.2.13.3	UE RADIO CAPABILITY CHECK RESPONSE.....	176
9.2.13.4	UE RADIO CAPABILITY ID MAPPING REQUEST	176
9.2.13.5	UE RADIO CAPABILITY ID MAPPING RESPONSE	177
9.2.14	Data Usage Reporting Messages	177
9.2.14.1	SECONDARY RAT DATA USAGE REPORT	177
9.2.15	RIM Information Transfer Messages.....	177
9.2.15.1	UPLINK RIM INFORMATION TRANSFER	177
9.2.15.2	DOWNLINK RIM INFORMATION TRANSFER	178
9.2.16	Broadcast Session Management Messages.....	178
9.2.16.1	BROADCAST SESSION SETUP REQUEST	178
9.2.16.2	BROADCAST SESSION SETUP RESPONSE	178
9.2.16.3	BROADCAST SESSION SETUP FAILURE	179

9.2.16.4	BROADCAST SESSION MODIFICATION REQUEST	179
9.2.16.5	BROADCAST SESSION MODIFICATION RESPONSE	179
9.2.16.6	BROADCAST SESSION MODIFICATION FAILURE	180
9.2.16.7	BROADCAST SESSION RELEASE REQUEST	180
9.2.16.8	BROADCAST SESSION RELEASE RESPONSE	180
9.2.16.9	BROADCAST SESSION RELEASE REQUIRED	181
9.2.17	Multicast Session Management Messages	181
9.2.17.1	DISTRIBUTION SETUP REQUEST	181
9.2.17.2	DISTRIBUTION SETUP RESPONSE	181
9.2.17.3	DISTRIBUTION SETUP FAILURE	182
9.2.17.4	DISTRIBUTION RELEASE REQUEST	182
9.2.17.5	DISTRIBUTION RELEASE RESPONSE	182
9.2.17.6	MULTICAST SESSION ACTIVATION REQUEST	183
9.2.17.7	MULTICAST SESSION ACTIVATION RESPONSE	183
9.2.17.8	MULTICAST SESSION ACTIVATION FAILURE	183
9.2.17.9	MULTICAST SESSION DEACTIVATION REQUEST	183
9.2.17.10	MULTICAST SESSION DEACTIVATION RESPONSE	184
9.2.17.11	MULTICAST SESSION UPDATE REQUEST	184
9.2.17.12	MULTICAST SESSION UPDATE RESPONSE	184
9.2.17.13	MULTICAST SESSION UPDATE FAILURE	184
9.3	Information Element Definitions	185
9.3.1	Radio Network Layer Related IEs	185
9.3.1.1	Message Type	185
9.3.1.2	Cause	185
9.3.1.3	Criticality Diagnostics	191
9.3.1.4	Bit Rate	191
9.3.1.5	Global RAN Node ID	192
9.3.1.6	Global gNB ID	192
9.3.1.7	NR CGI	192
9.3.1.8	Global ng-eNB ID	193
9.3.1.9	E-UTRA CGI	193
9.3.1.10	GBR QoS Flow Information	193
9.3.1.11	Void	194
9.3.1.12	QoS Flow Level QoS Parameters	194
9.3.1.13	QoS Flow List with Cause	195
9.3.1.14	Trace Activation	196
9.3.1.15	Core Network Assistance Information for RRC INACTIVE	196
9.3.1.16	User Location Information	197
9.3.1.17	Slice Support List	199
9.3.1.18	Dynamic 5QI Descriptor	199
9.3.1.19	Allocation and Retention Priority	201
9.3.1.20	Source to Target Transparent Container	201
9.3.1.21	Target to Source Transparent Container	202
9.3.1.22	Handover Type	202
9.3.1.23	MICO Mode Indication	203
9.3.1.24	S-NSSAI	203
9.3.1.25	Target ID	203
9.3.1.26	Emergency Fallback Indicator	203
9.3.1.27	Security Indication	204
9.3.1.28	Non Dynamic 5QI Descriptor	204
9.3.1.29	Source NG-RAN Node to Target NG-RAN Node Transparent Container	205
9.3.1.30	Target NG-RAN Node to Source NG-RAN Node Transparent Container	208
9.3.1.31	Allowed NSSAI	210
9.3.1.32	Relative AMF Capacity	210
9.3.1.33	DL Forwarding	210
9.3.1.34	DRBs to QoS Flows Mapping List	210
9.3.1.35	Message Identifier	211
9.3.1.36	Serial Number	211
9.3.1.37	Warning Area List	211
9.3.1.38	Number of Broadcasts Requested	211
9.3.1.39	Warning Type	212
9.3.1.40	Void	212

9.3.1.41	Data Coding Scheme	212
9.3.1.42	Warning Message Contents	212
9.3.1.43	Broadcast Completed Area List	212
9.3.1.44	Broadcast Cancelled Area List	213
9.3.1.45	Number of Broadcasts	215
9.3.1.46	Concurrent Warning Message Indicator	215
9.3.1.47	Cancel-All Warning Messages Indicator	215
9.3.1.48	Emergency Area ID	215
9.3.1.49	Repetition Period	215
9.3.1.50	PDU Session ID	216
9.3.1.51	QoS Flow Identifier	216
9.3.1.52	PDU Session Type	216
9.3.1.53	DRB ID	216
9.3.1.54	Masked IMEISV	216
9.3.1.55	New Security Context Indicator	217
9.3.1.56	Time to Wait	217
9.3.1.57	Global N3IWF ID	217
9.3.1.58	UE Aggregate Maximum Bit Rate	217
9.3.1.59	Security Result	218
9.3.1.60	User Plane Security Information	218
9.3.1.61	Index to RAT/Frequency Selection Priority	218
9.3.1.62	Data Forwarding Accepted	218
9.3.1.63	Data Forwarding Not Possible	218
9.3.1.64	Direct Forwarding Path Availability	219
9.3.1.65	Location Reporting Request Type	219
9.3.1.66	Area of Interest	220
9.3.1.67	UE Presence in Area of Interest List	220
9.3.1.68	UE Radio Capability for Paging	220
9.3.1.69	Assistance Data for Paging	221
9.3.1.70	Assistance Data for Recommended Cells	221
9.3.1.71	Recommended Cells for Paging	221
9.3.1.72	Paging Attempt Information	221
9.3.1.73	NG-RAN CGI	222
9.3.1.74	UE Radio Capability	222
9.3.1.74a	UE Radio Capability – E-UTRA Format	222
9.3.1.75	Time Stamp	222
9.3.1.76	Location Reporting Reference ID	223
9.3.1.77	Data Forwarding Response DRB List	223
9.3.1.78	Paging Priority	223
9.3.1.79	Packet Loss Rate	223
9.3.1.80	Packet Delay Budget	223
9.3.1.81	Packet Error Rate	224
9.3.1.82	Averaging Window	224
9.3.1.83	Maximum Data Burst Volume	224
9.3.1.84	Priority Level	224
9.3.1.85	Mobility Restriction List	224
9.3.1.86	UE Security Capabilities	226
9.3.1.87	Security Key	228
9.3.1.88	Security Context	228
9.3.1.89	IMS Voice Support Indicator	228
9.3.1.90	Paging DRX	228
9.3.1.91	RRC Inactive Transition Report Request	229
9.3.1.92	RRC State	229
9.3.1.93	Expected UE Behaviour	229
9.3.1.94	Expected UE Activity Behaviour	230
9.3.1.95	UE History Information	231
9.3.1.96	Last Visited Cell Information	231
9.3.1.97	Last Visited NG-RAN Cell Information	232
9.3.1.98	Cell Type	232
9.3.1.99	Associated QoS Flow List	233
9.3.1.100	Information on Recommended Cells and RAN Nodes for Paging	233
9.3.1.101	Recommended RAN Nodes for Paging	233

9.3.1.102	PDU Session Aggregate Maximum Bit Rate	234
9.3.1.103	Maximum Integrity Protected Data Rate.....	234
9.3.1.104	Overload Response.....	234
9.3.1.105	Overload Action.....	234
9.3.1.106	Traffic Load Reduction Indication.....	235
9.3.1.107	Slice Overload List.....	235
9.3.1.108	RAN Status Transfer Transparent Container	235
9.3.1.109	COUNT Value for PDCP SN Length 12.....	238
9.3.1.110	COUNT Value for PDCP SN Length 18.....	238
9.3.1.111	RRC Establishment Cause	238
9.3.1.112	Warning Area Coordinates.....	238
9.3.1.113	Network Instance	238
9.3.1.114	Secondary RAT Usage Information.....	239
9.3.1.115	Volume Timed Report List	239
9.3.1.116	Redirection for Voice EPS Fallback	240
9.3.1.117	UE Retention Information.....	240
9.3.1.118	UL Forwarding.....	240
9.3.1.119	CN Assisted RAN Parameters Tuning	240
9.3.1.120	Common Network Instance.....	240
9.3.1.121	Data Forwarding Response E-RAB List	241
9.3.1.122	gNB Set ID.....	241
9.3.1.123	RNC-ID	241
9.3.1.124	Extended RNC-ID.....	241
9.3.1.125	RAT Information.....	241
9.3.1.126	Extended RAT Restriction Information	242
9.3.1.127	SgNB UE X2AP ID	242
9.3.1.128	SRVCC Operation Possible	242
9.3.1.129	IAB Authorized.....	242
9.3.1.130	TSC Traffic Characteristics.....	243
9.3.1.131	TSC Assistance Information	243
9.3.1.132	Periodicity	243
9.3.1.133	Burst Arrival Time	243
9.3.1.134	Redundant QoS Flow Indicator.....	243
9.3.1.135	Extended Packet Delay Budget.....	244
9.3.1.136	Redundant PDU Session Information	244
9.3.1.137	NB-IoT Default Paging DRX.....	244
9.3.1.138	NB-IoT Paging eDRX Information.....	244
9.3.1.139	NB-IoT Paging DRX.....	244
9.3.1.140	Enhanced Coverage Restriction	245
9.3.1.141	Paging Assistance Data for CE Capable UE	245
9.3.1.142	UE Radio Capability ID	245
9.3.1.143	WUS Assistance Information.....	245
9.3.1.144	UE Differentiation Information.....	246
9.3.1.145	NB-IoT UE Priority.....	247
9.3.1.146	NR V2X Services Authorized	247
9.3.1.147	LTE V2X Services Authorized	247
9.3.1.148	NR UE Sidelink Aggregate Maximum Bit Rate	247
9.3.1.149	LTE UE Sidelink Aggregate Maximum Bit Rate.....	247
9.3.1.150	PC5 QoS Parameters.....	248
9.3.1.151	Alternative QoS Parameters Set List.....	248
9.3.1.152	Alternative QoS Parameters Set Index.....	249
9.3.1.153	Alternative QoS Parameters Set Notify Index.....	249
9.3.1.154	E-UTRA Paging eDRX Information	249
9.3.1.155	CE-mode-B Restricted	249
9.3.1.156	CE-mode-B Support Indicator	250
9.3.1.157	LTE-M Indication	250
9.3.1.158	Suspend Request Indication	250
9.3.1.159	Suspend Response Indication.....	250
9.3.1.160	UE User Plane CIoT Support Indicator.....	250
9.3.1.161	Global TNGF ID	251
9.3.1.162	Global W-AGF ID	251
9.3.1.163	Global TWIF ID.....	251

9.3.1.164	W-AGF User Location Information	252
9.3.1.165	Global eNB ID	252
9.3.1.166	UE History Information from UE	252
9.3.1.167	MDT Configuration	253
9.3.1.168	MDT PLMN List	253
9.3.1.169	MDT Configuration-NR	253
9.3.1.170	MDT Configuration-EUTRA	256
9.3.1.171	M1 Configuration	256
9.3.1.172	M4 Configuration	258
9.3.1.173	M5 Configuration	258
9.3.1.174	M6 Configuration	259
9.3.1.175	M7 Configuration	259
9.3.1.176	MDT Location Information	259
9.3.1.177	Bluetooth Measurement Configuration	260
9.3.1.178	WLAN Measurement Configuration	260
9.3.1.179	Sensor Measurement Configuration	261
9.3.1.180	Event Trigger Logged MDT Configuration	261
9.3.1.181	NR Frequency Info	262
9.3.1.182	Area Scope of Neighbour Cells	262
9.3.1.183	NPN Paging Assistance Information	262
9.3.1.184	NPN Mobility Information	263
9.3.1.185	Cell CAG Information	263
9.3.1.186	Target to Source Failure Transparent Container	263
9.3.1.187	Target NG-RAN Node to Source NG-RAN Node Failure Transparent Container	263
9.3.1.188	DAPS Request Information	264
9.3.1.189	DAPS Response Information	264
9.3.1.190	Early Status Transfer Transparent Container	264
9.3.1.191	Extended Slice Support List	265
9.3.1.192	UE Capability Info Request	265
9.3.1.193	Extended RAN Node Name	265
9.3.1.194	MICO All PLMN	266
9.3.1.195	Source Node ID	266
9.3.1.196	E-UTRAN Composite Available Capacity Group	266
9.3.1.197	E-UTRAN Composite Available Capacity	266
9.3.1.198	E-UTRAN Cell Capacity Class Value	267
9.3.1.199	E-UTRAN Capacity Value	267
9.3.1.200	E-UTRAN Radio Resource Status	267
9.3.1.201	Void	267
9.3.1.202	Void	267
9.3.1.203	Void	267
9.3.1.204	Void	267
9.3.1.205	NR Radio Resource Status	267
9.3.1.206	MBS Session ID	268
9.3.1.207	MBS Area Session ID	268
9.3.1.208	MBS Service Area	268
9.3.1.209	MBS Service Area information	269
9.3.1.210	MBS Support Indicator	269
9.3.1.211	MBS Session Setup Request List	269
9.3.1.212	MBS Session Setup or Modify Request List	270
9.3.1.213	MBS Session Setup Response List	270
9.3.1.214	MBS Session Failed to Setup List	271
9.3.1.215	MBS Session To Release List	271
9.3.1.216	Multicast Group Paging Area	271
9.3.1.217	MBS Session Status	272
9.3.1.218	MRB ID	272
9.3.1.219	MRB Progress Information	272
9.3.1.220	Time Synchronisation Assistance Information	272
9.3.1.221	Survival Time	272
9.3.1.222	QMC Deactivation	273
9.3.1.223	QMC Configuration Information	273
9.3.1.224	UE Application Layer Measurement Configuration Information	273
9.3.1.225	Available RAN Visible QoE Metrics	275