

SLOVENSKI STANDARD

SIST EN 1514-1:2024

01-december-2024

Nadomešča:
SIST EN 1514-1:1998

**Prirobnice in prirobnični spoji - Mere tesnil za prirobnice z oznako PN - 1. del:
Nekovinska ploščata tesnila z ojačitvijo ali brez nje**

Flanges and their joints - Dimensions of gaskets for PN-designated flanges - Part 1:
Non-metallic flat gaskets with or without inserts

Flansche und ihre Verbindungen - Maße für Dichtungen für Flansche mit PN-
Bezeichnung - Teil 1: Flachdichtungen aus nichtmetallischem Werkstoff mit oder ohne
Einlagen

Brides et leurs assemblages - Dimensions des joints pour les brides désignées PN -
Partie 1 : Joints plats non-métalliques avec ou sans insert

Ta slovenski standard je istoveten z: EN 1514-1:2024

ICS:

23.040.60	Prirobnice, oglavki in spojni elementi	Flanges, couplings and joints
23.040.80	Tesnila za cevne zveze	Seals for pipe and hose assemblies

SIST EN 1514-1:2024

en,fr,de

EUROPEAN STANDARD

EN 1514-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2024

ICS 23.040.80

Supersedes EN 1514-1:1997

English Version

Flanges and their joints - Dimensions of gaskets for PN-designated flanges - Part 1: Non-metallic flat gaskets with or without inserts

Brides et leurs assemblages - Dimensions des joints pour les brides désignées PN - Partie 1 : Joints plats non-métalliques avec ou sans insert

Flansche und ihre Verbindungen - Maße für Dichtungen für Flansche mit PN-Bezeichnung - Teil 1: Flachdichtungen aus nichtmetallischem Werkstoff mit oder ohne Einlagen

This European Standard was approved by CEN on 3 June 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/f9b1fb75-1a03-4947-9504-f5589bb18f9c/sist-en-1514-1-2024>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents		Page
European foreword		3
Introduction		5
1	Scope	6
2	Normative references	6
3	Terms and definitions	6
4	Symbols and abbreviations	7
5	Classification, designation and coding	8
5.1	Range of PN designation	8
5.2	Range of DN designation	8
5.3	Gasket types	8
5.4	Information to be supplied at the time of purchase	8
5.4.1	Mandatory information	8
5.4.2	Optional information	8
5.5	Gasket designs and materials	9
6	Gasket types	9
7	Range of gasket sizes	11
8	Dimensions	12
8.1	Thickness	12
8.2	Diameters	12
8.3	Tolerances	19
9	Marking	20
Annex A (informative) Gasket materials		22
Bibliography		25

EN 1514-1:2024 (E)**European foreword**

This document (EN 1514-1:2024) has been prepared by Technical Committee CEN/TC 74 “Flanges and their joints”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2025, and conflicting national standards shall be withdrawn at the latest by February 2025.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1514-1:1997.

In comparison with the previous edition EN 1514-1:1997, the following technical modifications have been made:

- a) normative references have been updated;
- b) terms and definitions have been updated;
- c) Clause 4 “Symbols and abbreviations” has been inserted;
- d) in Clause 5 information to be supplied by the purchaser has been revised and more details have been added;
- e) in Clause 8 table with gasket dimensions have been arranged according gasket types and tolerances for gaskets have been introduced in 8.3;
- f) in Clause 9 former content has been incorporated in Clause 8 and markings have been revised;
- g) former Annex A “A-deviation” has been incorporated in 5.5;
- h) new Annex A “gasket materials” to give guidance on how to mark gaskets;
- j) the document has been editorially revised.

EN 1514 will consist of the following parts:

- *Part 1: Non-metallic flat gaskets with or without inserts*
- *Part 2: Spiral wound gaskets for use with steel flanges*
- *Part 3: Non-metallic PTFE envelope gaskets*
- *Part 4: Corrugated flat or grooved metallic and filled metallic gaskets for use with steel flanges*
- *Part 6: Covered serrated metal gaskets for use with steel flanges*
- *Part 7: Covered metal jacketed gaskets for use with steel flanges*
- *Part 8: Polymeric O-Ring gaskets for grooved flanges*

The Annex A is informative and contains “Gasket materials”.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[SIST EN 1514-1:2024](https://standards.itih.ai/catalog/standards/sist/f9b1fb75-1a03-4947-9504-f5589bb18f9c/sist-en-1514-1-2024)

<https://standards.itih.ai/catalog/standards/sist/f9b1fb75-1a03-4947-9504-f5589bb18f9c/sist-en-1514-1-2024>

EN 1514-1:2024 (E)**Introduction**

Dimensions for the internal diameter of gaskets are a compromise between all requirements of EN 1092-1, EN 1092-2, EN 1092-3, and EN 1092-4 so that a single value is given for each gasket size.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[SIST EN 1514-1:2024](https://standards.itih.ai/catalog/standards/sist/f9b1fb75-1a03-4947-9504-f5589bb18f9c/sist-en-1514-1-2024)

<https://standards.itih.ai/catalog/standards/sist/f9b1fb75-1a03-4947-9504-f5589bb18f9c/sist-en-1514-1-2024>

1 Scope

This document specifies non-metallic flat gaskets, with or without inserts, for use with flanges in accordance with EN 1092-1, EN 1092-2, EN 1092-3 and EN 1092-4, and pipes and fittings in accordance with EN 545, EN 598, and EN 969, for pressure application up to and including PN 63 values and dimensions up to and including DN 4000. In addition, this document also gives guidance on typical materials used and how they should be marked.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 545, *Ductile iron pipes, fittings, accessories and their joints for water pipelines — Requirements and test methods*

EN 598, *Ductile iron pipes, fittings, accessories and their joints for sewerage application — Requirements and test methods*

EN 969, *Ductile iron pipes, fittings, accessories and their joints for gas pipelines — Requirements and test methods*

EN 1092-1, *Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 1: Steel flanges*

EN 1092-2, *Flanges and their joints — Circular flanges for pipes, valves, fittings and accessories, PN designated — Part 2: Cast iron flanges*

EN 1092-3, *Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 3: Copper alloy flanges*

EN 1092-4, *Flanges and their joints - Circular flanges for pipes, valves, fittings and accessories, PN designated - Part 4: Aluminium alloy flanges*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at <https://www.electropedia.org/>

— ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

DN

alphanumeric designation of size for components of a pipework system, which is used for reference purposes, and is comprised of the letters DN followed by a dimensionless whole number which is indirectly related to the physical size, in millimeters, of the bore or outside diameter of the end connections

Note 1 to entry: The number following the letters DN does not represent a measurable value and is not used for calculation purposes except where specified in the relevant standard.

EN 1514-1:2024 (E)

[SOURCE: EN ISO 6708:1995, 2.1, modified – definition made into one statement, recommendation removed from note 1 to entry]

3.2**PN**

alphanumeric designation used for reference purposes related to a combination of mechanical and dimensional characteristics for a component of a pipework system, and is comprised of the letters PN followed by a dimensionless number

Note 1 to entry: The number following the letters PN does not represent a measurable value and is not used for calculation purpose except where specified in the relevant standard.

Note 2 to entry: The designation PN is not meaningful unless it is related to the relevant component standard number.

Note 3 to entry: The maximum allowable pressure of a pipework component depends on the PN number, the material and design of the component, its maximum allowable temperature, etc. The relevant European Component standards include tables of specified pressure/temperature ratings of, in minimum, include rules how to determine pressure/temperature ratings.

Note 4 to entry: It is intended that all components with the same PN and DN designations have the same mating dimensions for compatible flange types.

[SOURCE: EN 1333:2006, 2.1 modified – definition made into one statement, recommendation removed from Note 1 to entry]

4 Symbols and abbreviations

For the purposes of this document, the following notations apply.

Where units are applicable, they are shown in brackets. Where units are not applicable, no indication is given.

d	Gasket inside diameter	mm
D	Gasket outside diameter	mm
DN	Diameter Nominal, see 3.1	-
FF	Full face	-
IBC	Inside bolt circle	-
K	Gasket bolt circle diameter	mm
L	Gasket bolthole diameter	mm
PN	Pressure Nominal, see 3.2	-
SR	Spigot and recess	-
t	Thickness of gasket	mm
TG	Tongue and groove	-

5 Classification, designation and coding

5.1 Range of PN designation

Gaskets shall be designated as suitable for use with one or more of the following PN values:

PN 2,5	PN 25
PN 6	PN 40
PN 10	PN 63
PN 16	

5.2 Range of DN designation

Gasket nominal sizes shall be designated in accordance with the ranges specified in Table 1.

5.3 Gasket types

Gasket types, as defined in Clause 6 and as illustrated in Figure 1 and Figure 2, shall be designated as:

Type FF	Full face
Type IBC	Inside bolt circle
Type TG	Tongue and groove
Type SR	Spigot and recess

5.4 Information to be supplied at the time of purchase

5.4.1 Mandatory information

The following information shall be supplied at the time of enquiry and order:

- the number and part of this document, i.e. EN 1514-1; 1:2024
<https://standards.iteh.ai/catalog/standards/sist/f9b1fb75-1a03-4947-9504-f5589bb18f9c/sist-en-1514-1-2024>
- gasket type designation (see 5.3);
- DN designation (see Table 2 to Table 6, as applicable);
- PN designation (see Table 2 to Table 6, as applicable);
- thickness (see 8.1);
- material(s) (see 5.5 and Annex A).

5.4.2 Optional information

Several options are specified in this part of EN 1514 and these are listed below. In the event that the purchaser does not indicate a wish to implement any of these options at the time of enquiry and order, the gaskets shall be supplied in accordance with the mandatory information (see 5.4.1):

- whether the gasket is for use with pipes and fittings in accordance with EN 545, EN 598 or EN 969 (see Clause 8);
- expected operating conditions for which the gasket will be used;