INTERNATIONAL STANDARD

ISO 15148

First edition 2002-12-01 AMENDMENT 1

Hygrothermal performance of building materials and products — **Determination of water absorption** coefficient by partial immersion

AMENDMENT 1

Anance hygri Ament — Détern Amersion partielle AMENDEMENT 1 Performance hygrothermique des matériaux et produits pour le bâtiment — Détermination du coefficient d'absorption d'eau par immersion partielle

PROOF/ÉPREUVE



Reference number ISO 15148:2002/Amd.1:2015(E)

ISO/CEN PARALLEL PROCESSING

This final draft has been developed within the International Organization for Standardization (ISO), and processed under the **ISO-lead** mode of collaboration as defined in the Vienna Agreement. The final draft was established on the basis of comments received during a parallel enquiry on the draft.

This final draft is hereby submitted to the ISO member bodies and to the CEN member bodies for a parallel two-month approval vote in ISO and formal vote in CEN.

Positive votes shall not be accompanied by comments.

Negative votes shall be accompanied by the relevant technical reasons.

INTERIOR AND ARTHUR STANDARD COLOR OF THE STANDARD AND ARTHUR AND ARTHUR AND ARTHUR AND ARTHUR AND ARTHUR A



COPYRIGHT PROTECTED DOCUMENT

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword Supplementary information.

Amendment 1 to ISO 15148:2002 was prepared by ISO/TC 163, *Thermal performance and energy use in the built environment*, Subcommittee SC 1, *Test and measurement methods*.

PROOF/ÉPREUVE

INTERIOR AND PRESENTATION OF THE STANDARD STANDA

1

Hygrothermal performance of building materials and products — Determination of water absorption coefficient by partial immersion

AMENDMENT 1

Page 4, 7.1

Replace the existing Table 1 with the following.

Table 1 — Allowed range of mean conditions and variability during test

	Temperature °C	Relative humidity %
Allowed range of test conditions	23 ± 5	₩ 50 ± 5a
Allowed variation during test	±2	cate de
a In case of dispute.	Pl ail	4/80 ATT

Page 12, Annex ZA

Page 12, Annex ZA

Replace the existing last paragraph with the following

<u>Publication</u>	<u>Year</u>	<u>Title</u>	kellige Ode 20	<u>EN/HD</u>	<u>Year</u>
ISO 9346	2007	Thermal quantitie	insulation — Mass transfer — Physical es and definitions	ISO 9346	2007
		1150			