

SLOVENSKI STANDARD oSIST prEN 50695:2020

01-marec-2020

Splošni javni krizni alarmni sistem, komunikacijski sistem za pomorske aplikacije

Public-address-general-emergency-alarm-system, communication-system for marine applications

Lautsprecher-Durchsage-System-General-Notfallalarm-System, Kommunikations-System für Marine-Anwendungen

iTeh STANDARD PREVIEW (standards.iteh.ai)

Ta slovenski standard je istoveten 2IST prEn 50695:2019 https://standards.iteh.ai/catalog/standards/sist/21605a4c-4db0-4f59-92f8-

37ea195edc78/osist-pren-50695-2020

ICS:

13.320 Alarmni in opozorilni sistemi Alarm and warning systems 47.020.99 Drugi standardi v zvezi z Other standards related to ladjedelništvom in shipbuilding and marine konstrukcijami na morju structures

oSIST prEN 50695:2020 en.fr.de **oSIST prEN 50695:2020**

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>oSIST prEN 50695:2020</u> https://standards.iteh.ai/catalog/standards/sist/21605a4c-4db0-4f59-92f8-37ea195edc78/osist-pren-50695-2020

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

DRAFT prEN 50695

November 2019

ICS

English Version

Public-address-general-emergency-alarm-system, communication-system for marine applications

To be completed

Lautsprecher-Durchsage-System-General-Notfallalarm-System, Kommunikations-System für Marine-Anwendungen

This draft European Standard is submitted to CENELEC members for enquiry. Deadline for CENELEC: 2020-02-21.

It has been drawn up by CLC/BTTF 157-1.

If this draft becomes a European Standard, CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CENELEC in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom. 37ea195edc78/osist-pren-50695-2020

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2019 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Project: 67292 Ref. No. prEN 50695:2019 E

Contents Page European foreword 6 1 2 Normative references 9 Terms, definitions and abbreviations9 3 3.1 Terms and definitions9 3.2 4 Generic Performance, Safety, Marine Environmental and EMC11 Applicability......11 iTeh STANDARD PREVIEW 4.1 4.2 Requirement (Standards.iteh.ai) 11 4.3 oSIST prEN 50695:2020 5 37ea195edc78/osist-pren-50695-2020 5.1 5.2 5.2.1 5.2.2 5.2.3 5.3 Applicability.......14 5.3.1 5.3.2 5.3.3 5.4 5.4.1 5.4.2 5.4.3

5.5	Audio communication system	15
5.5.1	Applicability	15
5.5.2	Requirement	15
5.5.3	Method of tests and required results	15
6	General functions	16
6.1	Control functions	16
6.1.1	Manual activation of alarm signals	16
6.1.2	PA announcements	17
6.1.3	Feedback handling during live PA call	18
6.1.4	Indicators on control station	19
6.2	Priority	19
6.2.1	Priority between Emergency alarms and PA	19
6.2.2	Priority between PA control stations	21
6.3	Marking and labelling of PA and alarm controls	21
6.3.1	Marking and labelling of PA and alarm controls (standards.iteh.ai) Applicability	21
6.3.2	oSIST prEN 50695:2020 Requirementhttps://standards.itch:ai/catalog/standards/sist/21605a4c-4db0-4f59-92f8	21
6.3.3	Method of tests 37ea195edc78/osist-pren-50695-2020	22
7	Audio performance	22
7.1	General emergency alarm (GA) generation	22
7.1.1	Applicability	22
7.1.2	Requirement	22
7.1.3	Method of tests and required results	22
7.2	Alarm frequency	22
7.2.1	Applicability	22
7.2.2	Requirement	23
7.2.3	Method of tests and required results	23
7.3	Output power of amplifier	24
7.3.1	Applicability	24
7.3.2	Requirement	24

7.3.3	Method of tests and required results	24
7.4	Signal to Noise Ratio	27
7.4.1	Applicability	27
7.4.2	Requirement	27
7.4.3	Method of tests and required results	27
7.5	System frequency response with microphones	29
7.5.1	Applicability	29
7.5.2	Requirement	29
7.5.3	Method of tests and required results	30
7.6	System frequency response without microphone(s)	31
7.6.1	Applicability	31
7.6.2	Requirement	31
7.6.3	Method of tests and required results	32
8	Systems failures, redundancies, back-up and fall-back arrangements	34
8.1	(standards.iteh.ai) Power redundancy and change-over to emergency power	34
8.1.1	oSIST prEN 50695:2020 Applicabilityhttps://standards.itch:ai/catalog/standards/sist/21605a4c-4db0-4f59-92f8	34
8.1.2	Requirement 37ea195edc78/osist-pren-50695-2020	34
8.1.3	Method of tests and required results	34
8.2	Warning on power failure	35
8.2.1	Applicability	35
8.2.2	Requirement	35
8.2.3	Method of tests and required results	36
8.3	Minimize the effect of Single Failure	36
8.3.1	Applicability	36
8.3.2	Requirement	36
8.3.3	Method of tests and required results	37
8.4	System redundancy by independent systems	37
8.4.1	Applicability	37
8.4.2	Requirement	37

8.4.3	Method of tests	38	
9	Loudspeakers	38	
9.1	General	38	
9.2	Short circuit protection	38	
9.2.1	Applicability	38	
9.2.2	Requirement	38	
9.2.3	Method of tests	38	
10	Design requirements	38	
10.1	Engineering description	38	
10.1.1	Applicability	38	
10.1.2	Requirement	38	
10.1.3	Method for test	39	
10.2	Information in the product data sheet – loudspeakers	39	
10.2.1	Applicability (standards.iteh.ai)	39	
10.2.2	Requirement	39	
10.2.3	OSIST prEN 50695;2020 Method for testhttps://standards.tich.ai/catalog/standards/sist/21605a4c-4db0-4659-92f8		
11	Unauthorized modification of software configuration	39	
11.1	Applicability	39	
11.2	Requirement	39	
11.3	Method of tests	39	
Bibliography40			

European foreword

This document (prEN 50695:2019) has been prepared by CLC/BTTF 157-1 "Public address and general emergency alarm systems".

This document is currently submitted to the Enquiry.

The following dates are proposed:

 latest date by which the existence of this (doa' document has to be announced at national level

(doa) dor + 6 months

 latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) dor + 12 months

 latest date by which the national standards conflicting with this document have to be withdrawn dor + 36 months (to be confirmed or modified when voting)

The EU-Commission has received requests from stakeholders for the development of standards for public address and general emergency alarm systems (entry A.2/1.5 in Annex A.2 of Directive 96/98/EC as amended by Commission Directive (EU) 2015/559) and therefore requests the European standardization organisations start the development of the respective standards.

(dow)

The development of standards for public address and general emergency alarm systems is necessary because these systems are very important for safety on board and they are exposed to specific conditions (e.g. moisture, salt) which do not occur in other circumstances. The legislative provisions will detail the modalities for assessing those equipment.

The availability of testing standards will allow these products to be included in the scope of Directive 2014/90/EU, which in turn will allow them to be conformity assessed by a notified body and to affix the wheel mark.

Introduction

Public Address and General Emergency Alarm Systems have the primary purpose to inform persons on board of vessels of emergency situations, and to enable the ship's officers relay voice messages to persons on board those vessels in emergency situations.

EN 50695 has been written in pursuit of a request of the European Commission for a standard on equipment for Public Address and General Emergency Alarm Systems (PA-, GA- and PAGA-systems). The European Commission issued this request with the intention of taking this standard on board the Implementing Regulations belonging to the Marine Equipment Directive (MED), with the aim to enable and require MED certification for equipment for Public Address and General Emergency Alarm Systems (PA-, GA- and PAGA-systems). This will ensure that such equipment complies with all applicable requirements to that equipment set by the International Maritime Organization (IMO) in SOLAS 1974 and the LSA-code, before it is installed on board a vessel.

Equipment compliant with this standard, certified according to the Marine Equipment Directive, can thus be used to engineer and install a Public Address and General Emergency Alarm System on board a vessel flying the flag of a EU member state.

EN 50695 has been designed to make use of existing standards where possible, and specifies clarifications of requirements in other standards, additional requirements and methods of test and required test results where necessary to satisfy the IMO requirements.

This document is focussed on the MED approval of components.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>oSIST prEN 50695:2020</u> https://standards.iteh.ai/catalog/standards/sist/21605a4c-4db0-4f59-92f8-37ea195edc78/osist-pren-50695-2020

1 Scope

This document describes operational and performance requirements, methods of testing and required test results for components of Public-Address-Systems (PA), General-Emergency Alarm Systems (GA) and Public-Address General-Emergency Alarm Systems (PAGA) for marine applications (ships) in support of the requirements of IMO for such systems, while it is up to the manufacturer to define the components to be type approved together or separately, to build up a system.

NOTE 1 This part of the document does not include system engineering for installation on board nor installation requirements.

This document refers as much as possible to relevant established standards. Where relevant standards do not exist or are not precise enough, this document will describe additionally own operational and performance requirements, methods of testing and required test results.

NOTE 2 All text of this document, whose wording is identical to that of IMO circular MSC.808 or to SOLAS convention requirements, is printed in italics, and the resolution and associated paragraph numbers are indicated in brackets.

Table 1 describes the applicable IMO requirements for each combination of vessel category and type of system.

Table 1 — Requirement matrix

	GA	PA	PAGA
Cargo	SOLAS II-2/12 .1 and .2 SOLAS III/6.4 LSA Code 7.2.1 Tel Res. A.1021(26) 5.10	STANDARD PREV	SOLAS II-2/12 .1 and .2 SOLAS III/6.4 LSA Code 7.2 Res. A.1021(26) 5.8
Passenger ship (not SRtP)	SOLAS II-2/12 .1 and .2 SOLAS III/6.4 LSA Code 7.2.1 Res. A.1021(26) 5.10	SOLAS II-2/12 .1 and .3 SOLAS III/6.5 OSIST prEN 50695:2020 LSA Code 702 standards/sist/21605a4c-4 MSC/Qirc.8088/osist-pren-50695-2020	SOLAS II-2/12 .1, .2 and .3 SOLAS III/6.4, 6.5 LSA Code 7.2 A.1021(26) 5.8 MSC/Circ.808.
Passenger ship (SRtP)	SOLAS II-2/12 .1 and .2 SOLAS III/6.4 LSA Code 7.2.1 Res. A.1021(26) 5.10	SOLAS II-2/12 .1 and .3 SOLAS III/6.5 LSA Code 7.2.2 MSC/Circ.808 SOLAS II-2/21&22 MSC.1/Circ.1369/Add.1	SOLAS II-2/12 .1, .2 and .3 SOLAS III/6.4, 6.5 LSA Code 7.2 Res. A.1021(26) 5.8 MSC/Circ.808 SOLAS II-2/21&22 MSC.1/Circ.1369/Add.1

Each clause of this document is applicable for all ships type if not explicitly stated otherwise.

Each clause of this document indicates for which type of system it is applicable.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN IEC 60268-4:2008, Sound system equipment - Part 4: Microphones (IEC 60268-4:2008)

EN 60945:2002, Maritime navigation and radiocommunication equipment and systems - General requirements - Methods of testing and required test results (IEC 60945:2002)

EN 61162-1, Maritime navigation and radio communication equipment and systems, - Digital interfaces, Part 1: -Single talker and multiple listeners (IEC 61162-1)

EN 61162-2, Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 2: Single talker and multiple listeners, high-speed transmission (IEC 61162-2)

EN 61162-450, Maritime navigation and radiocommunication equipment and systems - Digital interfaces - Part 450: Multiple talkers and multiple listeners - Ethernet interconnection (IEC 61162-450)

EN 62288, Maritime navigation and radiocommunication equipment and systems - Presentation of navigation-related information on shipborne navigational displays - General requirements, methods of testing and required test results (IEC 62288)

EN IEC 62923-1, Maritime navigation and radiocommunication equipment and systems - Bridge alert management - Part 1: Operational and performance requirements, methods of testing and required test results (IEC 62923-1)

IEC 60268-1, Sound system equipment - Part 3: General ds.iteh.ai)

3 Terms, definitions and abbreviations T prEN 50695:2020

https://standards.iteh.ai/catalog/standards/sist/21605a4c-4db0-4f59-92f8-

For the purposes of this document, the following terms, definitions and abbreviations apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

3.1 Terms and definitions

3.1.1

Public Address system

PA system

electronic system comprising <u>microphones</u>, <u>amplifiers</u>, <u>loudspeakers</u>, and related equipment to increase and distribute the <u>volume</u> (loudness) of a live spoken human voice, or other acoustic sound source, into areas

3.1.2

general emergency alarm system

GA system

equipment to distribute audible signals used on board ships in times of emergency

3.1.3

Public-Address-General-Emergency-Alarm system

PAGA system

equipment which has the functions and performance of both a PA system and a GA system

3.1.4

control station

human machine interface (e.g. panel) for the operator to use the system

3.1.5

alarm

high-priority alert

(MSC 302/A) Condition requiring immediate attention and action by the bridge team, to maintain the safe navigation and safe operation of the ship

3.1.6

redundancy

duplication of critical components or functions of a system with the intention of increasing reliability

3.1.7

Emergency Public Address

Emergency PA

voice announcement used to supplement general emergency alarm having priority over the general emergency alarm

3.1.8

public address

voice announcement

3.1.9

general emergency alarm

audible signal used on board ships to indicate an emergency situation, summoning passengers and crew to muster stations and to initiate the actions included in the muster list

3.1.10

alert

oSIST prEN 50695:2020

(MSC 302/A) announcement of abnormal situations and conditions requiring attention 2/8-

37ea195edc78/osist-pren-50695-2020

Note 1 to entry: Alerts are divided in four priorities: emergency alarms, alarms, warnings and cautions. An alert provides information about a defined state change in connection with information about how to announce this event in a defined way to the system and the operator.

3.1.11

bridge alert management

(MSC.302/A) overall concept for management, handling and harmonized presentation of alerts on the bridge

3.1.12

Central Alert Management System

CAM System

combined functionality of CAM and CAM-HMI

Note 1 to entry: CAM-HMI means: (MSC.302/A) human machine interface for centralized presentation and handling of alerts on the bridge

3.1.13

CAM means

(MSC.302/A) functionality for the management of the presentation of alerts on the CAM-HMI, the communication of alert states between CAM-HMI and navigational systems and sensors. The functions may be centralized or partly centralized in subsystems and interconnected via a standardized alert-related communication

3.1.14

loop

transmission-path between amplifiers and loudspeakers and between controllers and active loudspeakers

Note 1 to entry: A loop may be an open or closed loop.

3.2 Abbreviations

EMC Electro Magnetic Compatibility

EUT Equipment under Test

GA General Alarm / General Emergency Alarm
IEC International Electrotechnical Commission

IMO International Marine Organization

MSC Maritime Safety Committee

LSA International Life-Saving Appliance

SOLAS Safety of Life At Sea

PA Public Address

PA/GA Public Address - General Alarm

RMS Root Mean Square

THD Total Harmonic Distortion TANDARD PREVIEW

SNR Signal to Noise Ratio (standards.iteh.ai)

4 Generic Performance, Safety, Marine Environmental and EMC

OSIST prEN 50695:2020

4.1 Applicability

https://standards.iteh.ai/catalog/standards/sist/21605a4c-4db0-4f59-92f8-37ea195edc78/osist-pren-50695-2020

Applicable to all components of the PA, GA or PA/GA system, including optional features, for all ship types.

4.2 Requirement

Further to the requirements of SOLAS 1974 V/17 and IMO Resolutions A.813(19) and A.694(17), in addition to the requirements of this standard all components of the EUT shall comply with EN 60945.

For the purpose of EN 60945, where for a component of the EUT no applicable definitions for performance test and performance check are stated in an IEC or EN equipment standard, the following definitions apply:

- Performance test: Perform any operator action in the EUT and confirm by non-quantitative observation that the system is still operative. Where no operator action is available in the EUT (e.g. a speaker), activate a primary function of the EUT (e.g. to produce sound) and confirm by non-quantitative observation that the system is still operative.
- Performance check: Identical to the performance test.

For all components of the EUT, the manufacturer shall declare the EN 60945 environment category to which the components are successfully tested. The manufacturer's documentation that will be available with the equipment shall reflect the applicable EN 60945 environment categories. The applicable category may also be marked on the equipment.

The manufacturer's documentation that will be available with the equipment shall reflect the compass safe distances of all components of the EUT. The compass safe distance shall also be marked on the equipment.