

ISO

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION

ISO RECOMMENDATION R 366

PITCH BOUND REEDS

— 2nd EDITION
April 1967

This second edition supersedes the first edition.

COPYRIGHT RESERVED

The copyright of ISO Recommendations and ISO Standards belongs to ISO Member Bodies. Reproduction of these documents, in any country, may be authorized therefore only by the national standards organization of that country, being a member of ISO.

For each individual country the only valid standard is the national standard of that country.

Printed in Switzerland

Also issued in French and Russian. Copies to be obtained through the national standards organizations.

BRIEF HISTORY

The ISO Recommendation R 366, *Pitch Bound Reeds*, was drawn up by Technical Committee ISO/TC 72, *Textile Machinery and Accessories*, the Secretariat of which is held by the Association Suisse de Normalisation (SNV).

Work on this question by the Technical Committee began in 1950 and led, in 1959, to the adoption of a Draft ISO Recommendation.

This first Draft ISO Recommendation (No.338) was circulated to all the ISO Member Bodies for enquiry in November 1959. As the results of this consultation were not considered satisfactory, the Technical Committee presented a second Draft ISO Recommendation, which was circulated to all the Member Bodies, in August 1961, and which was approved by the following Member Bodies:

Australia	Germany	Poland
Austria	Greece	Spain
Brazil	India	Switzerland
Bulgaria	Italy	Turkey
Chile	Japan	United Kingdom
Czechoslovakia	Netherlands	U.S.S.R.
France	New Zealand	

No Member Body opposed the approval of the Draft.

The Draft ISO Recommendation was then submitted by correspondence to the ISO Council, which decided, in April 1964, to accept it as an ISO RECOMMENDATION.

BRIEF HISTORY RELATING TO 2nd EDITION

Secretariat of the Technical Committee having drawn up a draft proposal for the revision of ISO Recommendation R 366-1964, *Pitch Bound Reeds*, circulated it to Technical Committee Members. The draft proposal was approved as a Draft ISO Recommendation.


In September 1964, this Draft Revision (No. 706) was submitted to all the ISO Member Bodies for enquiry; 13 of the Member Bodies approved it. One Member Body opposed it: U.S.S.R.

The Draft Revision was therefore submitted by correspondence to the ISO Council which decided, in April 1967, to accept it as an ISO RECOMMENDATION.

The second edition supersedes the first edition of ISO Recommendation R 366-1964.

PITCH BOUND REEDS

ISO Recommendation R 366-1964 is modified as follows:



b = Width of dents
 d = Thickness of reed baulk
 h = Overall depth

Basic dimensions						Co-ordinated dimensions									
h		d		b		b	mm in	2.5	3	4	5	6	8	10	
mm	in	mm	in	mm	in										
110	4.33	14	0.55	2.5	0.10	d	mm	14	15	16	17	18	20	22	
120	4.72					in	in	0.55	0.59	0.63	0.67	0.71	0.79	0.87	
130	5.12	15	0.59	3	0.12	h	mm								
140	5.51	16	0.63	4	0.16		in	110	4.33	×	×	×	×		
150	5.91						120	4.72	×	×	×	×			
160	6.30						130	5.12	×	×	×	×	×		
180	7.09	17	0.67	5	0.20		140	5.51	×	×	×	×	×	×	
200	7.87						150	5.91	×	×	×	×	×	×	
220	8.66	18	0.71	6	0.24		160	6.30			×	×	×	×	×
240	9.45	20	0.79	8	0.31		180	7.09				×	×	×	×
		22	0.87	10	0.39		200	7.87				×	×	×	×
							220	8.66				×	×	×	×
						240	9.45				×	×	×	×	