

SLOVENSKI STANDARD

SIST-TS CEN/TS 1852-2:2020

01-januar-2020

Nadomešča:

SIST-TS CEN/TS 1852-2:2016

Cevni sistemi iz polimernih materialov za odpadno vodo in kanalizacijo, ki delujejo po težnostnem principu in so položeni v zemljo - Polipropilen (PP) - 2. del: Navodilo za ugotavljanje skladnosti

Plastics piping systems for non-pressure underground drainage and sewerage - Polypropylene (PP) - Part 2: Guidance for the assessment of conformity

iTeh STANDARD PREVIEW
Kunststoff-Rohrleitungssysteme für erdverlegte drucklose Abwasserkanäle und -leitungen - Polypropylen (PP) - (Teil 2: Empfehlungen für die Beurteilung der Konformität

SIST-TS CEN/TS 1852-2:2020
SIST-TS CEN/TS 1852-2:2020
<https://standards.slovenski-institut.si/standards/sist/002/0057-1852-4042-00ca-1-18522020/sist-ts-cen-ts-1852-2-2020>
Systèmes de canalisations en plastique pour les branchements et les collecteurs d'assainissement enterrés sans pression - Polypropylène (PP) - Partie 2: Guide pour l'évaluation de la conformité

Ta slovenski standard je istoveten z: CEN/TS 1852-2:2019

ICS:

23.040.05	Cevovodi za zunanje sisteme za odpadno vodo in njihovi deli	Pipeline and its parts for external sewage systems
93.030	Zunanji sistemi za odpadno vodo	External sewage systems

SIST-TS CEN/TS 1852-2:2020

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 1852-2:2020](https://standards.iteh.ai/catalog/standards/sist/be2d0057-f82a-4e42-b6ca-941f6226339b/sist-ts-cen-ts-1852-2-2020)

<https://standards.iteh.ai/catalog/standards/sist/be2d0057-f82a-4e42-b6ca-941f6226339b/sist-ts-cen-ts-1852-2-2020>

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 1852-2

December 2019

ICS 23.040.01; 93.030

Supersedes CEN/TS 1852-2:2015

English Version

**Plastics piping systems for non-pressure underground
drainage and sewerage - Polypropylene (PP) - Part 2:
Guidance for the assessment of conformity**

Systèmes de canalisations en plastique pour les
branchements et les collecteurs d'assainissement
enterrés sans pression - Polypropylène (PP) - Partie 2:
Guide pour l'évaluation de la conformité

Kunststoff-Rohrleitungssysteme für erdverlegte
drucklose Abwasserkanäle und -leitungen -
Polypropylen (PP) - Teil 2: Empfehlungen für die
Beurteilung der Konformität

This Technical Specification (CEN/TS) was approved by CEN on 7 October 2019 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3
Introduction	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	6
4 Abbreviated terms.....	10
5 General.....	10
6 Testing and inspection.....	10
6.1 Material specification.....	10
6.2 Grouping.....	10
6.2.1 General.....	10
6.2.2 Size groups.....	10
6.2.3 Fitting groups	11
6.3 Type testing (TT).....	11
6.4 Batch release tests	14
6.5 Process verification tests	16
6.6 Audit tests	17
6.7 Indirect tests.....	19
6.8 Test records	19
Annex A (informative) Basic test matrix.....	20
Bibliography.....	21

Iteh STANDARD PREVIEW

(standards.iteh.ai)

[SIST-TS CEN/TS 1852-2:2020](https://standards.iteh.ai/catalog/standards/sist/be2d0057-f82a-4e42-b6ca-941f6226599b/sist-ts-cen-ts-1852-2-2020)

<https://standards.iteh.ai/catalog/standards/sist/be2d0057-f82a-4e42-b6ca-941f6226599b/sist-ts-cen-ts-1852-2-2020>

European foreword

This document (CEN/TS 1852-2:2019) has been prepared by Technical Committee CEN/TC 155 “Plastics piping systems and ducting systems”, the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 1852-2:2015.

The main change compared to the previous edition concerns the compliance with the latest version of the template for assessment of conformity.

EN 1852 consists of the following parts, under the general title Plastics piping systems for non-pressure underground drainage and sewerage — Polypropylene (PP)

- Part 1: Specifications for pipes, fittings and the system
- Part 2: Guidance for the assessment of conformity (the present TS)

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

[SIST-TS CEN/TS 1852-2:2020](https://standards.iteh.ai/catalog/standards/sist/be2d0057-f82a-4e42-b6ca-941f6226339b/sist-ts-cen-ts-1852-2-2020)

<https://standards.iteh.ai/catalog/standards/sist/be2d0057-f82a-4e42-b6ca-941f6226339b/sist-ts-cen-ts-1852-2-2020>

Introduction

Figures 1 and 2 are intended to provide general information on the concept of testing and organization of those tests used for the purpose of the assessment of conformity. For each type of test, i.e. type testing (TT), batch release test (BRT), process verification test (PVT), and audit test (AT), this document details the applicable characteristics to be assessed as well as the frequency and sampling of testing.

A typical scheme for the assessment of conformity of materials, pipes, fittings, joints or assemblies by manufacturers is given in Figure 1.




Figure 1 — Typical scheme for the assessment of conformity by a manufacturer

A typical scheme for the assessment of conformity of materials, pipes, fittings, joints or assemblies by manufacturers, including certification, is given in Figure 2.




Figure 2 — Typical scheme for the assessment of conformity by a manufacturer, including certification

[SIST-TS CEN/TS 1852-2:2020](https://standards.iteh.ai/catalog/standards/sist/be2d0057-f82a-4e42-b6ca-941f6226339b/sist-ts-cen-ts-1852-2-2020)

<https://standards.iteh.ai/catalog/standards/sist/be2d0057-f82a-4e42-b6ca-941f6226339b/sist-ts-cen-ts-1852-2-2020>

CEN/TS 1852-2:2019 (E)**1 Scope**

This document gives guidance for the assessment of conformity of materials, products, joints and assemblies in accordance with the applicable part(s) of EN 1852 intended to be included in the manufacturer's quality plan as part of the quality management system and for the establishment of certification procedures.

NOTE 1 The quality management system is expected to conform to or be no less stringent than the relevant requirements in EN ISO 9001 [1].

NOTE 2 If third-party certification is involved, the certification body is expected to be accredited to EN ISO/IEC 17065 [2] or EN ISO/IEC 17021 [3], as applicable.

NOTE 3 In order to help the reader, a basic test matrix is given in Annex A.

In conjunction with EN 1852-1 this document is applicable to solid wall piping systems made of polypropylene (PP) intended to be used for:

- non-pressure underground drainage and sewerage outside the building structure (application area code "U"), and
- non-pressure underground drainage and sewerage for both buried in ground within the building structure (application area code "D") and outside the building structure.

This is reflected in the marking of products by "U" and "UD".

STANDARD PREVIEW
(standards.iteh.ai)

2 Normative references

SIST-TS CEN/TS 1852-2:2020

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1852-1:2018, *Plastics piping systems for non-pressure underground drainage and sewerage - Polypropylene (PP) - Part 1: Specifications for pipes, fittings and the system*

3 Terms and definitions

For the purposes of this document, the following terms and definitions given in EN 1852-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1 certification body
impartial body, governmental or non-governmental, possessing the necessary competence and responsibility to carry out certification of conformity according to given rules of procedure and management

Note 1 to entry: A certification body is preferably compliant with EN ISO/IEC 17065 [2].

3.2

inspection body

body, that performs inspection

Note 1 to entry: A body can be an organization or part of an organization.

Note 2 to entry: An inspection body is preferably compliant with EN ISO/IEC 17020 [4].

3.3

testing laboratory

laboratory which measures, tests, calibrates or otherwise determines the characteristics of the performance of materials and products

Note 1 to entry: In the context of this part of EN 1852, the materials and products can be subjected to type testing, batch release testing, process verification testing, audit testing, and witness testing, as applicable.

Note 2 to entry: A testing laboratory is preferably compliant with EN ISO/IEC 17025[3].

3.4

quality management system

part of a management system with regard to quality

[Source: EN ISO 9000:2015 [6], definition 3.5.4]

Note 1 to entry: Requirements for quality management systems are given in EN ISO 9001 [1].

3.5

quality plan

document setting out the specific quality practices, resources and sequence of activities relevant to a particular product or range of products

3.6

type testing

TT

testing performed to prove that the material, product, joint or assembly is capable of conforming to the requirements given in the relevant standard

Note 1 to entry: The type test results remain valid until there is a change in the material or product or assembly provided that the process verification tests are done regularly.

3.7

batch release test

BRT

test performed by or on behalf of the manufacturer on a batch of materials or products, which has to be satisfactorily completed before the batch can be released

3.8

process verification test

PVT

test performed by or on behalf of the manufacturer on materials, products or joints at specific intervals to confirm that the process continues to be capable of producing products which conform to the requirements given in the relevant standard

Note 1 to entry: Such tests are not required to release batches of materials or products and are carried out as a measure of process control.

CEN/TS 1852-2:2019 (E)

3.9
audit test
AT
 test performed by a test laboratory on behalf of an inspection body or certification body to confirm that the material, product, joint or assembly continues to conform to the requirements given in the relevant standard and to provide information to assess the effectiveness of the quality management system

3.10
indirect test
IT
 test performed by or on behalf of the manufacturer, different from that specified test for that particular characteristic, having previously verified its correlation with the specified test

3.11
witness test
WT
 test accepted by an inspection or a certification body for type testing and/or audit testing, which is carried out by or on behalf of the manufacturer and supervised by a representative of the inspection or certification body, qualified in testing

3.12
material
 generic term for compositions of compounds/formulations grouped by families, expressed by generic names

EXAMPLE: Examples of generic names are polypropylene, stainless steel, brass or EPDM.

Note 1 to entry: Definition from European Commission, Directorate-General for Enterprise and Industry, Sub-group on Product Testing Procedures (EC, DG-ENT and JND, SG-PTP).
 COMMISSION DIRECTORATE-GENERAL FOR ENTERPRISE AND INDUSTRY, SUB-GROUP ON PRODUCT TESTING PROCEDURES (EC, DG-ENT AND JND, SG-PTP)
 be2d0057-f82a-4e42-b6ca-941f6226339b/sist-ts-cen-ts-1852-2-2020

3.13
compound
 clearly defined homogenous mixture of base polymer with additives, i.e. antioxidants, pigments, stabilizers and others, at a dosage level necessary for the processing and the intended use of the final product including non-virgin material (if applicable)

3.14
material batch
 clearly identified quantity of a given homogeneous compound/formulation manufactured under uniform conditions and defined and identified by the compound/formulation manufacturer

3.15
product
 pipe or fitting of a clearly identified type intended to be a part of a piping system which the manufacturer puts on the market

3.16
product batch
 clearly identified collection of products, manufactured consecutively or continuously under the same conditions, using the same compound/formulation conforming to the same specification

Note 1 to entry: The production batch is defined and identified by the product manufacturer.

3.17**sample**

one or more products drawn from the same production batch, selected at random without regard to their quality

Note 1 to entry: The number of products in the sample is the sample size.

3.18**group**

collection of similar products from which samples are selected for testing purposes

3.19**component**

product manufactured out of a specific composition compound/formulation, brought to the market as part of another product or as a spare part

3.20**joint**

connection between two products

3.21**assembled product**

assembled final product using two or more single parts

3.22**fabricated fitting**

fitting produced from pipe and/or from injection-moulded fittings by thermoforming, or welding

3.23**assembly**

product that can be dismantled into a set of components

EXAMPLE A test piece consisting of various products.

3.24**sampling plan**

specification of the type of sampling to be used combined with the operational specification of the entities or increments to be taken, the samples to be constituted and the measurements or tests to be made

EXAMPLE A specific plan which indicates the number of units of products or assemblies to be inspected.

3.25**product type**

generic description of a product

EXAMPLE A pipe or fitting or valve or their main parts, of the same design, from a particular compound.

3.26**cavity**

part of the injection mould which gives the form to the injection-moulded product

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TS CEN/TS 1852-2:2020](https://standards.iteh.ai/catalog/standards/sist/be2d0057-f82a-4e42-b6ca-941f6226339b/sist-ts-cen-ts-1852-2-2020)

<https://standards.iteh.ai/catalog/standards/sist/be2d0057-f82a-4e42-b6ca-941f6226339b/sist-ts-cen-ts-1852-2-2020>