

SLOVENSKI STANDARD oSIST prEN ISO 22515:2019

01-november-2019

Kakovost vode - Železo Fe-55 in nikelj Ni-63 - Preskusna metoda s štetjem s tekočinskim scintilatorjem (ISO/DIS 22515:2019)

Water quality - Iron-55 and nickel-63 - Test method using liquid scintillation counting (ISO/DIS 22515:2019)

Wasserbeschaffenheit - Eisen-55 - Verfahren mit dem Flüssigszintillationszähler (ISO/DIS 22515:2019) iTeh STANDARD PREVIEW

Qualité de l'eau - Fer-55 et nickel-63 - Méthode dessai par comptage des scintillations en milieu liquide (ISO/DIS 22515:2019)

kSIST FprEN ISO 22515:2021

https://standards.iteh.ai/catalog/standards/sist/f8611376-4c59-4cf8-a78b-

Ta slovenski standard je istoveten z 1/ksist prEN ISO 22515

ICS:

13.060.60 Preiskava fizikalnih lastnosti Examination of physical

vode properties of water

17.240 Merjenje sevanja Radiation measurements

oSIST prEN ISO 22515:2019 en,fr,de

oSIST prEN ISO 22515:2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST FprEN ISO 22515:2021 https://standards.iteh.ai/catalog/standards/sist/f8611376-4c59-4cf8-a78b-ea9a968dbcc1/ksist-fpren-iso-22515-2021

DRAFT INTERNATIONAL STANDARD ISO/DIS 22515

ISO/TC **147**/SC **3**

Secretariat: AFNOR

Voting begins on: **2019-09-19**

Voting terminates on:

2019-12-12

Water quality — Iron-55 — Test method using liquid scintillation counting

Qualité de l'eau — Fer-55 — Méthode d'essai par comptage des scintillations en milieu liquide

ICS: 17.240; 13.060.60

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST FprEN ISO 22515:2021 https://standards.iteh.ai/catalog/standards/sist/f8611376-4c59-4cf8-a78b-ea9a968dbcc1/ksist-fpren-iso-22515-2021

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING



Reference number ISO/DIS 22515:2019(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>kSIST FprEN ISO 22515:2021</u> https://standards.iteh.ai/catalog/standards/sist/f8611376-4c59-4cf8-a78b-ea9a968dbcc1/ksist-fpren-iso-22515-2021



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Coı	Contents Pag						
Fore	word		v				
Intro	oductio	n	vi				
1	Scop	e	1				
2	Norn	Normative references					
3	Terms and definitions, symbols, and units						
3	3.1	General use					
	3.2	⁵⁵ Fe and ⁵⁹ Fe specific terms					
4	Princ	nciple					
5	Reagents						
	5.1	Standard solutions					
		5.1.1 Iron-55 and ⁵⁹ Fe standards					
		5.1.2 Stable iron standards					
		5.1.3 Chemical Quenching agent					
	5.2	5.1.4 Colour Quenching agentHoldback carrier					
	5.3	Water					
	5.4	Specific reagents for chemical separation					
		5.4.1 Stable iron carrier solution	7				
		5.4.2 Ammonium hydroxide solution, $c(NH_4OH) = 4 \text{ mol } l^{-1}$ 5.4.3 Nitric acid solution, $c(HNO_3) = 7.2 \text{ mol } l^{-1}$	7				
		5.4.3 Nitric acid solution, $c(HNO_3) = 7.2 \text{ mol } l^{-1}$	7				
		5.4.4 Ammonium hydroxide solution, c(NH ₄ OH) = 6 mol l ⁻¹					
		5.4.6 Hydrochloric acid, c(HCl) = 9 mol 1 -1					
		5.4.7 Hydrochloric acid. (HCI) = 4 mol 1021	7				
		5.4.7 Hydrochloric acid, c(HCl) 4 mol 1021 5.4.8 http://drochloric.acid, c(HCl) 4 mol 174-4c59-4cf8-a78b-	7				
		5 4 9 Nitric acid solution of HNO 1 = 8 mol 1 4 1	7				
		5.4.10 Nitric acid solution, $c(HNO_3) = 0 \text{ mol } 1^{-1}$	7				
		5.4.11 Sodium hydrogen phosphate, $c(Na_2HPO_4) = 0.5 \text{ mol } I^{-1}$					
6		Equipment					
	6.1 6.2	J T F					
	6.3	Liquid scintillation vialsMeasurement equipment: Liquid scintillation counter					
7							
7	_	pling and sample preparation					
8	Liquid scintillation set up and calibration						
	8.1 8.2	Window setting Background					
	8.3	Calibration					
9	Procedure						
	9.1	Preliminary					
	7.1	9.1.1 Stable iron content [11]	10				
		9.1.2 Iron separation					
	9.2	Iron-55 source preparation	11				
10	Qual	Quality control					
11	Expression of results						
11	11.1	Iron recovery	12				
	11.2	Activity calculation	12				
	11.3	Uncertainties					
		11.3.1 ⁵⁵ Fe detection efficiency 11.3.2 ⁵⁹ Fe detection efficiency					
		11 ** TE UELECLION ENICIENCY	1.3				

oSIST prEN ISO 22515:2019

ISO/DIS 22515:2019(E)

		11.3.3	Iron recovery	14				
		11.3.4	⁵⁵ Fe activity	14				
		11.3.5	⁵⁵ Fe activity 55Fe decision threshold and detection limit 55Fe decision	15				
			ence interval limits					
12	Test report							
Annex A (informative) Isolation and purification of iron								
	-	•	-					
Aimex	D (11110	n mauve _.) Analysis flow chart	10				
Bibliography								

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>kSIST FprEN ISO 22515:2021</u> https://standards.iteh.ai/catalog/standards/sist/f8611376-4c59-4cf8-a78b-ea9a968dbcc1/ksist-fpren-iso-22515-2021

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html and ards.iteh.ai)

This document was prepared by Technical Committee ISO/TC 147/SC3, *Water quality*, SC 3, *Radioactivity measurements*. <u>kSIST FprEN ISO 22515:2021</u>

https://standards.iteh.ai/catalog/standards/sist/f8611376-4c59-4cf8-a78b-ea9a968dbcc1/ksist-fpren-iso-22515-2021

Introduction

Radioactivity from several naturally-occurring and anthropogenic sources is present throughout the environment. Thus, water bodies (e.g. surface waters, ground waters, sea waters) can contain radionuclides of natural, human-made, or both origins:

- natural radionuclides, including ⁴⁰K, ³H, ¹⁴C, and those originating from the thorium and uranium decay series, in particular ²²⁶Ra, ²²⁸Ra, ²³⁴U, ²³⁸U, ²¹⁰Po and ²¹⁰Pb can be found in water for natural reasons (e.g. desorption from the soil and washoff by rain water) or can be released from technological processes involving naturally occurring radioactive materials (e.g. the mining and processing of mineral sands or phosphate fertilizers production and use);
- human-made radionuclides such as transuranium elements (americium, plutonium, neptunium, curium), ³H, ¹⁴C, ⁹⁰Sr, and gamma emitting radionuclides can also be found in natural waters. Small quantities of these radionuclides are discharged from nuclear fuel cycle facilities into the environment as a result of authorized routine releases. Some of these radionuclides used for medical and industrial applications are also released into the environment after use. Anthropogenic radionuclides are also found in waters as a result of past fallout contaminations resulting from the explosion in the atmosphere of nuclear devices and accidents such as those that occurred in Chernobyl and Fukushima.

Radionuclide activity concentration in water bodies can vary according to local geological characteristics and climatic conditions and can be locally and temporally enhanced by releases from nuclear installation during planned, existing, and emergency exposure situations. [1] Drinking-water may thus contain radionuclides at activity concentrations which could present a risk to human health.

The radionuclides present in liquid effuents are usually controlled before being discharged into the environment^[2] and water bodies. Drinking waters are monitored for their radioactivity as recommended by the World Health Organization (WHO)^[3] so that proper actions can be taken to ensure that there is no adverse health effect to the public. Following these international recommendations, national regulations usually specify radionuclide authorized concentration limits for liquid effluent discharged to the environment and radionuclide guidance levels for waterbodies and drinking waters for planned, existing, and emergency exposure situations. Compliance with these limits can be assessed using measurement results with their associated uncertainties as specified by ISO/IEC Guide 98-3 and ISO 5667-20^[4].

Depending on the exposure situation, there are different limits and guidance levels that would result in an action to reduce health risk. As an example, during a planned or existing situation, the WHO guidelines for guidance level in drinking water is $1\,000\,\mathrm{Bg}\cdot\mathrm{l}$ - $1\,\mathrm{for}\,^{55}\mathrm{Fe}$ activity concentration.

NOTE 1 The guidance level is the activity concentration with an intake of $2 l d^{-1}$ of drinking water for one year that results in an effective dose of 0,1 mSv a^{-1} for members of the public. This is an effective dose that represents a very low level of risk and which is not expected to give rise to any detectable adverse health effects^[3].

In the event of a nuclear emergency, the WHO Codex Guideline Levels^[5] mentioned that the activity concentration might not be greater than 10 000 Bq·l-1 for 55 Fe.

NOTE 2 The Codex guidelines levels (GLs) apply to radionuclides contained in foods destined for human consumption and traded internationally, which have been contaminated following a nuclear or radiological emergency. These GLs apply to food after reconstitution or as prepared for consumption, i.e., not to dried or concentrated foods, and are based on an intervention exemption level of 1 mSv in a year for members of the public (infant and adult) $^{[5]}$.

Thus, the test method can be adapted so that the characteristic limits, decision threshold, detection limit and uncertainties ensure that the radionuclide activity concentrations test results can be verified to be below the guidance levels required by a national authority for either planned/existing situations or for an emergency situation [6][7].

Usually, the test methods can be adjusted to measure the activity concentration of the radionuclide(s) in either wastewaters before storage or in liquid effluents before being discharged to the environment.

The test results will enable the plant/installation operator to verify that, before their discharge, wastewaters/liquid effluent radioactive activity concentrations do not exceed authorized limits.

The test method(s) described in this document may be used during planned, existing and emergency exposure situations as well as for wastewaters and liquid effluents with specific modifications that could increase the overall uncertainty, detection limit, and threshold.

The test method(s) may be used for water samples after proper sampling, sample handling, and test sample preparation (see the relevant parts of the ISO 5667 series).

This document has been developed to answer the need of test laboratories carrying out these measurements, that are sometimes required by national authorities, as they may have to obtain a specific accreditation for radionuclide measurement in drinking water samples.

This document is one of a set of International Standards on test methods dealing with the measurement of the activity concentration of radionuclides in water samples.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>kSIST FprEN ISO 22515:2021</u> https://standards.iteh.ai/catalog/standards/sist/f8611376-4c59-4cf8-a78b-ea9a968dbcc1/ksist-fpren-iso-22515-2021 **oSIST prEN ISO 22515:2019**

iTeh STANDARD PREVIEW (standards.iteh.ai)

kSIST FprEN ISO 22515:2021 https://standards.iteh.ai/catalog/standards/sist/f8611376-4c59-4cf8-a78b-ea9a968dbcc1/ksist-fpren-iso-22515-2021

Water quality — Iron-55 — Test method using liquid scintillation counting

WARNING — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to determine the applicability of any other restrictions.

IMPORTANT — It is absolutely essential that tests conducted according to this document be carried out by suitably trained staff.

1 Scope

This document specifies a test method for the determination of iron-55 (55 Fe) activity concentration in samples of all types of water using liquid scintillation counting (LSC). Using currently available liquid scintillation counters, this test method can measure the 55 Fe activity concentrations in the range of less than 30 mBq l⁻¹ to 120 mBql⁻¹. These values can be achieved with a counting time between 7 200 s and 10 800 s for a sample volume from 0,5 l to 1,5 l. Higher activity concentrations can be measured by either diluting the sample or using smaller sample aliquots or both.

NOTE These are indicative values. Individual laboratories should establish their own performance parameters.

The range of application depends on the amount of dissolved material in the water and on the performance characteristics of the measurement equipment (background count rate and counting efficiency).

https://standards.itch.ai/catalog/standards/sist/f8611376-4c59-4cf8-a78b-

It is the laboratory's responsibility to ensure the suitability of this test method for the water samples tested.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, Water for analytical laboratory use — Specification and test methods

ISO 5667-1, Water quality — Sampling — Part 1: Guidance on the design of sampling programmes and sampling techniques

ISO 5667-3, Water quality — Sampling — Part 3: Preservation and handling of water samples

ISO 7870-2, Control charts — Part 2: Shewhart control charts

ISO/IEC 11929, Determination of the characteristic limits (decision threshold, detection limit and limits of the confidence interval) for measurement of ionizing radiation — Fundamentals and application

ISO 11885, Water quality — Determination of selected elements by inductively coupled plasma optical emission spectrometry (ICP-OES)

ISO 15586, Water quality — Determination of trace elements using atomic absorption spectrometry with graphite furnace

ISO/IEC 17025, General requirements for the competence of testing and calibration laboratories