



**SLOVENSKI STANDARD
SIST EN IEC 62541-3:2020**

01-december-2020

**Nadomešča:
SIST EN 62541-3:2015**

Enotna arhitektura OPC - 3. del: Model naslovnega prostora (IEC 62541-3:2020)

OPC unified architecture - Part 3: Address Space Model (IEC 62541-3:2020)

OPC Unified Architecture - Teil 3: Adressraummodell (IEC 62541-3:2020)

Architecture unifiée OPC - Partie 3: Modèle d'espace d'adressage (IEC 62541-3:2020)

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

Ta slovenski standard je istoveten z: EN IEC 62541-3:2020

<https://standards.iteh.ai/catalog/standards/sist/3cd4e4df-fb53-413e-b52a-86f9b12ef/sist-en-iec-62541-3-2020>

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

SIST EN IEC 62541-3:2020

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN IEC 62541-3:2020

<https://standards.iteh.ai/catalog/standards/sist/3cd4e4df-fb53-413e-b52a-86f69b1f3efc/sist-en-iec-62541-3-2020>

EUROPEAN STANDARD

EN IEC 62541-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2020

ICS 35.100.05; 25.040.40

Supersedes EN 62541-3:2015 and all of its amendments
and corrigenda (if any)

English Version

**OPC Unified Architecture - Part 3: Address Space Model
(IEC 62541-3:2020)**Architecture unifiée OPC - Partie 3: Modèle d'espace
d'adressage
(IEC 62541-3:2020)OPC Unified Architecture - Teil 3: Adressraummodell
(IEC 62541-3:2020)

This European Standard was approved by CENELEC on 2020-08-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN IEC 62541-3:2020 (E)**European foreword**

The text of document 65E/715/FDIS, future edition 3 of IEC 62541-3, prepared by SC 65E "Devices and integration in enterprise systems" of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62541-3:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2021-05-12
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-08-12

This document supersedes EN 62541-3:2015 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of the International Standard ~~IEC 62541-3:2020~~ was approved by CENELEC as a European Standard without any modification. standards.iteh.ai/catalog/standards/sist/3cd4e4df-fb53-413e-b52a-86f69b13efc/sist-en-iec-62541-3-2020

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 62541-11 NOTE Harmonized as EN 62541-11

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC/TR 62541-1	-	OPC unified architecture - Part 1: Overview and concepts	CLC/TR 62541-1	-
IEC 62541-4	-	OPC Unified Architecture - Part 4: Services	-	-
IEC 62541-5	-	OPC Unified Architecture - Part 5: Information Model	-	-
IEC 62541-6	-	OPC Unified Architecture - Part 6: Mappings	-	-
IEC 62541-8	-	OPC Unified Architecture - Part 8: Data Access	EN IEC 62541-8	-
ISO/IEC/IEEE 60559	2011	Information technology - Microprocessor Systems - Floating-Point arithmetic	-	-
ISO 639	series	Code for the representation of names of languages	-	-
ISO 3166	series	Codes for the representation of names of countries	-	-
ISO 8601	series		-	-
IETF RFC 5646	-	Tags for Identifying Languages	-	-
Unicode Standard Annex #15	-	Unicode Normalization Forms	-	-
W3C XML Schema Definition Language (XSD) Part 2	-	Data Types	-	-
TAI	-	International Atomic Time	-	-

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN IEC 62541-3:2020](#)

<https://standards.iteh.ai/catalog/standards/sist/3cd4e4df-fb53-413e-b52a-86f69b1f3efc/sist-en-iec-62541-3-2020>



IEC 62541-3

Edition 3.0 2020-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE



OPC unified architecture –
Part 3: Address Space Model

Architecture unifiée OPC –
Partie 3: Modèle d'espace d'adressage

STANDARD PREVIEW
(standards.iteh.ai)

SIST EN IEC 62541-3:2020
standards/sist/3cd4e4df-fb53-413e-b52a-
86f69b1f3efc/sist-en-iec-62541-3-2020

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 25.040.40; 35.100.05

ISBN 978-2-8322-8580-0

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	10
1 Scope	12
2 Normative references	12
3 Terms, definitions, abbreviated terms and conventions	13
3.1 Terms and definitions	13
3.2 Abbreviated terms	14
3.3 Conventions	14
3.3.1 Conventions for AddressSpace figures	14
3.3.2 Conventions for defining NodeClasses	15
4 AddressSpace concepts	16
4.1 Overview	16
4.2 Object Model	16
4.3 Node Model	16
4.3.1 General	16
4.3.2 NodeClasses	17
4.3.3 Attributes	17
4.3.4 References	17
4.4 Variables	18
4.4.1 General	18
4.4.2 Properties	18
4.4.3 DataVariables	18
4.5 TypeDefinitionNodes	19
4.5.1 General	19
4.5.2 Complex TypeDefinitionNodes and their InstanceDeclarations	20
4.5.3 Subtyping	21
4.5.4 Instantiation of complex TypeDefinitionNodes	21
4.6 Event Model	22
4.6.1 General	22
4.6.2 EventTypes	22
4.6.3 Event Categorization	23
4.7 Methods	23
4.8 Roles	24
4.8.1 Overview	24
4.8.2 Well-known Roles	24
4.8.3 Evaluating Permissions with Roles	25
5 Standard NodeClasses	27
5.1 Overview	27
5.2 Base NodeClass	28
5.2.1 General	28
5.2.2 NodeId	28
5.2.3 NodeClass	28
5.2.4 BrowseName	28
5.2.5 DisplayName	29
5.2.6 Description	29
5.2.7 WriteMask	29
5.2.8 UserWriteMask	29

5.2.9	RolePermissions	30
5.2.10	UserRolePermissions	31
5.2.11	AccessRestrictions	31
5.3	ReferenceType NodeClass	31
5.3.1	General	31
5.3.2	Attributes	32
5.3.3	References	34
5.4	View NodeClass	34
5.5	Objects	36
5.5.1	Object NodeClass	36
5.5.2	ObjectType NodeClass	38
5.5.3	Standard ObjectType FolderType	40
5.5.4	Client-side creation of Objects of an ObjectType	40
5.6	Variables	40
5.6.1	General	40
5.6.2	Variable NodeClass	41
5.6.3	Properties	45
5.6.4	DataVariable	45
5.6.5	VariableType NodeClass	46
5.6.6	Client-side creation of Variables of an VariableType	49
5.7	Method NodeClass	49
5.8	DataTypes	51
5.8.1	DataType Model	51
5.8.2	Encoding rules for different kinds of DataTypes	52
5.8.3	DataType NodeClass	53
5.8.4	DataTypeEncoding and encoding information	56
5.9	Summary of Attributes of the NodeClasses	56
6	Type Model for ObjectTypes and VariableTypes	57
6.1	Overview	57
6.2	Definitions	57
6.2.1	InstanceDeclaration	57
6.2.2	Instances without ModellingRules	58
6.2.3	InstanceDeclarationHierarchy	58
6.2.4	Similar Node of InstanceDeclaration	58
6.2.5	BrowsePath	58
6.2.6	Attribute Handling of InstanceDeclarations	58
6.2.7	Attribute Handling of Variable and VariableTypes	58
6.2.8	NodeIds of InstanceDeclarations	59
6.3	Subtyping of ObjectTypes and VariableTypes	59
6.3.1	Overview	59
6.3.2	Attributes	59
6.3.3	InstanceDeclarations	59
6.4	Instances of ObjectTypes and VariableTypes	63
6.4.1	Overview	63
6.4.2	Creating an Instance	63
6.4.3	Constraints on an Instance	64
6.4.4	ModellingRules	65
6.5	Changing type definitions that are already used	72
7	Standard ReferenceTypes	73

7.1	General.....	73
7.2	References ReferenceType.....	73
7.3	HierarchicalReferences ReferenceType	74
7.4	NonHierarchicalReferences ReferenceType	74
7.5	HasChild ReferenceType	74
7.6	Aggregates ReferenceType.....	74
7.7	HasComponent ReferenceType.....	74
7.8	HasProperty ReferenceType	75
7.9	HasOrderedComponent ReferenceType	75
7.10	HasSubtype ReferenceType.....	75
7.11	Organizes ReferenceType.....	76
7.12	HasModellingRule ReferenceType	76
7.13	HasTypeDefinition ReferenceType	76
7.14	HasEncoding ReferenceType	76
7.15	GeneratesEvent	77
7.16	AlwaysGeneratesEvent	77
7.17	HasEventSource	77
7.18	HasNotifier	77
8	Standard DataTypes	79
8.1	General.....	79
8.2	NodeId.....	79
8.2.1	General	79
8.2.2	NamespaceIndex.....	79
8.2.3	IdentifierType	80
8.2.4	Identifier value	80
8.3	QualifiedName	81
8.4	LocaleId.....	81
8.5	LocalizedText	82
8.6	Argument	82
8.7	BaseDataType	83
8.8	Boolean	83
8.9	Byte	83
8.10	ByteString	83
8.11	DateTime	83
8.12	Double	83
8.13	Duration.....	84
8.14	Enumeration	84
8.15	Float	84
8.16	Guid.....	84
8.17	SByte.....	84
8.18	IdType	84
8.19	Image	84
8.20	ImageBMP	84
8.21	ImageGIF.....	84
8.22	ImageJPG	84
8.23	ImagePNG	84
8.24	Integer	85
8.25	Int16	85
8.26	Int32	85

8.27	Int64	85
8.28	TimeZoneDataType.....	85
8.29	NamingRuleType	85
8.30	NodeClass	85
8.31	Number	86
8.32	String.....	86
8.33	Structure.....	86
8.34	UInteger.....	86
8.35	UInt16.....	86
8.36	UInt32.....	86
8.37	UInt64.....	86
8.38	UtcTime	86
8.39	XmlElement	87
8.40	EnumValueType.....	87
8.41	OptionSet	87
8.42	Union	88
8.43	DateString	88
8.44	DecimalString	88
8.45	DurationString.....	88
8.46	NormalizedString	89
8.47	TimeString	89
8.48	DataTypeDefinition	89
8.49	StructureDefinition	89
8.50	EnumDefinition	90
8.51	StructureField	90
8.52	EnumField	91
8.53	AudioDataType	91
8.54	Decimal	91
8.55	PermissionType	92
8.56	AccessRestrictionsType	93
8.57	AccessLevelType	93
8.58	AccessLevelExType.....	94
8.59	EventNotifierType	95
8.60	AttributeWriteMask.....	95
9	Standard EventTypes	96
9.1	General.....	96
9.2	BaseEventType.....	97
9.3	SystemEventType	97
9.4	ProgressEventType.....	97
9.5	AuditEventType	98
9.6	AuditSecurityEventType	99
9.7	AuditChannelEventType.....	99
9.8	AuditOpenSecureChannelEventType	99
9.9	AuditSessionEventType	99
9.10	AuditCreateSessionEventType	99
9.11	AuditUrlMismatchEventType	100
9.12	AuditActivateSessionEventType.....	100
9.13	AuditCancelEventType.....	100
9.14	AuditCertificateEventType.....	100

iTech STANDARD PREVIEW

(standards.iteh.ai)

SIST EN IEC 62541-3:2020

<https://standards.iteh.ai/catalog/standards/sist/3cd4e4df-1b53-413e-b52a-8689b13ef/sist-en-iec-62541-3-2020>

9.15	AuditCertificateDataMismatchEventType	100
9.16	AuditCertificateExpiredEventType	100
9.17	AuditCertificateInvalidEventType	100
9.18	AuditCertificateUntrustedEventType	100
9.19	AuditCertificateRevokedEventType	100
9.20	AuditCertificateMismatchEventType	101
9.21	AuditNodeManagementEventType	101
9.22	AuditAddNodesEventType	101
9.23	AuditDeleteNodesEventType	101
9.24	AuditAddReferencesEventType	101
9.25	AuditDeleteReferencesEventType	101
9.26	AuditUpdateEventType	101
9.27	AuditWriteUpdateEventType	101
9.28	AuditHistoryUpdateEventType	101
9.29	AuditUpdateMethodEventType	101
9.30	DeviceFailureEventType	101
9.31	SystemStatusChangeEvent	102
9.32	ModelChangeEvents	102
9.32.1	General	102
9.32.2	NodeVersion Property	102
9.32.3	Views	102
9.32.4	Event compression	102
9.32.5	BaseModelChangeEvent	102
9.32.6	GeneralModelChangeEvent	103
9.32.7	Guidelines for ModelChangeEvents	103
9.33	SemanticChangeEvent	103
9.33.1	General	103
9.33.2	ViewVersion and NodeVersion Properties	103
9.33.3	Views	103
9.33.4	Event compression	104
Annex A	(informative) How to use the Address Space Model	105
A.1	Overview	105
A.2	Type definitions	105
A.3	ObjectTypes	105
A.4	VariableTypes	106
A.4.1	General	106
A.4.2	Properties or DataVariables	106
A.4.3	Many Variables and/or structured DataTypes	106
A.5	Views	107
A.6	Methods	107
A.7	Defining ReferenceTypes	107
A.8	Defining ModellingRules	107
Annex B	(informative) OPC UA Meta Model in UML	108
B.1	Background	108
B.2	Notation	108
B.3	Meta Model	110
B.3.1	Base	110
B.3.2	ReferenceType	110
B.3.3	Predefined ReferenceTypes	111

B.3.4	Attributes	111
B.3.5	Object and ObjectType	112
B.3.6	EventNotifier	113
B.3.7	Variable and VariableType	113
B.3.8	Method	114
B.3.9	DataType	115
B.3.10	View	116
Annex C (normative)	Graphical notation	117
C.1	General	117
C.2	Notation	117
C.2.1	Overview	117
C.2.2	Simple notation	117
C.2.3	Extended notation	119
Bibliography	122
Figure 1	– AddressSpace Node diagrams	14
Figure 2	– OPC UA Object Model	16
Figure 3	– AddressSpace Node Model	17
Figure 4	– Reference Model	18
Figure 5	– Example of a Variable defined by a VariableType	20
Figure 6	– Example of a Complex TypeDefinition	20
Figure 7	– Object and its Components defined by an ObjectType	21
Figure 8	– Permissions in the Address Space	31
Figure 9	– Symmetric and Non-Symmetric References	33
Figure 10	– Variables, VariableTypes and their DataTypes	52
Figure 11	– DataType Model	52
Figure 12	– Example of DataType Modelling	56
Figure 13	– Subtyping TypeDefinitionNodes	60
Figure 14	– The Fully-Inherited InstanceDeclarationHierarchy for BetaType	62
Figure 15	– An Instance and its TypeDefinitionNode	63
Figure 16	– Example of several References between InstanceDeclarations	64
Figure 17	– Example of changing instances based on InstanceDeclarations	66
Figure 18	– Example of changing InstanceDeclarations based on an InstanceDeclaration	67
Figure 19	– Use of the Standard ModellingRule Mandatory	68
Figure 20	– Example using the Standard ModellingRules Optional and Mandatory	69
Figure 21	– Example of using ExposesItsArray	70
Figure 22	– Complex example of using ExposesItsArray	70
Figure 23	– Example using OptionalPlaceholder with an Object and Variable	70
Figure 24	– Example using OptionalPlaceholder with a Method	71
Figure 25	– Example of using MandatoryPlaceholder for Object and Variable	72
Figure 26	– Standard ReferenceType Hierarchy	73
Figure 27	– Event Reference Example	78
Figure 28	– Complex Event Reference Example	79
Figure 29	– Standard EventType Hierarchy	97

Figure 30 – Audit Behaviour of a Server.....	98
Figure 31 – Audit Behaviour of an Aggregating Server.....	99
Figure B.1 – Background of OPC UA Meta Model	108
Figure B.2 – Notation (I)	109
Figure B.3 – Notation (II)	109
Figure B.4 – Base	110
Figure B.5 – Reference and ReferenceType.....	110
Figure B.6 – Predefined ReferenceTypes.....	111
Figure B.7 – Attributes	112
Figure B.8 – Object and ObjectType	113
Figure B.9 – EventNotifier	113
Figure B.10 – Variable and VariableType	114
Figure B.11 – Method	115
Figure B.12 – DataType	115
Figure B.13 – View	116
Figure C.1 – Example of a Reference connecting two Nodes	118
Figure C.2 – Example of using a TypeDefinition inside a Node	120
Figure C.3 – Example of exposing Attributes.....	120
Figure C.4 – Example of exposing Properties inline	121
iteh STANDARD PREVIEW (standards.iteh.ai)	
Table 1 – NodeClass Table Conventions.....	15
Table 2 – Well-known Roles.....	25
Table 3 – Example Roles	26
Table 4 – Example Nodes	26
Table 5 – Example Role assignment	27
Table 6 – Examples of evaluating access.....	27
Table 7 – Base NodeClass.....	28
Table 8 – RolePermissionType	30
Table 9 – ReferenceType NodeClass	32
Table 10 – View NodeClass	35
Table 11 – Object NodeClass	37
Table 12 – ObjectType NodeClass	39
Table 13 – Variable NodeClass.....	41
Table 14 – VariableType NodeClass	47
Table 15 – Method NodeClass	50
Table 16 – DataType NodeClass.....	54
Table 17 – Overview of Attributes	57
Table 18 – The InstanceDeclarationHierarchy for BetaType	60
Table 19 – The Fully-Inherited InstanceDeclarationHierarchy for BetaType.....	61
Table 20 – Rule for ModellingRules Properties when Subtyping.....	66
Table 21 – Properties of ModellingRules	67
Table 22 – NodeId Definition.....	79
Table 23 – IdentifierType Values.....	80

Table 24 – NodeId Null Values	81
Table 25 – QualifiedName Definition	81
Table 26 – LocaleId Examples	82
Table 27 – LocalizedText Definition	82
Table 28 – Argument Definition	83
Table 29 – TimeZoneDataType Definition	85
Table 30 – NamingRuleType Values	85
Table 31 – NodeClass Values	86
Table 32 – EnumValueType Definition	87
Table 33 – OptionSet Definition	88
Table 34 – StructureDefinition Structure	90
Table 35 – EnumDefinition Structure	90
Table 36 – StructureField Structure	91
Table 37 – EnumField Structure	91
Table 38 – PermissionType Definition	92
Table 39 – AccessRestrictionsType Definition	93
Table 40 – AccessLevelType Definition	94
Table 41 – AccessLevelExType Definition	94
Table 42 – EventNotifierType Definition	95
Table 43 – Bit mask for WriteMask and UserWriteMask	96
Table C.1 – Notation of Nodes depending on the NodeClass	118
Table C.2 – Simple Notation of Nodes depending on the NodeClass	119