

INTERNATIONAL STANDARD

ISO/IEC
23008-2

Second edition
2015-05-01

Information technology — High efficiency coding and media delivery in heterogeneous environments

Part 2: High efficiency video coding

iTeh STANDARD REVIEW

*Technologies de l'information — Codage à haute efficacité et livraison
des médias dans des environnements hétérogènes —*

Partie 2: Codage vidéo à haute efficacité

[ISO/IEC 23008-2:2015](#)

[https://standards.iteh.ai/catalog/standards/sist/cfad8be7-3a99-4b18-ae53-
015330bbb8b9/iso-iec-23008-2-2015](https://standards.iteh.ai/catalog/standards/sist/cfad8be7-3a99-4b18-ae53-015330bbb8b9/iso-iec-23008-2-2015)

Reference number
ISO/IEC 23008-2:2015(E)



© ISO/IEC 2015

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO/IEC 23008-2:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/cfad8be7-3a99-4b18-ae53-015330bbb8b9/iso-iec-23008-2-2015>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

CONTENTS

	Page
0 Introduction	xvii
0.1 General	xvii
0.2 Prologue	xvii
0.3 Purpose	xvii
0.4 Applications	xvii
0.5 Publication and versions of this Specification	xvii
0.6 Profiles, tiers, and levels	xviii
0.7 Overview of the design characteristics	xviii
0.8 How to read this Specification	xviii
1 Scope	1
2 Normative references	1
2.1 General	1
2.2 Identical Recommendations International Standards	1
2.3 Paired Recommendations International Standards equivalent in technical content	1
2.4 Additional references	1
3 Definitions	1
4 Abbreviations	10
5 Conventions	12
5.1 General	12
5.2 Arithmetic operators	12
5.3 Logical operators	12
5.4 Relational operators	12
5.5 Bit-wise operators	12
5.6 Assignment operators	13
5.7 Range notation	13
5.8 Mathematical functions	13
5.9 Order of operation precedence	14
5.10 Variables, syntax elements, and tables	15
5.11 Text description of logical operations	15
5.12 Processes	16
6 Bitstream and picture formats, partitionings, scanning processes, and neighbouring relationships	17
6.1 Bitstream formats	17
6.2 Source, decoded, and output picture formats	17
6.3 Partitioning of pictures, slices, slice segments, tiles, coding tree units, and coding tree blocks	19
6.3.1 Partitioning of pictures into slices, slice segments, and tiles	19
6.3.2 Block and quadtree structures	20
6.3.3 Spatial or component-wise partitionings	21
6.4 Availability processes	22
6.4.1 Derivation process for z-scan order block availability	22
6.4.2 Derivation process for prediction block availability	22
6.5 Scanning processes	23
6.5.1 Coding tree block raster and tile scanning conversion process	23
6.5.2 Z-scan order array initialization process	24
6.5.3 Up-right diagonal scan order array initialization process	25
6.5.4 Horizontal scan order array initialization process	25
6.5.5 Vertical scan order array initialization process	25
7 Syntax and semantics	26
7.1 Method of specifying syntax in tabular form	26
7.2 Specification of syntax functions and descriptors	27
7.3 Syntax in tabular form	28
7.3.1 NAL unit syntax	28

7.3.1.1	General NAL unit syntax	28
7.3.1.2	NAL unit header syntax	29
7.3.2	Raw byte sequence payloads, trailing bits, and byte alignment syntax	30
7.3.2.1	Video parameter set RBSP syntax	30
7.3.2.2	Sequence parameter set RBSP syntax	31
7.3.2.3	Picture parameter set RBSP syntax	34
7.3.2.4	Supplemental enhancement information RBSP syntax	36
7.3.2.5	Access unit delimiter RBSP syntax	36
7.3.2.6	End of sequence RBSP syntax	36
7.3.2.7	End of bitstream RBSP syntax	36
7.3.2.8	Filler data RBSP syntax	36
7.3.2.9	Slice segment layer RBSP syntax	36
7.3.2.10	RBSP slice segment trailing bits syntax	37
7.3.2.11	RBSP trailing bits syntax	37
7.3.2.12	Byte alignment syntax	37
7.3.3	Profile, tier and level syntax	38
7.3.4	Scaling list data syntax	40
7.3.5	Supplemental enhancement information message syntax	40
7.3.6	Slice segment header syntax	41
7.3.6.1	General slice segment header syntax	41
7.3.6.2	Reference picture list modification syntax	43
7.3.6.3	Weighted prediction parameters syntax	44
7.3.7	Short-term reference picture set syntax	45
7.3.8	Slice segment data syntax	46
7.3.8.1	General slice segment data syntax	46
7.3.8.2	Coding tree unit syntax	46
7.3.8.3	Sample adaptive offset syntax	46
7.3.8.4	Coding quadtree syntax	48
7.3.8.5	Coding unit syntax	49
7.3.8.6	Prediction unit syntax	51
7.3.8.7	PCM sample syntax	51
7.3.8.8	Transform tree syntax	52
7.3.8.9	Motion vector difference syntax	53
7.3.8.10	Transform unit syntax	54
7.3.8.11	Residual coding syntax	56
7.3.8.12	Cross-component prediction syntax	58
7.4	Semantics	58
7.4.1	General	58
7.4.2	NAL unit semantics	58
7.4.2.1	General NAL unit semantics	58
7.4.2.2	NAL unit header semantics	59
7.4.2.3	Encapsulation of an SODB within an RBSP (informative)	62
7.4.2.4	Order of NAL units and association to coded pictures, access units, and coded video sequences	63
7.4.3	Raw byte sequence payloads, trailing bits, and byte alignment semantics	66
7.4.3.1	Video parameter set RBSP semantics	66
7.4.3.2	Sequence parameter set RBSP semantics	69
7.4.3.3	Picture parameter set RBSP semantics	75
7.4.3.4	Supplemental enhancement information RBSP semantics	79
7.4.3.5	Access unit delimiter RBSP semantics	79
7.4.3.6	End of sequence RBSP semantics	79
7.4.3.7	End of bitstream RBSP semantics	80
7.4.3.8	Filler data RBSP semantics	80
7.4.3.9	Slice segment layer RBSP semantics	80
7.4.3.10	RBSP slice segment trailing bits semantics	80
7.4.3.11	RBSP trailing bits semantics	80
7.4.3.12	Byte alignment semantics	80
7.4.4	Profile, tier, and level semantics	80
7.4.5	Scaling list data semantics	83
7.4.6	Supplemental enhancement information message semantics	85
7.4.7	Slice segment header semantics	85
7.4.7.1	General slice segment header semantics	85
7.4.7.2	Reference picture list modification semantics	90
7.4.7.3	Weighted prediction parameters semantics	91

7.4.8	Short-term reference picture set semantics	91
7.4.9	Slice segment data semantics	94
7.4.9.1	General slice segment data semantics	94
7.4.9.2	Coding tree unit semantics	94
7.4.9.3	Sample adaptive offset semantics	94
7.4.9.4	Coding quadtree semantics	96
7.4.9.5	Coding unit semantics	96
7.4.9.6	Prediction unit semantics	98
7.4.9.7	PCM sample semantics	98
7.4.9.8	Transform tree semantics	99
7.4.9.9	Motion vector difference semantics	99
7.4.9.10	Transform unit semantics	100
7.4.9.11	Residual coding semantics	101
7.4.9.12	Cross-component prediction semantics	103
8	Decoding process	103
8.1	General decoding process	103
8.1.1	General	103
8.1.2	CVSG decoding process	104
8.1.3	Decoding process for a coded picture with nuh_layer_id equal to 0	104
8.2	NAL unit decoding process	105
8.3	Slice decoding process	105
8.3.1	Decoding process for picture order count	105
8.3.2	Decoding process for reference picture set	106
8.3.3	Decoding process for generating unavailable reference pictures	110
8.3.3.1	General decoding process for generating unavailable reference pictures	110
8.3.3.2	Generation of one unavailable picture	111
8.3.4	Decoding process for reference picture lists construction	111
8.3.5	Decoding process for collocated picture and no backward prediction flag	112
8.4	Decoding process for coding units coded in intra prediction mode	112
8.4.1	General decoding process for coding units coded in intra prediction mode	112
8.4.2	Derivation process for luma intra prediction mode	113
8.4.3	Derivation process for chroma intra prediction mode	115
8.4.4	Decoding process for intra blocks	116
8.4.4.1	General decoding process for intra blocks	116
8.4.4.2	Intra sample prediction	118
8.5	Decoding process for coding units coded in inter prediction mode	124
8.5.1	General decoding process for coding units coded in inter prediction mode	124
8.5.2	Inter prediction process	124
8.5.3	Decoding process for prediction units in inter prediction mode	127
8.5.3.1	General	127
8.5.3.2	Derivation process for motion vector components and reference indices	128
8.5.3.3	Decoding process for inter prediction samples	142
8.5.4	Decoding process for the residual signal of coding units coded in inter prediction mode	150
8.5.4.1	General	150
8.5.4.2	Decoding process for luma residual blocks	151
8.5.4.3	Decoding process for chroma residual blocks	152
8.6	Scaling, transformation and array construction process prior to deblocking filter process	153
8.6.1	Derivation process for quantization parameters	153
8.6.2	Scaling and transformation process	155
8.6.3	Scaling process for transform coefficients	156
8.6.4	Transformation process for scaled transform coefficients	157
8.6.4.1	General	157
8.6.4.2	Transformation process	158
8.6.5	Residual modification process for blocks using a transform bypass	159
8.6.6	Residual modification process for transform blocks using cross-component prediction	159
8.6.7	Picture construction process prior to in-loop filter process	160
8.7	In-loop filter process	160
8.7.1	General	160
8.7.2	Deblocking filter process	161
8.7.2.1	General	161
8.7.2.2	Derivation process of transform block boundary	162
8.7.2.3	Derivation process of prediction block boundary	163

8.7.2.4	Derivation process of boundary filtering strength.....	164
8.7.2.5	Edge filtering process	165
8.7.3	Sample adaptive offset process	173
8.7.3.1	General.....	173
8.7.3.2	Coding tree block modification process.....	174
9	Parsing process	175
9.1	General.....	175
9.2	Parsing process for 0-th order Exp-Golomb codes	176
9.2.1	General.....	176
9.2.2	Mapping process for signed Exp-Golomb codes	177
9.3	CABAC parsing process for slice segment data	178
9.3.1	General.....	178
9.3.2	Initialization process	180
9.3.2.1	General.....	180
9.3.2.2	Initialization process for context variables	181
9.3.2.3	Storage process for context variables and Rice parameter initialization states	190
9.3.2.4	Synchronization process for context variables and Rice parameter initialization states	191
9.3.2.5	Initialization process for the arithmetic decoding engine	191
9.3.3	Binarization process.....	192
9.3.3.1	General.....	192
9.3.3.2	Truncated Rice (TR) binarization process	194
9.3.3.3	k-th order Exp-Golomb (EGk) binarization process	195
9.3.3.4	Limited k-th order Exp-Golomb (EGk) binarization process	195
9.3.3.5	Fixed-length (FL) binarization process.....	196
9.3.3.6	Binarization process for part_mode	196
9.3.3.7	Binarization process for intra_chroma_pred_mode	197
9.3.3.8	Binarization process for inter_pred_idc	197
9.3.3.9	Binarization process for cu_qp_delta_abs	198
9.3.3.10	Binarization process for coeff_abs_level_remaining[]	198
9.3.4	Decoding process flow	199
9.3.4.1	General.....	199
9.3.4.2	Derivation process for ctxTable, ctxIdx and bypassFlag	200
9.3.4.3	Arithmetic decoding process.....	206
9.3.5	Arithmetic encoding process (informative).....	212
9.3.5.1	General.....	212
9.3.5.2	Initialization process for the arithmetic encoding engine (informative)	212
9.3.5.3	Encoding process for a binary decision (informative)	213
9.3.5.4	Renormalization process in the arithmetic encoding engine (informative)	214
9.3.5.5	Bypass encoding process for binary decisions (informative).....	215
9.3.5.6	Encoding process for a binary decision before termination (informative)	216
9.3.5.7	Byte stuffing process (informative)	218
10	Sub-bitstream extraction process	218
Annex A	Profiles, tiers and levels	219
A.1	Overview of profiles, tiers and levels	219
A.2	Requirements on video decoder capability	219
A.3	Profiles	219
A.3.1	General	219
A.3.2	Main profile	219
A.3.3	Main 10 profile	220
A.3.4	Main Still Picture profile.....	221
A.3.5	Format range extensions profiles	222
A.3.6	Format range extensions high throughput profiles	226
A.4	Tiers and levels	228
A.4.1	General tier and level limits	228
A.4.2	Profile-specific level limits for the video profiles	229
A.4.3	Effect of level limits on picture rate for the video profiles (informative)	232
Annex B	Byte stream format	236
B.1	General.....	236
B.2	Byte stream NAL unit syntax and semantics	236
B.2.1	Byte stream NAL unit syntax.....	236

B.2.2	Byte stream NAL unit semantics	236
B.3	Byte stream NAL unit decoding process	237
B.4	Decoder byte-alignment recovery (informative).....	237
Annex C	Hypothetical reference decoder	238
C.1	General.....	238
C.2	Operation of coded picture buffer (CPB).....	242
C.2.1	General.....	242
C.2.2	Timing of decoding unit arrival	242
C.2.3	Timing of decoding unit removal and decoding of decoding unit	244
C.3	Operation of the decoded picture buffer (DPB)	246
C.3.1	General.....	246
C.3.2	Removal of pictures from the DPB	247
C.3.3	Picture output	247
C.3.4	Current decoded picture marking and storage.....	248
C.4	Bitstream conformance	248
C.5	Decoder conformance	249
C.5.1	General.....	249
C.5.2	Operation of the output order DPB	250
C.5.2.1	General.....	250
C.5.2.2	Output and removal of pictures from the DPB	251
C.5.2.3	Picture decoding, marking, additional bumping, and storage	251
C.5.2.4	"Bumping" process	252
Annex D	Supplemental enhancement information	253
D.1	General.....	253
D.2	SEI payload syntax	254
D.2.1	General SEI message syntax	254
D.2.2	Buffering period SEI message syntax	257
D.2.3	Picture timing SEI message syntax	258
D.2.4	Pan-scan rectangle SEI message syntax	258
D.2.5	Filler payload SEI message syntax	259
D.2.6	User data registered by Rec. ITU-T T.35 SEI message syntax	259
D.2.7	User data unregistered SEI message syntax	259
D.2.8	Recovery point SEI message syntax	259
D.2.9	Scene information SEI message syntax	260
D.2.10	Picture snapshot SEI message syntax.....	260
D.2.11	Progressive refinement segment start SEI message syntax	260
D.2.12	Progressive refinement segment end SEI message syntax	260
D.2.13	Film grain characteristics SEI message syntax	261
D.2.14	Post-filter hint SEI message syntax.....	261
D.2.15	Tone mapping information SEI message syntax	262
D.2.16	Frame packing arrangement SEI message syntax	263
D.2.17	Display orientation SEI message syntax	263
D.2.18	Structure of pictures information SEI message syntax	264
D.2.19	Decoded picture hash SEI message syntax	264
D.2.20	Active parameter sets SEI message syntax	264
D.2.21	Decoding unit information SEI message syntax	265
D.2.22	Temporal sub-layer zero index SEI message syntax	265
D.2.23	Scalable nesting SEI message syntax	265
D.2.24	Region refresh information SEI message syntax	266
D.2.25	No display SEI message syntax	266
D.2.26	Time code SEI message syntax	267
D.2.27	Mastering display colour volume SEI message syntax	268
D.2.28	Segmented rectangular frame packing arrangement SEI message syntax	268
D.2.29	Temporal motion-constrained tile sets SEI message syntax	269
D.2.30	Chroma resampling filter hint SEI message syntax	270
D.2.31	Knee function information SEI message syntax	270
D.2.32	Colour remapping information SEI message syntax	271
D.2.33	Deinterlaced field identification SEI message syntax	272
D.2.34	Reserved SEI message syntax	272
D.3	SEI payload semantics	272
D.3.1	General SEI payload semantics	272

D.3.2	Buffering period SEI message semantics	276
D.3.3	Picture timing SEI message semantics	278
D.3.4	Pan-scan rectangle SEI message semantics	283
D.3.5	Filler payload SEI message semantics	284
D.3.6	User data registered by Rec. ITU-T T.35 SEI message semantics	284
D.3.7	User data unregistered SEI message semantics	284
D.3.8	Recovery point SEI message semantics	285
D.3.9	Scene information SEI message semantics	286
D.3.10	Picture snapshot SEI message semantics	288
D.3.11	Progressive refinement segment start SEI message semantics	288
D.3.12	Progressive refinement segment end SEI message semantics	289
D.3.13	Film grain characteristics SEI message semantics	289
D.3.14	Post-filter hint SEI message semantics	294
D.3.15	Tone mapping information SEI message semantics	295
D.3.16	Frame packing arrangement SEI message semantics	299
D.3.17	Display orientation SEI message semantics	306
D.3.18	Structure of pictures information SEI message semantics	307
D.3.19	Decoded picture hash SEI message semantics	308
D.3.20	Active parameter sets SEI message semantics	309
D.3.21	Decoding unit information SEI message semantics	310
D.3.22	Temporal sub-layer zero index SEI message semantics	311
D.3.23	Scalable nesting SEI message semantics	312
D.3.24	Region refresh information SEI message semantics	313
D.3.25	No display SEI message semantics	314
D.3.26	Time code SEI message semantics	314
D.3.27	Mastering display colour volume SEI message semantics	317
D.3.28	Segmented rectangular frame packing arrangement SEI message semantics	318
D.3.29	Temporal motion-constrained tile sets SEI message semantics	320
D.3.30	Chroma resampling filter hint SEI message semantics	323
D.3.31	Knee function information SEI message semantics	332
D.3.32	Colour remapping information SEI message semantics	334
D.3.33	Deinterlaced field identification SEI message semantics	336
D.3.34	Reserved SEI message semantics ISO/IEC 23008-2:2015	336
Annex E Video usability information https://standards.iteh.ai/catalog/standards/sist/cfad8be7-3a99-4b18-ae53-015330bbb8b9/iso-iec-23008-2-2015 337		
E.1	General	337
E.2	VUI syntax	338
E.2.1	VUI parameters syntax	338
E.2.2	HRD parameters syntax	340
E.2.3	Sub-layer HRD parameters syntax	341
E.3	VUI semantics	341
E.3.1	VUI parameters semantics	341
E.3.2	HRD parameters semantics	354
E.3.3	Sub-layer HRD parameters semantics	357
Annex F Common specifications for multi-layer extensions 359		
F.1	Scope	359
F.2	Normative references	359
F.3	Definitions	359
F.4	Abbreviations	362
F.5	Conventions	362
F.6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships	362
F.7	Syntax and semantics	362
F.7.1	Method of specifying syntax in tabular form	362
F.7.2	Specification of syntax functions, categories, and descriptors	362
F.7.3	Syntax in tabular form	362
F.7.3.1	NAL unit syntax	362
F.7.3.2	Raw byte sequence payloads and RBSP trailing bits syntax	363
F.7.3.3	Profile, tier, and level syntax	377
F.7.3.4	Scaling list data syntax	377
F.7.3.5	Supplemental enhancement information message syntax	377
F.7.3.6	Slice segment header syntax	378
F.7.3.7	Short-term reference picture set syntax	381

F.7.3.8	Slice segment data syntax	381
F.7.4	Semantics	381
F.7.4.1	General.....	381
F.7.4.2	NAL unit semantics	381
F.7.4.3	Raw byte sequence payloads, trailing bits, and byte alignment semantics	385
F.7.4.4	Profile, tier, and level semantics	410
F.7.4.5	Scaling list data semantics	412
F.7.4.6	Supplemental enhancement information message semantics.....	412
F.7.4.7	Slice segment header semantics.....	412
F.7.4.8	Short-term reference picture set semantics	416
F.7.4.9	Slice segment data semantics.....	417
F.8	Decoding process	417
F.8.1	General decoding process	417
F.8.1.1	General.....	417
F.8.1.2	CVSG decoding process	418
F.8.1.3	Common decoding process for a coded picture	419
F.8.1.4	Decoding process for a coded picture with nuh_layer_id equal to 0	422
F.8.1.5	Decoding process for starting the decoding of a coded picture with nuh_layer_id greater than 0	422
F.8.1.6	Decoding process for ending the decoding of a coded picture with nuh_layer_id greater than 0	423
F.8.1.7	Decoding process for generating unavailable reference pictures for pictures first in decoding order within a layer	423
F.8.1.8	Initialization process for an external base layer picture	424
F.8.1.9	Decoding process for an external base layer picture.....	425
F.8.2	NAL unit decoding process.....	425
F.8.3	Slice decoding processes.....	425
F.8.3.1	Decoding process for picture order count	425
F.8.3.2	Decoding process for reference picture set	427
F.8.3.3	Decoding process for generating unavailable reference pictures	428
F.8.3.4	Decoding process for reference picture lists construction.....	428
F.8.4	Decoding process for coding units coded in intra prediction mode	428
F.8.5	Decoding process for coding units coded in inter prediction mode	429
F.8.6	Scaling, transformation and array construction process prior to deblocking filter process	429
F.8.7	In-loop filter process	429
F.9	Parsing process https://standards.iteh.ai/catalog/standards/sist/cfad8be7-3a99-4b18-ae53-015330bbb8b9/iso-iec-23008-2-2015	429
F.10	Specification of bitstream subsets.....	429
F.10.1	Sub-bitstream extraction process	429
F.10.2	Independent non-base layer rewriting process	429
F.10.3	Sub-bitstream extraction process for additional layer sets	430
F.11	Profiles, tiers, and levels	430
F.11.1	Independent non-base layer decoding capability	430
F.11.2	Decoder capabilities.....	431
F.12	Byte stream format	432
F.13	Hypothetical reference decoder	432
F.13.1	General	432
F.13.2	Operation of bitstream partition buffer (BPB)	437
F.13.2.1	General.....	437
F.13.2.2	Timing of decoding unit arrival	437
F.13.2.3	Timing of decoding unit removal and decoding of decoding unit	439
F.13.3	Operation of decoded picture buffer (DPB)	442
F.13.3.1	General.....	442
F.13.3.2	Removal of pictures from the DPB	442
F.13.3.3	Picture output	443
F.13.3.4	Current decoded picture marking and storage	444
F.13.4	Bitstream conformance	444
F.13.5	Decoder conformance	446
F.13.5.1	General.....	446
F.13.5.2	Operation of the output order DPB	447
F.13.6	Demultiplexing process for deriving a bitstream partition	450
F.14	Supplemental enhancement information	450
F.14.1	General	450
F.14.2	SEI payload syntax.....	450
F.14.2.1	General SEI payload syntax	450

F.14.2.2	Annex D SEI message syntax for multi-layer extensions	450	
F.14.2.3	Layers not present SEI message syntax	450	
F.14.2.4	Inter-layer constrained tile sets SEI message syntax	451	
F.14.2.5	Bitstream partition nesting SEI message syntax	451	
F.14.2.6	Bitstream partition initial arrival time SEI message syntax	452	
F.14.2.7	Sub-bitstream property SEI message syntax	452	
F.14.2.8	Alpha channel information SEI message syntax	452	
F.14.2.9	Overlay information SEI message syntax	453	
F.14.2.10	Temporal motion vector prediction constraints SEI message syntax	454	
F.14.2.11	Frame-field information SEI message syntax	454	
F.14.3	SEI payload semantics	454	
F.14.3.1	General SEI payload semantics	454	
F.14.3.2	Annex D SEI message semantics for multi-layer extensions	455	
F.14.3.3	Layers not present SEI message semantics	463	
F.14.3.4	Inter-layer constrained tile sets SEI message semantics	463	
F.14.3.5	Bitstream partition nesting SEI message semantics	465	
F.14.3.6	Bitstream partition initial arrival time SEI message semantics	465	
F.14.3.7	Sub-bitstream property SEI message semantics	466	
F.14.3.8	Alpha channel information SEI message semantics	467	
F.14.3.9	Overlay information SEI message semantics	468	
F.14.3.10	Temporal motion vector prediction constraints SEI message semantics	470	
F.14.3.11	Frame-field information SEI message semantics	471	
F.15	Video usability information	472	
F.15.1	General	472	
F.15.2	VUI syntax	472	
F.15.3	VUI semantics	472	
F.15.3.1	VUI parameters semantics	472	
F.15.3.2	HRD parameters semantics	473	
F.15.3.3	Sub-layer HRD parameters semantics	473	
Annex G	Multiview high efficiency video coding (standard.iteh.ai)	474	
G.1	Scope	474	
G.2	Normative references	474	
G.3	Definitions	ISO/IEC 23008-2:2015	474
G.4	Abbreviations	https://standards.iteh.ai/catalog/standards/sist/cfad8bc7-3a99-4b18-ac53-015330bbb8b9/iso-iec-23008-2-2015	474
G.5	Conventions	474	
G.6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships	474	
G.7	Syntax and semantics	474	
G.8	Decoding processes	474	
G.8.1	General decoding process	474	
G.8.1.1	General	474	
G.8.1.2	Decoding process for a coded picture with nuh_layer_id greater than 0	474	
G.8.1.3	Decoding process for inter-layer reference picture set	475	
G.8.2	NAL unit decoding process	475	
G.8.3	Slice decoding processes	475	
G.8.4	Decoding process for coding units coded in intra prediction mode	475	
G.8.5	Decoding process for coding units coded in inter prediction mode	475	
G.8.6	Scaling, transformation and array construction process prior to deblocking filter process	475	
G.8.7	In-loop filter process	475	
G.9	Parsing process	475	
G.10	Specification of bitstream subsets	476	
G.11	Profiles, tiers, and levels	476	
G.11.1	Profiles	476	
G.11.1.1	Multiview Main profile	476	
G.11.2	Tiers and levels	478	
G.11.2.1	General tier and level limits	478	
G.11.2.2	Profile-specific tier and level limits for the Multiview Main profile	479	
G.11.3	Decoder capabilities	480	
G.12	Byte stream format	480	
G.13	Hypothetical reference decoder	480	
G.14	Supplemental enhancement information	480	
G.14.1	General	480	

G.14.2	SEI payload syntax.....	480
G.14.2.1	General SEI payload syntax.....	480
G.14.2.2	Annex D and Annex F SEI message syntax for multiview high efficiency video coding	480
G.14.2.3	3D reference displays information SEI message syntax	481
G.14.2.4	Depth representation information SEI message syntax.....	482
G.14.2.5	Multiview scene information SEI message syntax	482
G.14.2.6	Multiview acquisition information SEI message syntax	483
G.14.2.7	Multiview view position SEI message syntax	484
G.14.3	SEI payload semantics	484
G.14.3.1	General SEI payload semantics.....	484
G.14.3.2	Annex D and Annex F SEI message semantics for multiview high efficiency video coding	484
G.14.3.3	3D reference displays information SEI message semantics	484
G.14.3.4	Depth representation information SEI message semantics	487
G.14.3.5	Multiview scene information SEI message semantics	489
G.14.3.6	Multiview acquisition information SEI message semantics.....	490
G.14.3.7	Multiview view position SEI message semantics	493
G.15	Video usability information	493
Annex H	Scalable high efficiency video coding.....	494
H.1	Scope.....	494
H.2	Normative references	494
H.3	Definitions	494
H.4	Abbreviations.....	494
H.5	Conventions	494
H.6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships.....	494
H.7	Syntax and semantics	494
H.8	Decoding processes.....	494
H.8.1	General decoding process	494
H.8.1.1	General.....	494
H.8.1.2	Decoding process for a coded picture with nuh_layer_id greater than 0	494
H.8.1.3	Decoding process for inter-layer reference picture set.....	495
H.8.1.4	Derivation process for inter-layer reference pictures.....	495
H.8.2	NAL unit decoding process.....	507
H.8.3	https://standards.itoh.ai/catalog/standards/sist/cfad8be7-3a99-4b18-ae53-015330bbfb89/iso-iec-23008-2-2015	507
H.8.3.1	Decoding process for picture order count	507
H.8.3.2	Decoding process for reference picture set	507
H.8.3.3	Decoding process for generating unavailable reference pictures	507
H.8.3.4	Decoding process for reference picture lists construction.....	507
H.8.4	Decoding process for coding units coded in intra prediction mode	507
H.8.5	Decoding process for coding units coded in inter prediction mode	507
H.8.6	Scaling, transformation and array construction process prior to deblocking filter process	508
H.8.7	In-loop filter process	508
H.9	Parsing process	508
H.10	Specification of bitstream subsets.....	508
H.11	Profiles, tiers, and levels	508
H.11.1	Profiles	508
H.11.1.1	Scalable Main and Scalable Main 10 profiles	508
H.11.2	Tiers and levels	510
H.11.2.1	General tier and level limits	510
H.11.2.2	Profile specific tier and level limits for the Scalable Main and Scalable Main 10 profiles	512
H.11.3	Decoder capabilities	513
H.12	Byte stream format.....	513
H.13	Hypothetical reference decoder	513
H.14	Supplemental enhancement information.....	513
H.15	Video usability information	513
Bibliography	514

LIST OF FIGURES

Figure 6-1 – Nominal vertical and horizontal locations of 4:2:0 luma and chroma samples in a picture	18
--	----

Figure 6-2 – Nominal vertical and horizontal locations of 4:2:2 luma and chroma samples in a picture	18
Figure 6-3 – Nominal vertical and horizontal locations of 4:4:4 luma and chroma samples in a picture	19
Figure 6-4 – A picture with 11 by 9 luma coding tree blocks that is partitioned into two slices, the first of which is partitioned into three slice segments (informative).....	20
Figure 6-5 – A picture with 11 by 9 luma coding tree blocks that is partitioned into two tiles and one slice (left) or is partitioned into two tiles and three slices (right) (informative)	20
Figure 7-1 – Structure of an access unit not containing any NAL units with nal_unit_type equal to FD_NUT, SUFFIX_SEI_NUT, VPS_NUT, SPS_NUT, PPS_NUT, RSV_VCL_N10, RSV_VCL_R11, RSV_VCL_N12, RSV_VCL_R13, RSV_VCL_N14, RSV_VCL_R15, RSV_IRAP_VCL22, or RSV_IRAP_VCL23, or in the range of RSV_VCL24..RSV_VCL31, RSV_NVCL41..RSV_NVCL47, or UNSPEC48..UNSPEC63	66
Figure 8-1 – Intra prediction mode directions (informative)	114
Figure 8-2 – Intra prediction angle definition (informative).....	122
Figure 8-3 – Spatial motion vector neighbours (informative)	137
Figure 8-4 – Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for quarter sample luma interpolation.....	145
Figure 8-5 – Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for eighth sample chroma interpolation.....	147
Figure 9-1 – Illustration of CABAC parsing process for a syntax element synEl (informative)	179
Figure 9-2 – Spatial neighbour T that is used to invoke the coding tree block availability derivation process relative to the current coding tree block (informative)	180
Figure 9-3 – Illustration of CABAC initialization process (informative)	181
Figure 9-4 – Illustration of CABAC storage process (informative).....	191
Figure 9-5 – Overview of the arithmetic decoding process for a single bin (informative)	206
Figure 9-6 – Flowchart for decoding a decision .. ISO/IEC 23008-2:2015	208
Figure 9-7 – Flowchart of renormalization..... https://standards.iteh.ai/catalog/standards/sist/cfad8be7-3a99-4b18-ae53-015330bbb8b9/iso-iec-23008-2-2015	210
Figure 9-8 – Flowchart of bypass decoding process.....	211
Figure 9-9 – Flowchart of decoding a decision before termination	212
Figure 9-10 – Flowchart for encoding a decision	214
Figure 9-11 – Flowchart of renormalization in the encoder	215
Figure 9-12 – Flowchart of PutBit(B).....	215
Figure 9-13 – Flowchart of encoding bypass.....	216
Figure 9-14 – Flowchart of encoding a decision before termination	217
Figure 9-15 – Flowchart of flushing at termination	217
Figure C.1 – Structure of byte streams and NAL unit streams for HRD conformance checks.....	238
Figure C.2 – HRD buffer model	241
Figure D.1 – Nominal vertical and horizontal sampling locations of 4:2:0 samples in top and bottom fields	280
Figure D.2 – Nominal vertical and horizontal sampling locations of 4:2:2 samples in top and bottom fields	281
Figure D.3 – Nominal vertical and horizontal sampling locations of 4:4:4 samples in top and bottom fields	281
Figure D.4 – Rearrangement and upconversion of side-by-side packing arrangement with frame_packing_arrangement_type equal to 3, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (4, 8) for both constituent frames.....	303
Figure D.5 – Rearrangement and upconversion of side-by-side packing arrangement with frame_packing_arrangement_type equal to 3, quincunx_sampling_flag equal to 0, (x, y) equal to (12, 8) for constituent frame 0, and (x, y) equal to (0, 0) or (4, 8) for constituent frame 1	304

Figure D.6 – Rearrangement and upconversion of top-bottom packing arrangement with frame_packing_arrangement_type equal to 4, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (8, 4) for both constituent frames.....	304
Figure D.7 – Rearrangement and upconversion of top-bottom packing arrangement with frame_packing_arrangement_type equal to 4, quincunx_sampling_flag equal to 0, (x, y) equal to (8, 12) for constituent frame 0, and (x, y) equal to (0, 0) or (8, 4) for constituent frame 1.....	305
Figure D.8 – Rearrangement and upconversion of side-by-side packing arrangement with quincunx sampling (frame_packing_arrangement_type equal to 3 with quincunx_sampling_flag equal to 1).....	305
Figure D.9 – Rearrangement of a temporal interleaving frame arrangement (frame_packing_arrangement_type equal to 5).....	306
Figure D.10 – Rearrangement of a segmented rectangular frame packing arrangement	320
Figure D.11 – A knee function with num_knee_points_minus1 equal to 2.....	333
Figure E.1 – Location of chroma samples for top and bottom fields for chroma_format_idc equal to 1 (4:2:0 chroma format) as a function of chroma_sample_loc_type_top_field and chroma_sample_loc_type_bottom_field.....	351
Figure F.1 – Bitstream-partition-specific HRD buffer model.....	435

LIST OF TABLES

Table 5-1 – Operation precedence from highest (at top of table) to lowest (at bottom of table)	14
Table 6-1 – SubWidthC, and SubHeightC values derived from chroma_format_idc and separate_colour_plane_flag ...	17
Table 7-1 – NAL unit type codes and NAL unit type classes.....	60
Table 7-2 – Interpretation of pic_type.....	79
Table 7-3 – Specification of sizeId (standards.itech.ai).....	83
Table 7-4 – Specification of matrixId according to sizeId, prediction mode and colour component	83
Table 7-5 – Specification of default values of ScalingList ₀ [matrixId][i] with i = 0..15	84
<small>ISO/IEC 23008-2:2015 https://standards.itech.ai/catalog/standards/sist/ciad80e7-3a99-4b18-ae53</small>	
Table 7-6 – Specification of default values of ScalingList _{s1,i3} [matrixId][i] with i = 0..63	84
Table 7-7 – Name association to slice_type	86
Table 7-8 – Specification of the SAO type.....	95
Table 7-9 – Specification of the SAO edge offset class	96
Table 7-10 – Name association to prediction mode and partitioning type.....	97
Table 7-11 – Name association to inter prediction mode	98
Table 8-1 – Specification of intra prediction mode and associated names	113
Table 8-2 – Specification of modeIdx	116
Table 8-3 – Specification of intraPredModeC when ChromaArrayType is equal to 2	116
Table 8-4 – Specification of intraHorVerDistThres[nTbS] for various transform block sizes	120
Table 8-5 – Specification of intraPredAngle	122
Table 8-6 – Specification of invAngle.....	122
Table 8-7 – Specification of l0CandIdx and l1CandIdx	135
Table 8-8 – Assignment of the luma prediction sample predSampleLX _L	146
Table 8-9 – Assignment of the chroma prediction sample predSampleLX _C for (X, Y) being replaced by (1, b), (2, c), (3, d), (4, e), (5, f), (6, g), and (7, h), respectively	148
Table 8-10 – Specification of Qpc as a function of qPi for ChromaArrayType equal to 1.....	155
Table 8-11 – Name of association to edgeType.....	161

Table 8-12 – Derivation of threshold variables β' and t_C' from input Q	169
Table 8-13 – Specification of hPos and vPos according to the sample adaptive offset class	175
Table 9-1 – Bit strings with "prefix" and "suffix" bits and assignment to codeNum ranges (informative)	176
Table 9-2 – Exp-Golomb bit strings and codeNum in explicit form and used as ue(v) (informative)	177
Table 9-3 – Assignment of syntax element to codeNum for signed Exp-Golomb coded syntax elements se(v)	177
Table 9-4 – Association of ctxIdx and syntax elements for each initializationType in the initialization process	183
Table 9-5 – Values of initialValue for ctxIdx of sao_merge_left_flag and sao_merge_up_flag	184
Table 9-6 – Values of initialValue for ctxIdx of sao_type_idx_luma and sao_type_idx_chroma	184
Table 9-7 – Values of initialValue for ctxIdx of split_cu_flag	184
Table 9-8 – Values of initialValue for ctxIdx of cu_transquant_bypass_flag	184
Table 9-9 – Values of initialValue for ctxIdx of cu_skip_flag	184
Table 9-10 – Values of initialValue for ctxIdx of pred_mode_flag	185
Table 9-11 – Values of initialValue for ctxIdx of part_mode	185
Table 9-12 – Values of initialValue for ctxIdx of prev_intra_luma_pred_flag	185
Table 9-13 – Values of initialValue for ctxIdx of intra_chroma_pred_mode	185
Table 9-14 – Values of initialValue for ctxIdx of rqt_root_cbf	185
Table 9-15 – Value of initialValue for ctxIdx of merge_flag	185
Table 9-16 – Values of initialValue for ctxIdx of merge_idx	186
Table 9-17 – Values of initialValue for ctxIdx of inter_pred_idx	186
Table 9-18 – Values of initialValue for ctxIdx of ref_idx_10 and ref_idx_11	186
Table 9-19 – Values of initialValue for ctxIdx of mvp_10_flag and mvp_11_flag	186
Table 9-20 – Values of initialValue for ctxIdx of split_transform_flag	186
Table 9-21 – Values of initialValue for ctxIdx of cbf_luma	186
Table 9-22 – Values of initialValue for ctxIdx of cbf_cb and cbf_cr	187
Table 9-23 – Values of initialValue for ctxIdx of abs_mvd_greater0_flag and abs_mvd_greater1_flag	187
Table 9-24 – Values of initialValue for ctxIdx of cu_qp_delta_abs	187
Table 9-25 – Values of initialValue for ctxIdx of transform_skip_flag	187
Table 9-26 – Values of initialValue for ctxIdx of last_sig_coeff_x_prefix	187
Table 9-27 – Values of initialValue for ctxIdx of last_sig_coeff_y_prefix	188
Table 9-28 – Values of initialValue for ctxIdx of coded_sub_block_flag	188
Table 9-29 – Values of initialValue for ctxIdx of sig_coeff_flag	188
Table 9-30 – Values of initialValue for ctxIdx of coeff_abs_level_greater1_flag	189
Table 9-31 – Values of initialValue for ctxIdx of coeff_abs_level_greater2_flag	189
Table 9-32 – Values of initialValue for ctxIdx of explicit_rdpcm_flag	189
Table 9-33 – Values of initialValue for ctxIdx of explicit_rdpcm_dir_flag	189
Table 9-34 – Values of initialValue for ctxIdx of cu_chroma_qp_offset_flag	189
Table 9-35 – Values of initialValue for ctxIdx of cu_chroma_qp_offset_idx	190
Table 9-36 – Values of initialValue for ctxIdx of log2_res_scale_abs_plus1	190
Table 9-37 – Values of initialValue for ctxIdx of res_scale_sign_flag	190

Table 9-38 – Syntax elements and associated binarizations	192
Table 9-39 – Bin string of the unary binarization (informative).....	195
Table 9-40 – Binarization for part_mode.....	197
Table 9-41 – Binarization for intra_chroma_pred_mode.....	197
Table 9-42 – Binarization for inter_pred_idc	198
Table 9-43 – Assignment of ctxInc to syntax elements with context coded bins	200
Table 9-44 – Specification of ctxInc using left and above syntax elements	202
Table 9-45 – Specification of ctxIdxMap[i]	204
Table 9-46 – Specification of rangeTabLps depending on the values of pStateIdx and qRangeIdx	209
Table 9-47 – State transition table	210
Table A.1 – Allowed values for syntax elements in the format range extensions profiles	223
Table A.2 – Bitstream indications for conformance to format range extensions profiles.....	225
Table A.3 – Bitstream indications for conformance to format range extensions high throughput profiles	227
Table A.4 – General tier and level limits	229
Table A.5 – Tier and level limits for the video profiles.....	231
Table A.6 – Specification of CpbVclFactor, CpbNalFactor, FormatCapabilityFactor, and MinCrScaleFactor	232
Table A.7 – Maximum picture rates (pictures per second) at level 1 to 4.1 for some example picture sizes when MinCbSizeY is equal to 64.....	233
Table A.8 – Maximum picture rates (pictures per second) at level 5 to 6.2 for some example picture sizes when MinCbSizeY is equal to 64.....	234
Table D.1 – Persistence scope of SEI messages (informative)	273
Table D.2 – Interpretation of pic_struct.....	280
Table D.3 – scene_transition_type values	287
Table D.4 – film_grain_model_id values	289
Table D.5 – blending_mode_id values	291
Table D.6 – filter_hint_type values	295
Table D.7 – Interpretation of camera_iso_speed_idc and exposure_index_idc.....	298
Table D.8 – Definition of frame_packing_arrangement_type	300
Table D.9 – Definition of content_interpretation_type	301
Table D.10 – Interpretation of hash_type	308
Table D.11 – Definition of counting_type[i] values	316
Table D.12 – Definition of segmented_rect_content_interpretation_type	319
Table D.13 – ver_chroma_filter_idc values.....	324
Table D.14 – hor_chroma_filter_idc values	324
Table D.15 – Chroma sampling format indicated by target_format_idc	325
Table D.16 – Constraints on the value of num_vertical_filters	325
Table D.17 – Constraints on the value of num_horizontal_filters	326
Table D.18 – Values of verFilterCoeff and verTapLength when ver_chroma_filter_idc is equal to 2.....	327
Table D.19 – Values of horFilterCoeff and horTapLength when hor_chroma_filter_idc is equal to 2	327
Table D.20 – Usage of chroma filter in the vertical direction	330