



SLOVENSKI STANDARD
SIST EN 12896-7:2019

01-november-2019

Javni prevoz - Referenčni podatkovni model - 7. del: Upravljanje voznega osebja

Public transport - Reference data model - Part 7: Driver management

Transports publics - Modèle de données de référence - Partie 7 : Gestion des conducteurs

(standards.iteh.ai)

Ta slovenski standard je istoveten z: EN 12896-7:2019

SIST EN 12896-7:2019

<https://standards.iteh.ai/catalog/standards/sist/1573ade4-95f8-487d-b54c-69a4ffdf909/sist-en-12896-7-2019>

ICS:

35.240.60 Uporabniške rešitve IT v IT applications in transport
prometu

SIST EN 12896-7:2019

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 12896-7:2019

<https://standards.iteh.ai/catalog/standards/sist/1573ade4-95f8-487d-b54c-69a4ffdf909/sist-en-12896-7-2019>

EUROPEAN STANDARD

EN 12896-7

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2019

ICS 35.240.60

English Version

Public transport - Reference data model - Part 7: Driver management

Transports publics - Modèle de données de référence -
Partie 7 : Gestion des conducteurs

This European Standard was approved by CEN on 19 April 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/1573ade4-95f8-487d-b54c-69a4fdff909/sist-en-12896-7-2019>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	5
Introduction	6
1 Scope.....	7
1.1 General Scope of the Standard.....	7
1.2 Functional Domain Description.....	8
1.3 Particular Scope of this Document.....	8
2 Normative references.....	8
3 Terms and definitions	9
4 Symbols and Abbreviations.....	11
5 Driver Management.....	12
5.1 Introduction.....	12
5.2 Driver.....	12
5.3 Driver Scheduling.....	13
5.3.1 General Remarks.....	13
5.3.2 Duties.....	13
5.3.3 Driver Trips.....	22
5.3.4 Driver Schedule Frame.....	24
5.4 Rostering.....	24
5.4.1 General Remarks.....	24
5.4.2 Roster Matrices.....	26
5.4.3 Roster Cycles.....	28
5.4.4 Roster Designs.....	31
5.4.5 Roster Assignments.....	32
5.5 Personnel Disposition (informative).....	33
5.5.1 Introduction.....	33
5.5.2 Driver Assignments.....	33
5.5.3 Driver Accounting.....	36
5.5.4 Accounting the Drivers' Work.....	38
5.6 Driver Control Actions.....	39
5.6.1 General.....	39
5.6.2 Logical Driver Creation	40
5.6.3 Logical Driver Cancellation	40
5.6.4 Change of Driver	41
Annex A (normative) Data Dictionary	42
A.1 Introduction.....	42
A.2 Data Dictionary — Driver Management.....	42
A.2.1 ABSENCE.....	42
A.2.2 ACCOUNT ENTRY	42
A.2.3 ACCOUNTING PERIOD	43
A.2.4 ACTIVITY LOG ENTRY	43
A.2.5 ASSIGNED DUTY	44
A.2.6 BREAK.....	44
A.2.7 BREAK FACILITY.....	45
A.2.8 CHANGE OF DRIVER.....	45

A.2.9	COLUMN/DAY.....	46
A.2.10	CONTINUOUS DUTY.....	46
A.2.11	COST CENTRE.....	46
A.2.12	DESIGN WEEK.....	46
A.2.13	DESIGN WEEK ELEMENT.....	47
A.2.14	DRIVER.....	47
A.2.15	DRIVER ASSIGNMENT.....	47
A.2.16	DRIVER CONTROL ACTION.....	48
A.2.17	DRIVER SCHEDULE FRAME.....	48
A.2.18	DRIVER TRIP.....	48
A.2.19	DRIVER TRIP TIME.....	49
A.2.20	DRIVING SPELL.....	49
A.2.21	DUTY.....	49
A.2.22	DUTY PART.....	50
A.2.23	DUTY TYPE.....	51
A.2.24	FILL IN TIME.....	51
A.2.25	LOGICAL DRIVER CANCELLATION.....	51
A.2.26	LOGICAL DRIVER CREATION.....	52
A.2.27	NON-DRIVING SPELL.....	52
A.2.28	PAUSE.....	52
A.2.29	REST.....	53
A.2.30	ROSTER CYCLE.....	53
A.2.31	ROSTER CYCLE ELEMENT.....	53
A.2.32	ROSTER DESIGN.....	54
A.2.33	ROSTER DESIGN IN MATRIX.....	54
A.2.34	ROSTER DESIGN TYPE.....	54
A.2.35	ROSTER ELEMENT.....	55
A.2.36	ROSTER MATRIX.....	55
A.2.37	ROW/DRIVER.....	55
A.2.38	SPARE DUTY.....	56
A.2.39	SPELL.....	56
A.2.40	SPLIT DUTY.....	57
A.2.41	STAND-BY.....	57
A.2.42	STRETCH.....	57
A.2.43	TASK.....	58
A.2.44	TIME ALLOWANCE.....	58
A.2.45	TYPE OF ABSENCE.....	59
A.2.46	TYPE OF ALLOWANCE.....	59
A.2.47	TYPE OF TASK.....	59
A.2.48	TYPE OF WAGE.....	60
A.2.49	WAGE INCREASE.....	60
A.2.50	WAGE TYPE ASSIGNMENT.....	60
A.2.51	WORK.....	61
Annex B (normative) Additional Common Concepts — Extension to EN 12896-1:2016, Public transport — Reference data model — Part 1: Common concepts.....		
B.1	Methodology and Conventions.....	62
B.1.1	Methodology for conceptual modelling.....	62
B.1.2	MODEL Class Diagrams.....	66
B.1.3	Summary of Rules for Transmodel Presentation.....	78
B.2	Extensions to the Common Concept MODEL.....	83
B.2.1	General.....	83
B.2.2	Additional Common Concepts.....	83

EN 12896-7:2019 (E)

B.2.3	Extensions to the Generic Framework	86
B.2.4	Extensions to the Reusable Components.....	89
B.2.5	Data Dictionary	98
Annex C	(informative) Data Model Evolutions.....	118
C.1	Change Requests.....	118
C.2	Source of Text.....	121
C.3	Diagram Status	121
Bibliography	123

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 12896-7:2019

<https://standards.iteh.ai/catalog/standards/sist/1573ade4-95f8-487d-b54c-69a4ffdf909/sist-en-12896-7-2019>

European foreword

This document (EN 12896-7:2019) has been prepared by Technical Committee CEN/TC 278 “Intelligent transport systems”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2020, and conflicting national standards shall be withdrawn at the latest by March 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

The series is composed with the following documents:

- *Public transport – Reference data mode – Part 1: Common concepts;*
- *Public transport – Reference data mode – Part 2: Public transport network;*
- *Public transport – Reference data mode – Part 3: Timing information and vehicle scheduling;*
- *Public transport – Reference data mode – Part 4: Operations monitoring and control;*
- *Public transport – Reference data mode – Part 5: Fare management;*
- *Public transport – Reference data mode – Part 6: Passenger information;*
- *Public transport – Reference data mode – Part 7: Driver management;*
- *Public transport – Reference data mode – Part 8: Management information & statistics; and*
- *Public transport – Reference data mode – Part 9: Informative documentation [CEN/TR].*

Together these create version 6 of the European Standard EN 12896, known as “Transmodel”, and thus replace EN 12896:2006, known as “Transmodel v5.1”.

In comparison with EN 12896:2006, the technical modifications made are presented in CEN/TR 12896-9, *Public transport – Reference data model – Part 9: Informative documentation*.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 12896-7:2019 (E)**Introduction**

Part 1 of this European Standard presents the following items:

- Rationale for the Transmodel Standard;
- Use of the Transmodel Standard;
- Applicability of the Transmodel Standard;
- Conformance Statement;
- Transmodel Origins;
- Reference to the Previous Version and Other Documents.

The data structures represented in Part 1 are generic patterns that are referenced by different other parts.

Part 2 of this European Standard presents space-related data structures.

Part 3 presents time-related data structures and replaces the sections of EN 12896:2006 referring to the time-related Tactical Planning Components and to Vehicle Scheduling.

Part 4 presents data referring to daily operations (i.e. to operational days), different from those planned for day types (space-related data structures and tactical planning components) and including operational raw data referring to operations follow-up.

Part 5 presents fares structures including sales, validation and control.

Part 6 presents Passenger Information (planned and real-time).

Part 7 (this part) presents Driver Management including Driver Scheduling (day-type related driver schedules), Rostering (ordering of driver duties into sequences according to some chosen methods) and Driving Personnel Disposition (assignment of logical drivers to physical drivers and recording of driver performance).

Part 8 presents Management Information and Statistics.

1 Scope

1.1 General Scope of the Standard

The main objective of the present standard is to present the Reference Data Model for Public Transport, based on:

- the Reference Data Model, EN 12896, known as Transmodel V5.1;
- EN 28701:2012, *Intelligent transport systems – Public transport – Identification of Fixed Objects in Public Transport (IFOPT)*, although note that this particular standard has been withdrawn as it is now included within Parts 1 and 2 of this European Standard (EN 12896-1:2016 and EN 12896-2:2016) following their successful publication;

incorporating the requirements of:

- EN 15531-1 to -3 and CEN/TS 15531-4 and -5: *Public transport – Service interface for real-time information relating to public transport operations (SIRI)*;
- CEN/TS 16614-1 and -2: *Public transport – Network and Timetable Exchange (NeTEx)*, in particular the specific needs for long distance train operation.

Particular attention is drawn to the data model structure and methodology:

- the data model is described in a modular form in order to facilitate the understanding and the use of the model;
- the data model is entirely described in UML.

The following functional domains are considered:

- Network Description: routes, lines, journey patterns, timing patterns, service patterns, scheduled stop points and stop places;
- Timing Information and Vehicle Scheduling (runtimes, vehicle journeys, day type-related vehicle schedules);
- Passenger Information (planned and real-time);
- Fare Management (fare structure, sales, validation, control);
- Operations Monitoring and Control: operating day-related data, vehicle follow-up, control actions;
- Driver Management:
 - Driver Scheduling (day-type related driver schedules),
 - Rostering (ordering of driver duties into sequences according to some chosen methods),
 - Driving Personnel Disposition (assignment of logical drivers to physical drivers and recording of driver performance);

EN 12896-7:2019 (E)

- Management Information and Statistics (including data dedicated to service performance indicators).

The data modules dedicated to cover most functions of the above domains will be specified.

Several concepts are shared by the different functional domains. This data domain is called “Common Concepts”.

1.2 Functional Domain Description

The different functional domains (enumerated above) taken into account in the present document, and of which the data have been represented as the reference model, are described in EN 12896-1, *Public transport – Reference data model – Part 1: Common concepts*.

1.3 Particular Scope of this Document

The present document entitled *Public transport – Reference data model – Part 7: Driver management* incorporates the following data packages:

- Driver Scheduling;
- Rostering;
- Personnel Disposition;
- Driver Control Actions.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

This document itself is composed of the following parts:

<https://standards.iteh.ai/catalog/standards/sist/1573ade4-95f8-487d-b54c-f178004a-1da1/67219>

- Main document (normative) presenting the data model for the concepts shared by the different domains covered by Transmodel,
- Annex A (normative), containing the data dictionary, i.e. the list of all the concepts and attribute tables present in the main document together with the definitions,
- Annex B (normative), providing a complement to EN 12896-1:2016, particularly useful for Parts 4 to 8 of the Public Transport Reference Data Model; and
- Annex C (informative), indicating the data model evolutions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12896-1:2016, *Public transport — Reference data model — Part 1: Common concepts*

EN 12896-2:2016, *Public transport — Reference data model — Part 2: Public transport network*

EN 12896-3:2016, *Public transport — Reference data model — Part 3: Timing information and vehicle scheduling*

EN 12896-4:2019, *Public transport — Reference data model — Part 4: Operations monitoring and control*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 General Terms and Definitions:

NOTE The following generic terms are used.

3.1.1

attribute

property of an entity

3.1.2

conceptual data model

description of a real-world domain in terms of entities, relationships and attributes in an implementation independent manner in order to provide a structure on which the rest of the development of an application system can be based

iTeh STANDARD PREVIEW

3.1.3

conceptual level

<data modelling> conceptual data model

(standards.iteh.ai)

3.1.4

database

collection of data

SIST EN 12896-7:2019
<https://standards.iteh.ai/catalog/standards/sist/1573ade4-95f8-487d-b54c-69a4ffdf909/sist-en-12896-7-2019>

Note 1 to entry: Often used in the sense of the physical implementation of a data model.

3.1.5

data domain

data structure (which is, in this European Standard, a part of the Reference Data Model for Public Transport) made up of data related to each other, through the fact that there is a functional area or group of functions using this data set as a whole

3.1.6

data model

description of a real-world domain in terms of data and relationships

3.1.7

entity

object (data) that has its own existence (as opposed to an attribute)

3.1.8

fare management

all activities related to the collection of money from passengers

EN 12896-7:2019 (E)**3.1.9****function**

activity

Note 1 to entry: In this European Standard, sub-activity of a functional area.

3.1.10**functional area**

arbitrarily defined set of activities, used, in this European Standard, to define the objectives and limits of the data model

3.1.11**interoperability**

ability of (sub)systems to interact with other (sub)systems according to a set of predefined rules (interface)

3.1.12**logical data model**

data design that takes into account the type of database to be used but which does not consider means of utilization of space or access

3.1.13**logical denormalized model**

relational data model that is not fully normalized, i.e. does not completely follow the normalization rules and thus may be redundant

3.1.14**logical level**

<data modelling> logical data model

STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 12896-7:2019](https://standards.iteh.ai/catalog/standards/sist/1573ade4-95f8-487d-b54c-69a4fdff909/sist-en-12896-7-2019)

<https://standards.iteh.ai/catalog/standards/sist/1573ade4-95f8-487d-b54c-69a4fdff909/sist-en-12896-7-2019>

3.1.15**management information**

all activities allowing the company management to collect the information necessary to meet problem-solving needs

3.1.16**object-oriented data model**

data structure expressed according to principles that allow for a direct implementation as an object-oriented database, where information is represented in form of objects, i.e. respecting the principle of encapsulation meaning in particular that each data is accessed or modified through operations (methods) belonging to it

3.1.17**operations monitoring and control**

all activities related to the transportation process, i.e. real-time functions related to the driving and transportation of passengers according to given instructions, including the monitoring of the driving process and its control in case of deviations, as well as all activities that support the driving process such as traffic light priority, track switching, bay selection, advance/delay advice, etc.

3.1.18**passenger information**

all activities related to informing the users either on the planned or on the actual transportation services

3.1.19**personnel disposition**

all activities related to the mid-term and short-term management of drivers

3.1.20**real-time control**

see Operations monitoring and control

3.1.21**relational data model**

type of logical data model giving the information as series of tables (relations) and attributes, and possessing the following characteristics:

- a) all attribute values are atomic;
- b) all "tuples" (rows/occurrences) are distinct;
- c) no part of the primary key may be null; and
- d) foreign key values must correspond to an existing primary key in another relation or be null

3.1.22**scheduling**

see Tactical Planning

3.1.23**tactical planning**

all activities related to the tactical planning of transportation, splitting into vehicle scheduling, driver scheduling, rostering

iTeh STANDARD PREVIEW
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/1573ade4-95f8-487d-b54c-69a4ffdf909/sist-en-12896-7-2019>

3.2 Domain-Specific Terms and Definitions:

NOTE The following terms specific to the driver management domain are used. Terms which are also data entity names are defined in the data dictionary in Annex A and are not repeated here.

3.2.1**relief**

person taking the place of another person as responsible for a certain task (such as driving a bus)

3.2.2**roster**

plan showing turns of duty or leave for individuals in an organization

4 Symbols and Abbreviations

IFOPT	Identification of Fixed Objects in Public Transport (EN 28701:2012)
ISO	International Organization for Standardization
IT	Information Technology
NeTEx	Network and Timetable Exchange (CEN/TS 16614 series)
PT	Public Transport

EN 12896-7:2019 (E)

PTO	Public Transport Operator
SIRI (all parts))	Service Interface for Real-time Information (EN 15531 (all parts) and CEN/TS 15531 (all parts))
SIRI-FM	Service Interface for Real-time Information Facility Monitoring (CEN/TS 15531-4)
SIRI-SX	Service Interface for Real-time Information Situation Exchange (CEN/TS 15531-5)
UML	Unified Modelling Language
URI	Uniform Resource Identifier
URL	Universal Resource Locator

5 Driver Management

5.1 Introduction

The description of driver management is divided into three main parts. The first major part concerns *driver scheduling*, in essence creating the day-type related driver schedules where the required work is divided into duties that represents a set of work to be performed by one driver on one day.

The next major part concerns *rostering*, describing how the driver duties are ordered into sequences, according to some chosen method, to obtain a starting point for a balanced work share among the personnel over the planning period.

The final major part is the *personnel disposition*, describing how physical drivers are assigned to do the work of a logical driver. This part also covers the recording of driver performance.

Additionally, there are clauses concerning *driver*, *driver trip* and *driver control actions*.

5.2 Driver




Figure 1 — Driver MODEL

The DRIVER entity describes a physical driver, who is an EMPLOYEE (see EN 12896-1) of the public transport company.

Note that in the first stages of the planning process there are no direct references to the DRIVER (i.e. the physical driver). Instead a theoretical LOGICAL DRIVER is used during planning, and later on there will be a separate assignment of which DRIVER (physical driver) that shall perform the duties specified for a certain LOGICAL DRIVER.

5.3 Driver Scheduling

5.3.1 General Remarks

Driver scheduling involves the construction of driver DUTies to cover the scheduled SERVICE JOURNEYS (see EN 12896-3) at minimum cost. This process shall also give DRIVERS fair workloads, which comply with the law and with the agreements made between the company and, for example, driver unions. There are numerous parameters, such as maximum length of driving time allowed without a break, which will be essential input for the driver scheduling algorithm. These are not included in the reference model, because they do not have a complex structure or relationships to the data model entities but are simple values.

In many cases, BLOCKs (see EN 12896-3) will have already been compiled before the start of the driver scheduling process and will be used as input. However, schedulers do not always want to work in that order; the model allows DUTies to be entered into the system before pieces of vehicle work have been assigned to them.

5.3.2 Duties

5.3.2.1 Duty Components




Figure 2 — Simplified overview of the main concepts in a duty in relation to a driver

A DUTY describes a day's work for a LOGICAL DRIVER on one DAY TYPE. A DUTY may be a SPARE DUTY, in which case no specific work has yet been assigned to it, or an ASSIGNED DUTY, which is composed of a hierarchy of components.