



SLOVENSKI STANDARD
oSIST prEN IEC 62477-1:2021
01-januar-2021

**Varnostne zahteve za močnostno elektroniko pretvorniških sistemov in opreme -
1. del: Splošno**

Safety requirements for power electronic converter systems and equipment - Part 1:
General

Sicherheitsanforderungen an Leistungshalbleiter-Umrichtersysteme und -betriebsmittel -
Teil 1: Allgemeines

Exigences de sécurité applicables aux systèmes et matériels électroniques de
conversion de puissance - Partie 1: Généralités

iTeh STANDARD PREVIEW
(standards.iteh.ai)
oSIST prEN IEC 62477-1:2021
<https://standards.iteh.ai/catalog/standards/sist/cdaac427-0c03-46cb-8354-48dcd603c79b/osist-pr-en-iec-62477-1-2021>

Ta slovenski standard je istoveten z: prEN IEC 62477-1:2020

ICS:

29.200

Usmerniki. Pretvorniki.
Stabilizirano električno
napajanje

Rectifiers. Convertors.
Stabilized power supply

oSIST prEN IEC 62477-1:2021

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN IEC 62477-1:2021](https://standards.iteh.ai/catalog/standards/sist/cdaac427-0c03-46cb-8354-48dcd603c79b/osist-pren-iec-62477-1-2021)

<https://standards.iteh.ai/catalog/standards/sist/cdaac427-0c03-46cb-8354-48dcd603c79b/osist-pren-iec-62477-1-2021>



22/325/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:

IEC 62477-1 ED2

DATE OF CIRCULATION:

2020-10-30

CLOSING DATE FOR VOTING:

2021-01-22

SUPERSEDES DOCUMENTS:

22/309/CD, 22/315A/CC

IEC TC 22 : POWER ELECTRONIC SYSTEMS AND EQUIPMENT	
SECRETARIAT: Switzerland	SECRETARY: Ms Chuanhong Zhao
OF INTEREST TO THE FOLLOWING COMMITTEES: TC 34,TC 61,TC 62,TC 64,TC 66,TC 69,TC 82, TC 88,TC 96,TC 105,TC 108,TC 109,TC 114, TC 120,TC 121	PROPOSED HORIZONTAL STANDARD: <input type="checkbox"/> Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary.
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input checked="" type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING
<p>Attention IEC-CENELEC parallel voting</p> <p>The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting.</p> <p>The CENELEC members are invited to vote through the CENELEC online voting system.</p>	

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Safety requirements for power electronic converter systems and equipment - Part 1: General

PROPOSED STABILITY DATE: 2024

NOTE FROM TC/SC OFFICERS:

The comparison version between this CDV and Ed.1.1 is circulated concurrently as 22/326/INF.

Copyright © 2020 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

1			
2			
3	FOREWORD	14
4	INTRODUCTION	17
5	1 Scope	18
6	2 Normative references	19
7	3 Terms and definitions	21
8	4 Protection against hazards	32
9	4.1 General	32
10	4.2 Fault and abnormal operating conditions	32
11	4.3 Short-circuit and overload protection	33
12	4.3.1 General	33
13	4.3.2 Input short-circuit withstand strength and <i>output short-circuit current</i>		
14	ability	34
15	4.3.2.1 General	34
16	4.3.2.2 <i>Conditional short-circuit current (I_{CC}) on input ports</i>	35
17	4.3.2.3 <i>Short time withstand current (I_{cw}) on input ports</i>	35
18	4.3.2.4 <i>Output short-circuit current ability</i>	35
19	4.3.2.5 <i>Combined input and output ports</i>	35
20	4.3.3 Short-circuit coordination (backup protection)	35
21	4.3.4 Protection by several devices	36
22	4.4 Protection against electric shock	36
23	4.4.1 General	36
24	4.4.2 <i>Decisive voltage class</i>	38
25	4.4.2.1 General	38
26	4.4.2.2 <i>DVC A</i>	39
27	4.4.2.3 <i>DVC B</i>	39
28	4.4.2.4 <i>DVC C</i>	39
29	4.4.2.5 Connection to external circuits	39
30	4.4.2.6 Determination of <i>decisive voltage class (DVC)</i>	39
31	4.4.2.7 Requirements for protection against electric shock	40
32	4.4.3 Provision for <i>basic protection</i> (protection against direct contact)	41
33	4.4.3.1 General	41
34	4.4.3.2 Protection by means of <i>basic insulation of hazardous live</i>		
35	<i>parts</i>	41
36	4.4.3.3 Protection by means of <i>enclosures</i> or barriers	42
37	4.4.4 Provision for <i>fault protection</i> (protection against indirect contact)	42
38	4.4.4.1 General	42
39	4.4.4.2 <i>Protective equipotential bonding (circuit)</i>	43
40	4.4.4.3 <i>PE conductor</i>	47
41	4.4.4.4 Automatic disconnection of supply	49
42	4.4.4.5 <i>Supplementary insulation</i>	51
43	4.4.4.6 <i>Basic protection between circuits</i>	51
44	4.4.4.7 <i>Electrically protective screening</i>	51
45	4.4.5 Provision for <i>enhanced protection</i>	52
46	4.4.5.1 General	52
47	4.4.5.2 <i>Double insulation</i>	52
48	4.4.5.3 <i>Reinforced insulation</i>	52
49	4.4.5.4 <i>Enhanced protection between circuits</i>	52

50	4.4.5.5	Protection by means of <i>protective impedance</i>	52
51	4.4.6	Protective means for equipment classes	53
52	4.4.6.1	General	53
53	4.4.6.2	Protective means for <i>class I equipment</i>	53
54	4.4.6.3	Protective means for <i>class II equipment</i>	53
55	4.4.6.4	Protective means for <i>class III equipment</i>	54
56	4.4.7	<i>Insulation</i>	54
57	4.4.7.1	Influencing factors	54
58	4.4.7.2	<i>Insulation</i> to the surroundings	58
59	4.4.7.3	<i>Functional insulation</i>	61
60	4.4.7.4	<i>Clearance</i> distances	61
61	4.4.7.5	<i>Creepage distances</i>	63
62	4.4.7.6	Coating and potting	65
63	4.4.7.7	Spacings for <i>functional insulation</i>	65
64	4.4.7.8	Solid <i>insulation</i>	65
65	4.4.7.9	Connection of parts of <i>solid insulation</i> (cemented joints)	68
66	4.4.7.10	Requirements for electrical withstand capability	69
67	4.4.8	Compatibility with residual current-operated protective devices (RCD)	69
68	4.4.9	Capacitor discharge	70
69	4.5	Protection against electrical energy hazards	70
70	4.5.1	<i>General access areas</i>	70
71	4.5.1.1	General	70
72	4.5.1.2	Determination of hazardous electrical energy level	70
73	4.5.2	<i>Service access areas</i>	71
74	4.6	Protection against fire and thermal hazards	71
75	4.6.1	Circuits representing a fire hazard	71
76	4.6.2	<i>Components</i> representing a fire hazard	71
77	4.6.2.1	General	71
78	4.6.2.2	<i>Components</i> within a circuit representing a fire hazard	72
79	4.6.2.3	<i>Components</i> within a circuit not representing a fire hazard	73
80	4.6.3	<i>Fire enclosures</i>	73
81	4.6.3.1	General	73
82	4.6.3.2	Flammability of <i>enclosure</i> materials	73
83	4.6.3.3	Openings in <i>fire enclosures</i>	74
84	4.6.4	Temperature limits	77
85	4.6.4.1	General	77
86	4.6.4.2	Internal parts	77
87	4.6.4.3	Accessible parts	79
88	4.6.5	Limited power sources	80
89	4.7	Protection against mechanical hazards	81
90	4.7.1	General	81
91	4.7.2	Specific requirements for liquid cooled <i>PECS</i>	81
92	4.7.2.1	Coolant	81
93	4.7.2.2	Design requirements	82
94	4.7.3	Mechanical hazards from rotating parts	83
95	4.7.3.1	General	83
96	4.7.3.2	Mechanical hazards caused by fan	83
97	4.7.3.3	Expelled parts	83
98	4.7.4	Sharp edges	83

99	4.8	Equipment with multiple sources of supply	84
100	4.9	Protection against environmental stresses	84
101	4.10	Protection against sonic pressure hazards	85
102	4.10.1	General	85
103	4.10.2	Sonic pressure and sound level (acoustic noise)	85
104	4.11	Wiring and connections	85
105	4.11.1	General	85
106	4.11.2	<i>Insulation</i> of conductors	86
107	4.11.2.1	General	86
108	4.11.2.2	Accessible wiring <i>system</i>	87
109	4.11.2.3	Conductors of different circuits	87
110	4.11.3	Stranded wire	87
111	4.11.4	Routing and clamping	87
112	4.11.5	Identification of conductors and terminals	88
113	4.11.6	Splices and connections	88
114	4.11.7	Accessible connections	88
115	4.11.8	Interconnections between parts of the <i>PECS</i>	89
116	4.11.9	Supply connections	90
117	4.11.9.1	General	90
118	4.11.9.2	<i>Mains supply cords</i>	90
119	4.11.10	<i>Field wiring terminals</i> and internal terminals	91
120	4.11.10.1	Construction requirements	91
121	4.11.10.2	Connecting capacity	91
122	4.11.10.3	Connection to external conductors	92
123	4.11.10.4	Wire bending space for wires 10 mm ² and greater	92
124	4.11.11	Provisions for shield connection of shielded wire or shielded cable	93
125	4.12	<i>Enclosures</i>	93
126	4.12.1	General	93
127	4.12.2	Handles and manual controls	94
128	4.12.3	Cast metal	94
129	4.12.4	Sheet metal	94
130	4.12.5	Stability requirement for <i>enclosure</i>	97
131	4.12.6	Strain relief	97
132	4.12.7	Polymeric <i>enclosure</i> stress relief	98
133	4.12.8	Polymeric <i>enclosure</i> UV resistance	98
134	4.13	<i>Components</i>	98
135	4.13.1	General	98
136	4.13.2	PTC thermistors	99
137	4.13.3	<i>Mains supply cords</i>	99
138	4.13.4	Capacitors, RC units and EMC filter bridging <i>insulation</i>	99
139	4.13.5	Wound <i>components</i>	99
140	4.13.6	Plug and socket-outlets	99
141	4.14	Protection against electromagnetic fields	99
142	5	Test requirements	99
143	5.1	General	99
144	5.1.1	Test objectives and classification	99
145	5.1.2	Selection of test samples	100
146	5.1.3	Sequence of tests	100
147	5.1.4	Earthing conditions	100

148	5.1.5	General conditions for tests	100
149	5.1.5.1	Application of tests.....	100
150	5.1.5.2	Test samples	100
151	5.1.5.3	Operating parameters for tests.....	100
152	5.1.5.4	Mounting.....	101
153	5.1.5.5	Representative tests	101
154	5.1.6	Compliance	101
155	5.1.7	Test overview	101
156	5.2	Test specifications	104
157	5.2.1	<i>Visual inspection (type test, sample test and routine test)</i>	104
158	5.2.2	Mechanical tests.....	104
159	5.2.2.1	<i>Clearances and creepage distances test (type test)</i>	104
160	5.2.2.2	<i>Non-accessibility test (type test)</i>	104
161	5.2.2.3	<i>Ingress protection test (IP rating) (type test)</i>	105
162	5.2.2.4	<i>Enclosure integrity test (type test)</i>	107
163	5.2.2.5	<i>Stability test (type test)</i>	110
164	5.2.2.6	<i>Wall or ceiling mounted equipment test (type test)</i>	110
165	5.2.2.7	<i>Handles and manual controls securement test</i>	110
166	5.2.2.8	<i>Strain relief test (type test)</i>	111
167	5.2.3	Electrical tests.....	112
168	5.2.3.1	<i>General</i>	112
169	5.2.3.2	<i>Impulse withstand voltage test (type test, sample test)</i>	112
170	5.2.3.3	<i>Alternative to impulse withstand voltage test (type test, sample test)</i>	114
171	5.2.3.4	<i>AC or DC voltage test (type test, routine test)</i>	114
172	5.2.3.5	<i>Partial discharge test (type test, sample test)</i>	119
173	5.2.3.6	<i>Protective impedance test (type test, routine test)</i>	120
174	5.2.3.7	<i>Touch current measurement test (type test)</i>	121
175	5.2.3.8	<i>Capacitor discharge test (type test)</i>	121
176	5.2.3.9	<i>Limited power source test (type test)</i>	121
177	5.2.3.10	<i>Temperature rise test (type test)</i>	122
178	5.2.3.11	<i>Protective equipotential bonding tests (type tests, routine test)</i>	123
179	5.2.3.12	<i>Input test (type test)</i>	126
180	5.2.3.13	<i>Thin sheet material test (type test)</i>	127
181	5.2.3.14	<i>Determination of working voltage (type test)</i>	130
182	5.2.3.15	<i>Internal SPD monitoring test (type tests)</i>	130
183	5.2.3.16	<i>Preconditioning of material (type test)</i>	130
184	5.2.4	<i>Abnormal operation and simulated faults tests</i>	131
185	5.2.4.1	<i>General</i>	131
186	5.2.4.2	<i>Acceptance criteria</i>	131
187	5.2.4.3	<i>Protective equipotential bonding test (type test)</i>	132
188	5.2.4.4	<i>Output short-circuit test (type test)</i>	133
189	5.2.4.5	<i>Output overload test (type test)</i>	134
190	5.2.4.6	<i>Breakdown of components test (type test)</i>	135
191	5.2.4.7	<i>Material short-circuit test (type test)</i>	135
192	5.2.4.8	<i>Loss of phase test (type test)</i>	135
193	5.2.4.9	<i>Cooling failure tests (type tests)</i>	136
194	5.2.5	Material tests.....	137

197	5.2.5.1	General.....	137
198	5.2.5.2	High current arcing ignition test (<i>type test</i>).....	137
199	5.2.5.3	Glow-wire test (<i>type test</i>).....	138
200	5.2.5.4	Hot wire ignition test (<i>type test</i>).....	138
201	5.2.5.5	Flammability test (<i>type test</i>).....	139
202	5.2.5.6	Flaming oil test (<i>type test</i>).....	139
203	5.2.5.7	Cemented joints test (<i>type test</i>).....	140
204	5.2.5.8	Durability, legibility and permanence of marking test (<i>type test</i>).....	140
205			
206	5.2.5.9	UV resistance test (<i>type test</i>).....	141
207	5.2.6	Environmental tests (<i>type tests</i>).....	141
208	5.2.6.1	General.....	141
209	5.2.6.2	Acceptance criteria.....	142
210	5.2.6.3	Climatic tests.....	142
211	5.2.6.4	Vibration test (<i>type test</i>).....	143
212	5.2.6.5	Salt mist test (<i>type test</i>).....	144
213	5.2.6.6	Dust test (<i>type test</i>).....	144
214	5.2.6.7	Sand test (<i>type test</i>).....	145
215	5.2.7	Hydrostatic pressure test (<i>type test, routine test</i>).....	145
216	5.2.8	Electromagnetic fields (EMF).....	145
217	6	Information and marking requirements.....	146
218	6.1	General.....	146
219	6.2	Information for selection.....	148
220	6.2.1	General.....	148
221	6.2.1.1	Identifying the product.....	148
222	6.2.1.2	Electrical ratings for each port.....	148
223	6.2.1.3	Supplementary information for each port.....	148
224	6.2.1.4	Liquid cooled PECS;.....	149
225	6.2.1.5	General PECS marking;.....	149
226	6.2.2	Instructions and markings pertaining to accessories.....	149
227	6.3	Information for installation and commissioning.....	149
228	6.3.1	General.....	149
229	6.3.2	Mechanical considerations.....	149
230	6.3.3	Environment.....	150
231	6.3.4	Handling and mounting.....	150
232	6.3.5	Enclosure temperature.....	150
233	6.3.6	Open type PECS.....	150
234	6.3.6.1	Fire protection for open type PECS.....	150
235	6.3.6.2	Protection against electric shock not provided by enclosures or barriers.....	150
236			
237	6.3.7	Connections.....	151
238	6.3.7.1	General.....	151
239	6.3.7.2	Interconnection and wiring diagram.....	151
240	6.3.7.3	Conductor (cable) selection.....	151
241	6.3.7.4	Identification and other details of field wiring terminals.....	151
242	6.3.7.5	Plug and socket-outlets.....	152
243	6.3.8	Commissioning.....	152
244	6.3.9	Protection requirements.....	152
245	6.3.9.1	Accessible parts and circuits.....	152
246	6.3.9.2	Equipment class.....	152

247	6.3.9.3	<i>Protective equipotential bonding circuit</i>	153
248	6.3.9.4	<i>Touch current</i> or high leakage current	153
249	6.3.9.5	Compatibility with RCD	154
250	6.3.9.6	External protection devices	154
251	6.3.9.7	<i>Fire enclosure</i>	154
252	6.4	Information for intended use	154
253	6.4.1	General	154
254	6.4.2	Adjustment	154
255	6.4.3	Labels, signs, symbols and signals	154
256	6.4.3.1	General	154
257	6.4.3.2	Isolating devices and disconnects	156
258	6.4.3.3	Visual and audible signals	156
259	6.4.4	Hot surfaces	156
260	6.4.5	Control and device marking	156
261	6.5	Supplementary information	157
262	6.5.1	General	157
263	6.5.1.1	Manufacturing date	157
264	6.5.1.2	Safety information	157
265	6.5.2	Capacitor discharge	157
266	6.5.3	Auto restart/bypass connection	157
267	6.5.4	Other hazards	158
268	6.5.5	<i>PECS</i> with multiple sources of supply	158
269	6.5.6	Replacable fuses in neutral of single-phase <i>PECS</i>	158
270	Annex A (normative)	Additional information for protection against electric shock	159
271	A.1	General	159
272	A.2	Protection by means of <i>DVC As</i>	159
273	A.3	Protection by means of <i>protective impedance</i>	159
274	A.4	Protection by using limited voltages	160
275	A.5	Evaluation of the <i>working voltage</i> of circuits	160
276	A.5.1	General	160
277	A.5.2	Classification of the <i>working voltage</i>	161
278	A.5.3	<i>AC working voltage</i>	161
279	A.5.4	<i>DC working voltage</i>	162
280	A.5.5	Pulsating <i>working voltage</i>	162
281	A.6	The concept of protective means according to clause 4.4	164
282	A.6.1	General	164
283	A.6.2	Examples of the use of elements of protective means	164
284	Annex B (informative)	Considerations for the reduction of the <i>pollution degree</i>	167
285	B.1	Introduction	167
286	B.2	Factors influencing the <i>pollution degree</i>	167
287	B.3	Reduction of influencing factors	167
288	Annex C (informative)	Symbols referred to in IEC 62477-1	168
289	C.1	Symbols used	168
290	C.2	Determination of contrast	169
291	Annex D (normative)	Evaluation of <i>clearance</i> and <i>creepage distances</i>	171
292	D.1	Measurement	171
293	D.2	Relationship of measurement to <i>pollution degree</i>	171
294	D.3	Examples	172

295	Annex E (normative) Altitude correction for <i>clearances</i>	178
296	E.1 Correction factor for <i>clearances</i> at altitudes above 2 000 m	178
297	E.2 Test voltages for verifying <i>clearances</i> at different altitudes	179
298	Annex F (normative) <i>Clearance and creepage distance</i> determination for frequencies	
299	greater than 30 kHz	180
300	F.1 General influence of the frequency on the withstand characteristics.....	180
301	F.2 <i>Clearance</i>	180
302	F.2.1 General	180
303	F.2.2 <i>Clearance</i> for inhomogenous fields	181
304	F.2.3 <i>Clearance</i> for approximately homogenous fields	182
305	F.3 <i>Creepage distance</i>	183
306	F.4 <i>Solid insulation</i>	184
307	F.4.1 General	184
308	F.4.2 Approximately uniform field distribution without air gaps or voids.....	184
309	F.4.3 Other cases	185
310	Annex G (informative) Cross-sections of round conductors	186
311	G.1 Standard values of cross-section of round copper conductors	186
312	Annex H (informative) Guidelines for RCD compatibility	187
313	H.1 Selection of RCD type	187
314	H.2 Fault current waveforms	188
315	Annex I (informative) Examples of overvoltage category reduction	192
316	I.1 General	192
317	I.2 <i>Insulation</i> to the surroundings (see 4.4.7.2)	192
318	I.2.1 Circuits connected to <i>mains supply</i> (see 4.4.7.2.3)	192
319	I.2.2 Circuits connected to the <i>non-mains supply</i> (see 4.4.7.2.4)	195
320	I.2.3 <i>Insulation</i> between circuits (see 4.4.7.2.7)	195
321	I.3 <i>Functional insulation</i> (see 4.4.7.3)	195
322	I.4 Further examples	196
323	I.5 Circuits with multiple supply (see 4.4.7.2.1)	197
324	Annex J (informative) Burn thresholds for touchable surfaces	198
325	J.1 General	198
326	J.2 Burn thresholds	198
327	Annex K (informative) Table of electrochemical potentials	201
328	Annex L (informative) Measuring instrument for <i>touch current</i> measurements	202
329	L.1 Measuring instrument 1	202
330	L.2 Measuring instrument 2	202
331	L.3 Measuring instrument 3	202
332	Annex M (normative) Test probes for determining access	203
333	M.1 Test probes, overview	203
334	Annex N (informative) Guidance regarding short-circuit current	206
335	N.1 General	206
336	N.2 Coordination of short-circuit current	207
337	N.2.1 General	207
338	N.2.2 <i>Conditional short-circuit current</i> (I_{cc}) and <i>minimum required prospective</i>	
339	<i>short-circuit current</i> (I_{cp} , m_r)	207
340	N.2.3 <i>Short time withstand current</i> (I_{cw})	209
341	N.3 Guidance for specification of short-circuit current and <i>short-circuit protective</i>	
342	<i>device</i>	210
343	N.3.1 General	210

344	N.3.2	Example 1: Two or more PECS with different ratings	211
345	N.3.3	Specification of <i>I_{cc}</i>	212
346	N.3.4	Specification of <i>I_{cw}</i>	212
347	N.3.5	Example 2: One PECS with more than one rating	213
348	N.3.6	Additional explanation on terms, definitions and specifications	213
349	N.4	Short-circuit rating and <i>single fault conditions</i> testing.....	214
350	N.4.1	General	214
351	N.4.2	Exemption from <i>short time withstand current</i> testing	216
352	N.5	Guideline for short-circuit analysis	216
353	Annex O (informative)	Guide for determination of distances for <i>clearance</i> and	
354		<i>creepage</i>	217
355	O.1	<i>Guideline for clearance distances</i>	217
356	O.2	<i>Guideline for creepage distances</i>	218
357	O.3	Minimum spacings within <i>solid insulation</i> or similar	219
358	Annex P (informative)	Relevant <i>component</i> safety standards	220
359	Annex Q (informative)	Protection of persons against electromagnetic fields for	
360		frequencies from 0 Hz up to 300 GHz	222
361	Q.1	General influence of electromagnetic fields to persons.....	222
362	Q.1.1	General	222
363	Q.1.2	Low-frequency electric fields effects (1 Hz – 100 kHz).....	222
364	Q.1.3	Low-frequency magnetic fields effects (1 Hz – 100 kHz).....	222
365	Q.1.4	Low-frequency electric and magnetic fields effects	222
366	Q.1.5	High-frequency electromagnetic fields effects (100 kHz – 300 GHz)	222
367	Q.1.6	Current knowledge on low-level effects.....	222
368	Q.1.7	Biological effects versus adverse health effects.....	223
369	Q.1.8	Influence of EMF on passive and active medical implants.....	223
370	Q.2	Requirements from ICNIRP LF Guidelines against exposure to EMF.....	223
371	Q.2.1	Adoption of exposure limits from ICNIRP	223
372	Q.2.2	Limits of EMF exposure for transportation and storage	225
373	Q.3	Protection of persons against exposure of EMF	225
374	Q.3.1	General	225
375	Q.3.2	EMF requirements for general public access areas.....	226
376	Q.3.3	EMF requirements for <i>general access areas, service access areas</i> and	
377		<i>restricted access areas</i>	226
378	Q.3.4	EMF requirements for transportation and storage	226
379	Q.4	Electromagnetic fields (EMF) test (<i>type test</i>).....	226
380	Q.4.1	General test set up for EMF.....	226
381	Q.4.2	EMF test (<i>type test</i>)	226
382	Q.5	Electromagnetic fields (EMF) marking.....	227
383	Annex R (informative)	Maximum disconnection times.....	228
384	Annex S (informative)	Risk assessment according to IEC guide 116	229
385	S.1	Introduction.....	229
386	S.2	Risk assessment.....	229
387	Annex T (informative)	Guidance to product technical committees.....	231
388	Bibliography.....		232
389			
390	Figure 1 – Protective means according to IEC 62477-1 clause 4.4.1 – 4.4.5 for		
391	protection against electric shock considering <i>Class I</i> and <i>Class II</i> equipment.....		37

392	Figure 2 – Protective means according to IEC 62477-1 clause 4.4.1 – 4.4.5 for	
393	protection against electric shock considering <i>Class III</i> equipment or accessible <i>DVC As</i>	
394	circuits.....	38
395	Figure 3 – Example of a <i>PECS</i> assembly and its associated <i>protective equipotential</i>	
396	<i>bonding</i>	45
397	Figure 4 – Example of a <i>PECS</i> assembly and its associated <i>protective equipotential</i>	
398	<i>bonding</i> through direct metallic contact.....	46
399	Figure 5 – Time - voltage zones for accessible <i>DVC As</i> and <i>DVC B</i> circuits – DC during	
400	a <i>single fault conditions</i>	49
401	Figure 6 – Time - voltage zones for accessible <i>DVC As</i> and <i>DVC B</i> circuits – AC peak	
402	during <i>single fault conditions</i>	50
403	Figure 7 – Time - voltage zones for <i>accessible conductive parts</i> during <i>single fault</i>	
404	<i>conditions</i>	51
405	Figure 8 – <i>Fire enclosure</i> bottom openings below an unenclosed or partially enclosed	
406	fire-hazardous <i>component</i>	75
407	Figure 9 – <i>Fire enclosure</i> baffle construction	76
408	Figure 10 – example for interconnections within <i>PECS</i> and between parts of them	86
409	Figure 11 – Example of cable as an arrangement of insulated conductors	86
410	Figure 12 – Detachable <i>mains supply</i> cords and connections.....	90
411	Figure 14 – Supported and unsupported <i>enclosure</i> parts	95
412	Figure 15 – Impact test using a steel ball.....	109
413	Figure 16 – Voltage test procedures	118
414	Figure 17 – <i>Protective equipotential bonding impedance test</i> for separate <i>PECS</i> with	
415	power fed from the <i>PECS</i> with protection for the power cable	124
416	Figure 18 – <i>Protective equipotential bonding impedance test</i> for sub-assembly with	
417	accessible parts and with power fed from the <i>PECS</i>	125
418	Figure 19 – Electric strength test instrument.....	128
419	Figure 20 – Mandrel.....	129
420	Figure 21 – Initial position of mandrel	129
421	Figure 22 – Final position of mandrel	129
422	Figure 23 – Position of metal foil on insulating material.....	130
423	Figure 24 – Circuit for high-current arcing test	137
424	Figure 25 – Test fixture for hot-wire ignition test	138
425	Figure A.1 – Protection by <i>DVC As</i> with <i>enhanced protection</i>	159
426	Figure A.2 – Protection by means of <i>protective impedance</i>	159
427	Figure A.3 – Protection by using limited voltages	160
428	Figure A.4 – Typical waveform for <i>AC working voltage</i>	161
429	Figure A.5 – Typical waveform for <i>DC working voltage</i>	162
430	Figure A.6 – Typical waveform for pulsating <i>working voltage</i>	162
431	Figure D.1 - Example of measurements including a groove.....	172
432	Figure D.2 - Example of measurements including a groove.....	172
433	Figure D.3 - Example of measurements including a groove.....	172
434	Figure D.4 - Example of measurements including a rib.....	173
435	Figure D.5 - Example of measurements providing protection of type 2	173
436	Figure D.6 - Example of measurements providing protection of type 1	173
437	Figure D.7- Example of measurements providing protection of type 1	174
438	Figure D.8 - Example of measurements providing protection of type 1	174

439	Figure D.9 - Example of measurements including a barrier (cemented joint)	174
440	Figure D.10 - Example of measurements including a barrier	175
441	Figure D.11 - Example of measurements including a gap	175
442	Figure D.12 - Example of measurements including a gap	176
443	Figure D.13 – Example of measurements including an isolated conductive part	176
444	Figure D.14 – Example of measurements in inner layer of PWB	176
445	Figure D.15 – Example of measurements on <i>enclosure</i> of insulating material to a part	
446	inside.....	177
447	Figure F.1 – Diagram for dimensioning of <i>clearances</i>	181
448	Figure F.2 – Diagram for dimensioning of <i>creepage distances</i>	183
449	Figure F.3 – Permissible field strength for dimensioning of <i>solid insulation</i> according	
450	to Equation (1).....	185
451	Figure H.1 – Flow chart leading to selection of the RCD type upstream of a <i>PECS</i>	187
452	Figure H.2 – Symbols for marking depending on the type of RCD	188
453	Figure H.3 – Fault current waveforms in connections with <i>power electronic converter</i>	
454	devices	191
455	Figure I.1 – <i>Basic protection</i> evaluation for circuits connected to the origin of the	
456	<i>installation mains supply</i>	192
457	Figure I.2 – <i>Basic protection</i> evaluation for circuits connected to the <i>mains supply</i>	192
458	Figure I.3 – <i>Basic protection</i> evaluation for single and three phase equipment not	
459	<i>permanently connected</i> to the <i>mains supply</i>	193
460	Figure I.4 – <i>Basic protection</i> evaluation for circuits connected to the origin of the	
461	<i>installation mains supply</i> where internal <i>SPDs</i> are used.....	193
462	Figure I.5 – <i>Basic protection</i> evaluation for circuits connected to the <i>mains supply</i>	
463	where internal <i>SPDs</i> are used.....	193
464	Figure I.6 – Example of <i>enhanced protection</i> evaluation for circuits connected to the	
465	<i>mains supply</i> where internal <i>SPDs</i> are used	194
466	Figure I.7 – Example of <i>enhanced protection</i> evaluation for circuits connected to the	
467	<i>mains supply</i> where internal <i>SPDs</i> are used	194
468	Figure I.8 –Example of <i>enhanced protection</i> evaluation for circuits connected to the	
469	<i>mains supply</i> where internal <i>SPDs</i> are used	194
470	Figure I.9 – <i>Basic protection</i> evaluation for circuits connected to the <i>non-mains supply</i>	195
471	Figure I.10 – <i>Basic protection</i> evaluation for circuits connected to the the origin of the	
472	<i>installation non-mains supply</i>	195
473	Figure I.11 – <i>Functional insulation</i> evaluation within circuits affected by external	
474	transients.....	195
475	Figure I.12 – <i>Basic protection</i> evaluation for circuits connected to the <i>mains supply</i> and	
476	to the <i>non-mains supply</i>	196
477	Figure I.13 – <i>Insulation</i> evaluation for accessible circuit of <i>DVC As</i>	196
478	Figure I.14 – <i>PEC</i> with <i>mains</i> and <i>non-mains supply</i> without galvanic separation	197
479	Figure I.15 – Transformer (basic protected) <i>PEC</i> inverter with <i>SPD</i> and transformer to	
480	reduce <i>impulse withstand voltage</i> for functional and <i>basic protection</i>	197
481	Figure J.1 – Burn threshold spread when the skin is in contact with a hot smooth	
482	surface made of bare (uncoated) metal.....	198
483	Figure J.2 – Rise in the burn threshold spread from Figure J.1 for metals which are	
484	coated by shellac varnish of a thickness of 50 µm, 100 µm and 150 µm.....	199
485	Figure J.3 – Rise in the burn threshold spread from Figure J.1 for metals coated with	
486	the specific materials	199

487	Figure J.4 – Burn threshold spread when the skin is in contact with a hot smooth	
488	surface made of ceramics, glass and stone materials	200
489	Figure J.5 – Burn threshold spread when the skin is in contact with a hot smooth	
490	surface made of plastics	200
491	Figure L.1 – Measuring instrument 1	202
492	Figure L.2 – Measuring instrument 2	202
493	Figure M.1 – Sphere 50 mm probe according to IEC 61032:1997/COR1:2003,	
494	test probe A	203
495	Figure M.2 – Jointed test finger according to IEC 61032:1997/COR1:2003, test probe B.....	204
496	Figure M.3 – Test rod 2,5 mm (IP3X) according to IEC 61032:1997/COR1:2003,	
497	test probe C	205
498	Figure M.4 – Sphere 12,5 mm test probe according to IEC 61032:1997/COR1:2003,	
499	test probe 2	205
500	Figure N.1 – Example of short-circuit current curve under specification of I_{CC}	208
501	Figure N.2 – Example of tripping characteristic of a circuit breaker	209
502	Figure N.3 – Example of tripping characteristic of a current-limiting fuse	209
503	Figure N.4 – Example of short-circuit current curve under specification of I_{cw}	210
504	Figure N.5 – Two PECS with different specifications	211
505	Figure N.6 – One PECS with different specification for each input <i>mains supply</i> port	213
506	Figure N.7 – Flowchart for classification of I_{cc} or I_{cw}	215
507	Figure O.1 – Flowchart <i>clearance</i> distance	217
508	Figure O.2 – Flowchart <i>creepage distance</i>	218
509		
510	Table 1 – Alphabetical list of terms	22
511	Table 2 – Voltage limits for the <i>decisive voltage classes DVC</i>	40
512	Table 3 – Minimum protection requirements for circuit under consideration.....	41
513	Table 4 – <i>PE conductor</i> cross-sectional area	47
514	Table 5 – Limits for access of <i>touch current</i>	53
515	Table 6 – Definitions of <i>pollution degrees</i>	55
516	Table 7 – <i>Impulse withstand voltage</i> and <i>temporary overvoltage</i> versus <i>system voltage</i>	57
517	Table 8 – <i>Clearance</i> distances for <i>functional, basic</i> or <i>supplementary insulation</i>	62
518	Table 9 – <i>Creepage distances</i> (in millimetres).....	64
519	Table 10 – Generic materials for the direct support of uninsulated <i>live parts</i>	66
520	Table 11 – Thin sheet material thickness through <i>insulation</i> requirements	67
521	Table 12 – Flammability classes and classification standards	72
522	Table 13 – Permitted openings in <i>fire enclosure</i> bottoms	76
523	Table 14 – Maximum measured temperatures for internal materials and <i>components</i>	78
524	Table 15 – Maximum measured temperatures for accessible parts of the <i>PECS</i>	80
525	Table 16 – Limits for sources without an <i>overcurrent protective device</i>	81
526	Table 17 – Limits for power sources with an <i>overcurrent protective device</i>	81
527	Table 18 – Environmental service conditions	85
528	Table 19 – Wire bending space from terminals to <i>enclosure</i>	92
529	Table 20 – Thickness of sheet metal for <i>enclosures</i> : carbon steel or stainless steel.....	96
530	Table 21 – Thickness of sheet metal for <i>enclosures</i> : aluminium, copper or brass.....	97
531	Table 22 – Environmental conditions for tests	101

ITeH STANDARD PREVIEW
(standards.iteh.ai)

oSIST prEN IEC 62477-1:2021

<https://standards.iteh.ai/catalog/standards/sist/edaa427-0c03-46cb-8354-48b1603e70b/sist-pr-en-iec-62477-1-2021>

532	Table 23 – Test overview	102
533	Table 24 – Pull values for handles and manual control securement.....	111
534	Table 25 – Values for physical tests on strain relief of <i>enclosure</i>	111
535	Table 26 – <i>Impulse withstand voltage</i> test procedure	113
536	Table 27 – <i>Impulse withstand voltage test</i>	114
537	Table 28 – AC or DC test voltage for circuits connected directly to <i>mains supply</i>	115
538	Table 29 – AC or DC test voltage for circuits connected to <i>non-mains supply</i> without	
539	<i>temporary overvoltages</i>	116
540	Table 30 – Partial discharge test.....	120
541	Table 31 – Test duration for <i>protective equipotential bonding</i> test.....	125
542	Table 32 – AC <i>short time withstand current</i> test, minimum <i>PECS</i> requirements	134
543	Table 33 – Environmental tests	141
544	Table 34 – Dry heat test (steady state)	142
545	Table 35 – Damp heat test (steady state).....	143
546	Table 36 – Vibration test.....	143
547	Table 37 – Salt mist test	144
548	Table 38 – Dust test.....	144
549	Table 39 – Sand test.....	145
550	Table 40 – Marking location.....	147
551	Table A.1 – Examples for protection against electric shock.....	165
552	Table C.1 – Symbols used	168
553	Table D.1 – Width of grooves by pollution degree.....	171
554	Table E.1 – Correction factor for <i>clearances</i> at altitudes between 2 000 m and	
555	20 000 m	178
556	Table E.2 – Test voltages for verifying <i>clearances</i> at different altitudes	179
557	Table F.1 – Minimum values of <i>clearances</i> in air at atmospheric pressure for	
558	inhomogeneous field conditions (IEC 60664-4:2005, Table 1).....	182
559	Table F.2 – Multiplication factors for <i>clearances</i> in air at atmospheric pressure for	
560	approximately homogeneous field conditions	182
561	Table F.3 – Minimum values of <i>creepage distances</i> for different frequency ranges	
562	(IEC 60664-4:2005, Table 2).....	184
563	Table G.1 – Standard cross-sections of round conductors	186
564	Table K.1 – Table of electrochemical potentials	201
565	Table O.1 – Minimum spacings within <i>solid insulation</i> or similar.....	219
566	Table Q.1 – Limits of EMF for general public exposure	224
567	Table Q.2 – Limits of EMF for occupational exposure	225
568	Table Q.3 – Limits for magnetic flux density of static magnetic fields (2013/35/EU).....	225
569	Table Q.4 – EMF test overview	227
570	Table S.1 – Risk assessment.....	229
571		
572		