



**SLOVENSKI STANDARD**  
**SIST EN 13411-4:2022**

**01-maj-2022**

**Nadomešča:**  
**SIST EN 13411-4:2011**

---

**Zaključki jeklenih žičnih vrvi - Varnost - 4. del: Zalivke iz kovin in umetnih smol**

Terminations for steel wire ropes - Safety - Part 4: Metal and resin socketing

Endverbindungen für Drahtseile aus Stahldraht - Sicherheit - Teil 4: Vergießen mit Metall und Kunstharz

Terminaisons pour câbles en acier - Sécurité - Partie 4: Manchonnage à l'aide de métal et de résine

iteh STANDARD  
PREVIEW  
(standards.iteh.ai)

**Ta slovenski standard je istoveten z: EN 13411-4:2021**

<https://standards.iteh.ai/catalog/standards/sist/63314f4d-06bc-4d8d-ba0d-fddff850ed97/sist-en-13411-4-2022>

**ICS:**

53.020.30	Pribor za dvigalno opremo	Accessories for lifting equipment
77.140.99	Drugi železni in jekleni izdelki	Other iron and steel products

**SIST EN 13411-4:2022**

**en,fr,de**

**iTeh STANDARD  
PREVIEW  
(standards.iteh.ai)**

SIST EN 13411-4:2022

<https://standards.iteh.ai/catalog/standards/sist/63314f4d-06bc-4d8d-ba0d-fddff850ed97/sist-en-13411-4-2022>

EUROPEAN STANDARD

EN 13411-4

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2021

ICS 77.140.99

Supersedes EN 13411-4:2011

English Version

## Terminations for steel wire ropes - Safety - Part 4: Metal and resin socketing

Terminaisons pour câbles en acier - Sécurité - Partie 4 :  
Manchonnage à l'aide de métal et de résine

Endverbindungen für Drahtseile aus Stahldraht -  
Sicherheit - Teil 4: Metallvergüsse und  
Kunstharzvergüsse

This European Standard was approved by CEN on 15 November 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

[SIST EN 13411-4:2022](https://standards.iteh.ai/catalog/standards/sist/63314f4d-06bc-4d8d-ba0d-fddff850ed97/sist-en-13411-4-2022)

<https://standards.iteh.ai/catalog/standards/sist/63314f4d-06bc-4d8d-ba0d-fddff850ed97/sist-en-13411-4-2022>



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

## Contents

Page

European foreword.....	4
Introduction .....	6
1 Scope .....	7
2 Normative references .....	7
3 Terms and definitions .....	7
4 List of significant hazards .....	9
5 Safety requirements and/or protective measures .....	10
5.1 General.....	10
5.2 Preparation of rope and socket .....	10
5.2.1 General.....	10
5.2.2 Length marking of rope .....	10
5.2.3 Serving .....	10
5.2.4 Cutting of rope.....	11
5.2.5 Cleanliness of socket.....	11
5.2.6 Inserting rope into socket.....	11
5.2.7 Opening the brush.....	11
5.2.8 Pre-treatment of the brush.....	12
5.2.9 Hooking.....	12
5.2.10 Positioning and alignment of brush, rope and socket .....	13
5.2.11 Sealing.....	13
5.3 Socketing .....	13
5.3.1 General.....	13
5.3.2 Molten metal socketing.....	13
5.3.3 Resin socketing .....	14
5.4 Removal of sealing material.....	15
5.5 Protection .....	15
5.6 Type testing.....	15
6 Verification of the safety requirements and/or measures .....	15
6.1 Length marking of rope .....	15
6.2 Serving .....	15
6.3 Cleanliness of socket.....	15
6.4 Opening the brush.....	15
6.5 Degreasing the brush.....	15
6.6 Hooking.....	16
6.7 Positioning and alignment of brush, rope and socket .....	16
6.8 Pre-heating the socket.....	16
6.9 Melting the metal .....	16
6.10 Pouring the metal.....	16
6.11 Cooling.....	16
6.12 Pouring the resin.....	16
6.13 Curing of the resin.....	16
6.14 Removal of sealing.....	16
6.15 After completion of the socketing.....	16

iTeh STANDARD  
PREVIEW  
(standards.iteh.ai)

<https://standards.iteh.ai/catalog/standards/sist/63314f4d-06be-4d8d-ba0d-fd1f8350-ed97/sist-en-13411-4-2022>

<b>7</b>	<b>Information for use</b> .....	<b>17</b>
<b>7.1</b>	<b>General</b> .....	<b>17</b>
<b>7.2</b>	<b>Marking</b> .....	<b>17</b>
<b>7.3</b>	<b>Socketing manufacturer's certificate</b> .....	<b>17</b>
<b>Annex A</b>	<b>(normative) Molten metal socketing media</b> .....	<b>18</b>
<b>A.1</b>	<b>Lead-based alloys</b> .....	<b>18</b>
<b>A.2</b>	<b>Zinc</b> .....	<b>18</b>
<b>A.3</b>	<b>Zinc-based alloy</b> .....	<b>18</b>
<b>Annex B</b>	<b>(normative) Resin socketing media</b> .....	<b>19</b>
<b>B.1</b>	<b>General</b> .....	<b>19</b>
<b>B.2</b>	<b>Physical properties</b> .....	<b>19</b>
<b>Annex C</b>	<b>(normative) Type testing for assessment of molten metal or resin socketed termination</b> .....	<b>20</b>
<b>C.1</b>	<b>General</b> .....	<b>20</b>
<b>C.2</b>	<b>Method of test</b> .....	<b>20</b>
<b>C.3</b>	<b>Acceptance criteria</b> .....	<b>20</b>
<b>C.4</b>	<b>Test report</b> .....	<b>20</b>
<b>Annex D</b>	<b>(informative) Procedure for pre-treatment of bright rope for improved adhesion when socketing with lead-based alloys</b> .....	<b>21</b>
<b>D.1</b>	<b>General</b> .....	<b>21</b>
<b>D.2</b>	<b>Fluxing</b> .....	<b>21</b>
<b>D.3</b>	<b>Coating</b> .....	<b>21</b>
<b>Annex E</b>	<b>(normative) Operating temperature limits</b> .....	<b>22</b>
<b>Annex F</b>	<b>(informative) Approved socket design parameters</b> .....	<b>23</b>
<b>Bibliography</b>	.....	<b>24</b>

SIST EN 13411-4:2022

<https://standards.iteh.ai/catalog/standards/sist/63314f4d-06bc-4d8d-ba0d-fddff850ed97/sist-en-13411-4-2022>

**EN 13411-4:2021 (E)****European foreword**

This document (EN 13411-4:2021) has been prepared by Technical Committee CEN/TC 168 “Chains, ropes, webbing, slings and accessories - Safety”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2022, and conflicting national standards shall be withdrawn at the latest by June 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13411-4:2011.

This third edition incorporates both technical and editorial amendments, with the main changes compared to the previous edition as follows:

- re-draft hazards clause;
- include requirements to remove non-metallic components in the rope brush 5.2.7;
- deletion of heat distortion property requirement B.2;
- comment on cone draw C.3;
- delete Annex ZA and re-draft document to reflect change in status to a de-harmonized standard.

EN 13411, under the general title “Terminations for steel wire ropes — Safety”, consists of the following parts:

- Part 1: Thimbles for steel wire rope slings;
- Part 2: Splicing of eyes for wire rope slings;
- Part 3: Ferrules and ferrule-securing;
- Part 4: Metal and resin socketing;
- Part 5: U-bolt wire rope grips;
- Part 6: Asymmetric wedge socket;
- Part 7: Symmetric wedge socket;
- Part 8: Swage terminals and swaging;
- Part 9: Solid thimbles.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria,

Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**iTeh STANDARD  
PREVIEW  
(standards.iteh.ai)**

[SIST EN 13411-4:2022](https://standards.iteh.ai/catalog/standards/sist/63314f4d-06bc-4d8d-ba0d-fddff850ed97/sist-en-13411-4-2022)

<https://standards.iteh.ai/catalog/standards/sist/63314f4d-06bc-4d8d-ba0d-fddff850ed97/sist-en-13411-4-2022>

**EN 13411-4:2021 (E)****Introduction**

This document is a type C standard as stated in EN ISO 12100.

The procedures concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this document.

When provisions of this type C standard are different from those which are stated in type B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

The methods of socketing described in this standard are based on established procedures and following them is considered to result in a rope termination having an efficiency of 100 % based on the minimum breaking force of the rope.

It is assumed that the socket is:

- suitable for heating without changing the characteristics of the socket material when the socketing medium is molten metal;
- strong enough for the rope;
- suitable for the purpose for which it is intended.

**It's STANDARD  
PREVIEW  
(standards.iteh.ai)**

[SIST EN 13411-4:2022](https://standards.iteh.ai/catalog/standards/sist/63314f4d-06bc-4d8d-ba0d-fddff850ed97/sist-en-13411-4-2022)  
<https://standards.iteh.ai/catalog/standards/sist/63314f4d-06bc-4d8d-ba0d-fddff850ed97/sist-en-13411-4-2022>



## 1 Scope

This document specifies the minimum requirements for the molten metal and resin socketing of steel wire ropes within the scopes of EN 12385-4:2002+A1:2008; EN 12385-5:2021; EN 12385-6:2004; EN 12385-7:2002; EN 12385-8:2002; EN 12385-9:2002 and EN 12385-10:2003+A1:2008.

The document is applicable only to those requirements that ensure that the socketing is strong enough to withstand a force of at least 100 % of the minimum breaking force of the rope (i.e. socket termination efficiency factor  $K_T = 1,0$ ).

NOTE Rope terminations made by socketing in accordance with this document can be used for determining the breaking force of wire ropes in accordance with EN 12385-1:2002+A1:2008, Annex A.

Socketing by the methods and materials described in this standard are for use within the temperature limits given in normative Annex E.

This document deals with all significant hazards, hazardous situations and events relevant to metal and resin socket terminations, when they are used as intended and under conditions of misuse which are reasonably foreseeable (see Clause 4).

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 59, *Glass reinforced plastics — Determination of indentation hardness by means of a Barcol hardness tester*

EN 1774:1997, *Zinc and zinc alloys — Alloys for foundry purposes — Ingot and liquid*

EN 12385-1:2002+A1:2008, *Steel wire ropes — Safety — Part 1: General requirements*

EN 12385-2, *Steel wire ropes — Safety — Part 2: Definitions, designation and classification*

EN ISO 604, *Plastics — Determination of compressive properties (ISO 604)*

EN ISO 3838, *Crude petroleum and liquid or solid petroleum products — Determination of density or relative density — Capillary-stoppered pycnometer and graduated bicapillary pycnometer methods (ISO 3838)*

EN ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)*

## 3 Terms and definitions

For the purpose of this document, the terms and definitions given in EN ISO 12100, EN 12385-2 and the following apply.

### 3.1

#### **socket**

type of wire rope termination incorporating a *socket basket* (3.2)


## EN 13411-4:2021 (E)

## 3.2

**socket basket**

area of a socket in which a brushed rope end is secured using a socketing medium

Note 1 to entry: Descriptions of further elements of the socket geometry are shown in Figure 1.

**Key**

- 1 length of tapered basket plus any parallel portion(s) including any radius at rope entry
- 2 small end of tapered basket
- 3 large end of tapered basket
- 4 included angle of tapered basket
- 5 bore (internal diameter at rope entry)
- 6 pin hole centre line
- 7 length of tapered basket
- 8 length of parallel portion including any radius at rope entry
- 9 protruding wires
- 10 length of brush
- 11 root of brush

NOTE Some sockets can have baskets with an extended parallel portion at the large end of the tapered basket.

**Figure 1 — Nomenclature of typical parts of socket and brush**

## 3.3

**serving**

wrapping, usually of wire or strand, for the purpose of securing a rope end to prevent its unlaying

## 3.4

**permanent serving**

serving applied prior to socketing and remaining in place at least until the socketing operation has been completed

## 3.5

**temporary serving**

serving applied and subsequently removed at various stages of the socketing operation

**3.6****gelling**

change in condition of resin from liquid to a semi-solid, jelly-like composition

**3.7****hooking**

procedure whereby the end of a wire forming part of a brush is bent backwards to form a hook

**3.8****socketer**

*competent person* (3.9) carrying out the socketing

**3.9****competent person**

designated person, suitably trained, qualified by knowledge and experience and with the necessary instructions to ensure that the required operations are correctly carried out

**3.10****socketing system**

method of attachment comprising instructions and materials for the socketing of wire ropes with molten metal or resin

**3.11****socketing system designer**

person or organization that designs the socketing system and assumes responsibility for type testing

**3.12****socketing manufacturer**

person or organization that manufactures socketed terminations in accordance with the socketing system designer's instructions

**iTeh STANDARD**  
**PREVIEW**  
**(standards.iteh.ai)**  
<https://standards.iteh.ai/catalog/standards/sist/63314f4d-06bc-4d8d-ba0d-fddff850ed97/sist-en-13411-4-2022>

**4 List of significant hazards**

This clause contains all the significant hazards, hazardous situations and events for the molten metal and resin socketing of steel wire ropes within the scopes of EN 12385-4:2002+A1:2008; EN 12385-5:2021; EN 12385-6:2004; EN 12385-7:2002; EN 12385-8:2002; EN 12385-9:2002 and EN 12385-10:2003+A1:2008, as far as these hazards are dealt with in this document, identified by risk assessment as significant for socket terminations that require action to eliminate or reduce risk.

In particular, the hazard caused by accidental release of a load due to failure of the socketed portion of a socketed rope termination puts at risk, either directly or indirectly, the safety or health of those persons within the danger zone.

In order to provide the necessary strength of the socketed portion of a socketed termination, this document gives requirements for the method of socketing to ensure specified levels of performance are met.

Table 1 contains those hazards that require action to reduce risk identified by risk assessment as being specific and significant for socketed termination assemblies.