

ETSI TS 138 423 V17.3.0 (2023-01)



**5G;
NG-RAN;
Xn Application Protocol (XnAP)
(3GPP TS 38.423 version 17.3.0 Release 17)**

ETSI TS 138 423 V17.3.0 (2023-01)

<https://standards.iteh.ai/catalog/standards/sist/b72e0186-7c68-49a5-9523-4452526f0e3f/etsi-ts-138-423-v17-3-0-2023-01>



ReferenceRTS/TSGR-0338423vh30

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	15
1 Scope	16
2 References	16
3 Definitions, symbols and abbreviations	18
3.1 Definitions	18
3.2 Abbreviations	19
4 General	19
4.1 Procedure specification principles.....	19
4.2 Forwards and backwards compatibility	20
4.3 Specification notations	20
5 XnAP services	20
5.1 XnAP procedure modules	20
5.2 Parallel transactions.....	21
6 Services expected from signalling transport.....	21
7 Functions of XnAP.....	21
8 XnAP procedures	21
8.1 Elementary procedures	21
8.2 Basic mobility procedures	25
8.2.1 Handover Preparation	25
8.2.1.1 General	25
8.2.1.2 Successful Operation.....	25
8.2.1.3 Unsuccessful Operation	31
8.2.1.4 Abnormal Conditions	31
8.2.2 SN Status Transfer	32
8.2.2.1 General	32
8.2.2.2 Successful Operation.....	32
8.2.2.3 Unsuccessful Operation	33
8.2.2.4 Abnormal Conditions	33
8.2.3 Handover Cancel	33
8.2.3.1 General	33
8.2.3.2 Successful Operation.....	33
8.2.3.3 Unsuccessful Operation	34
8.2.3.4 Abnormal Conditions	34
8.2.4 Retrieve UE Context.....	34
8.2.4.1 General	34
8.2.4.2 Successful Operation.....	34
8.2.4.3 Unsuccessful Operation	37
8.2.4.4 Abnormal Conditions	37
8.2.5 RAN Paging.....	37
8.2.5.1 General	37
8.2.5.2 Successful operation.....	38
8.2.5.3 Unsuccessful Operation	38
8.2.5.4 Abnormal Condition.....	38
8.2.6 XN-U Address Indication	39
8.2.6.1 General	39
8.2.6.2 Successful Operation.....	39
8.2.6.3 Unsuccessful Operation	40
8.2.6.4 Abnormal Conditions	40

8.2.7	UE Context Release	40
8.2.7.1	General	40
8.2.7.2	Successful Operation.....	41
8.2.7.3	Unsuccessful Operation	42
8.2.7.4	Abnormal Conditions	42
8.2.8	Handover Success.....	42
8.2.8.1	General	42
8.2.8.2	Successful Operation.....	42
8.2.8.3	Unsuccessful Operation	43
8.2.8.4	Abnormal Conditions	43
8.2.9	Conditional Handover Cancel.....	43
8.2.9.1	General	43
8.2.9.2	Successful Operation.....	43
8.2.9.3	Unsuccessful Operation	43
8.2.9.4	Abnormal Conditions	44
8.2.10	Early Status Transfer	44
8.2.10.1	General	44
8.2.10.2	Successful Operation.....	44
8.2.10.3	Unsuccessful Operation	45
8.2.10.4	Abnormal Conditions	45
8.2.11	RAN Multicast Group Paging.....	46
8.2.11.1	General	46
8.2.11.2	Successful operation.....	46
8.2.12	Retrieve UE Context Confirm	46
8.2.12.1	General	46
8.2.12.2	Successful Operation.....	46
8.2.12.3	Unsuccessful Operation	47
8.2.12.4	Abnormal Conditions	47
8.2.13	Partial UE Context Transfer.....	47
8.2.13.1	General	47
8.2.13.2	Successful Operation.....	47
8.2.13.3	Unsuccessful Operation	48
8.2.13.4	Abnormal Condition.....	48
8.3	Procedures for Dual Connectivity	48
8.3.1	S-NG-RAN node Addition Preparation	48
8.3.1.1	General	48
8.3.1.2	Successful Operation.....	48
8.3.1.3	Unsuccessful Operation	54
8.3.1.4	Abnormal Conditions	54
8.3.2	S-NG-RAN node Reconfiguration Completion.....	55
8.3.2.1	General	55
8.3.2.2	Successful Operation.....	55
8.3.2.3	Abnormal Conditions	56
8.3.3	M-NG-RAN node initiated S-NG-RAN node Modification Preparation	56
8.3.3.1	General	56
8.3.3.2	Successful Operation.....	56
8.3.3.3	Unsuccessful Operation	64
8.3.3.4	Abnormal Conditions	65
8.3.4	S-NG-RAN node initiated S-NG-RAN node Modification	66
8.3.4.1	General	66
8.3.4.2	Successful Operation.....	66
8.3.4.3	Unsuccessful Operation	68
8.3.4.4	Abnormal Conditions	69
8.3.5	S-NG-RAN node initiated S-NG-RAN node Change.....	70
8.3.5.1	General	70
8.3.5.2	Successful Operation.....	70
8.3.5.3	Unsuccessful Operation	71
8.3.5.4	Abnormal Conditions	71
8.3.6	M-NG-RAN node initiated S-NG-RAN node Release	72
8.3.6.1	General	72
8.3.6.2	Successful Operation.....	72
8.3.6.3	Unsuccessful Operation	73

8.3.6.4	Abnormal Conditions	73
8.3.7	S-NG-RAN node initiated S-NG-RAN node Release	73
8.3.7.1	General	73
8.3.7.2	Successful Operation.....	73
8.3.7.3	Unsuccessful Operation	74
8.3.7.4	Abnormal Conditions	74
8.3.8	S-NG-RAN node Counter Check.....	74
8.3.8.1	General	74
8.3.8.2	Successful Operation.....	74
8.3.8.3	Unsuccessful Operation	75
8.3.8.4	Abnormal Conditions	75
8.3.9	RRC Transfer.....	75
8.3.9.1	General	75
8.3.9.2	Successful Operation.....	75
8.3.9.3	Unsuccessful Operation	76
8.3.9.4	Abnormal Conditions	76
8.3.10	Notification Control Indication.....	76
8.3.10.1	General	76
8.3.10.2	Successful Operation – M-NG-RAN node initiated.....	77
8.3.10.3	Successful Operation – S-NG-RAN node initiated	77
8.3.10.4	Abnormal Conditions	77
8.3.11	Activity Notification	78
8.3.11.1	General	78
8.3.11.2	Successful Operation.....	78
8.3.11.3	Abnormal Conditions	78
8.3.12	E-UTRA – NR Cell Resource Coordination.....	79
8.3.12.1	General	79
8.3.12.2	Successful Operation.....	79
8.3.13	Secondary RAT Data Usage Report	80
8.3.13.1	General	80
8.3.13.2	Successful Operation.....	80
8.3.13.3	Unsuccessful Operation	80
8.3.13.4	Abnormal Conditions	80
8.3.14	Trace Start.....	80
8.3.14.1	General	80
8.3.14.2	Successful Operation.....	81
8.3.14.3	Abnormal Conditions	81
8.3.15	Deactivate Trace	81
8.3.15.1	General	81
8.3.15.2	Successful Operation.....	82
8.3.15.3	Abnormal Conditions	82
8.3.16	Cell Traffic Trace.....	82
8.3.16.1	General	82
8.3.16.2	Successful Operation.....	82
8.3.17	SCG Failure Information Report	82
8.3.17.1	General	82
8.3.17.2	Successful Operation.....	83
8.3.17.3	Unsuccessful Operation	83
8.3.17.4	Abnormal Conditions	83
8.3.18	SCG Failure Transfer.....	83
8.3.18.1	General	83
8.3.18.2	Successful Operation.....	84
8.3.18.3	Unsuccessful Operation	84
8.3.18.4	Abnormal Conditions	84
8.3.19	Conditional PSCell Change Cancel	84
8.3.19.1	General	84
8.3.19.2	Successful Operation.....	84
8.3.19.3	Unsuccessful Operation	84
8.3.19.4	Abnormal Conditions	85
8.4	Global procedures.....	85
8.4.1	Xn Setup	85
8.4.1.1	General	85

8.4.1.2	Successful Operation.....	85
8.4.1.3	Unsuccessful Operation	87
8.4.1.4	Abnormal Conditions	88
8.4.2	NG-RAN node Configuration Update	88
8.4.2.1	General	88
8.4.2.2	Successful Operation.....	88
8.4.2.3	Unsuccessful Operation	93
8.4.2.4	Abnormal Conditions	93
8.4.3	Cell Activation.....	93
8.4.3.1	General	93
8.4.3.2	Successful Operation.....	93
8.4.3.3	Unsuccessful Operation	94
8.4.3.4	Abnormal Conditions	94
8.4.4	Reset	94
8.4.4.1	General	94
8.4.4.2	Successful Operation.....	95
8.4.4.3	Unsuccessful Operation	95
8.4.4.4	Abnormal Conditions	95
8.4.5	Error Indication.....	96
8.4.5.1	General	96
8.4.5.2	Successful Operation.....	96
8.4.5.3	Unsuccessful Operation	96
8.4.5.4	Abnormal Conditions	96
8.4.6	Xn Removal	96
8.4.6.1	General	96
8.4.6.2	Successful Operation.....	97
8.4.6.3	Unsuccessful Operation	97
8.4.6.4	Abnormal Conditions	97
8.4.7	Failure Indication.....	98
8.4.7.1	General	98
8.4.7.2	Successful Operation.....	98
8.4.7.3	Unsuccessful Operation	98
8.4.7.4	Abnormal Conditions	98
8.4.8	Handover Report.....	98
8.4.8.1	General	98
8.4.8.2	Successful Operation.....	99
8.4.8.3	Unsuccessful Operation	99
8.4.8.4	Abnormal Conditions	99
8.4.9	Mobility Settings Change	99
8.4.9.1	General	99
8.4.9.2	Successful Operation.....	100
8.4.9.3	Unsuccessful Operation	100
8.4.9.4	Abnormal Conditions	100
8.4.10	Resource Status Reporting Initiation	101
8.4.10.1	General	101
8.4.10.2	Successful Operation.....	101
8.4.10.3	Unsuccessful Operation	102
8.4.10.4	Abnormal Conditions	102
8.4.11	Resource Status Reporting.....	103
8.4.11.1	General	103
8.4.11.2	Successful Operation.....	103
8.4.11.3	Unsuccessful Operation	103
8.4.11.4	Abnormal Conditions	103
8.4.12	Access And Mobility Indication	103
8.4.12.1	General	103
8.4.12.2	Successful Operation.....	104
8.4.12.3	Abnormal Conditions	104
8.5	IAB Procedures	104
8.5.1	F1-C Traffic Transfer.....	104
8.5.1.1	General	104
8.5.1.2	Successful Operation.....	104
8.5.1.3	Unsuccessful Operation	105

8.5.1.4	Abnormal Conditions	105
8.5.2	IAB Transport Migration Management	105
8.5.2.1	General	105
8.5.2.2	Successful Operation	105
8.5.2.3	Unsuccessful Operation	106
8.5.2.4	Abnormal Conditions	106
8.5.3	IAB Transport Migration Modification	106
8.5.3.1	General	106
8.5.3.2	Successful Operation	107
8.5.3.3	Unsuccessful Operation	107
8.5.3.4	Abnormal Conditions	107
8.5.4	IAB Resource Coordination	108
8.5.4.1	General	108
8.5.4.2	Successful Operation	108
8.5.4.3	Unsuccessful Operation	108
8.5.4.4	Abnormal Conditions	108
9	Elements for XnAP Communication	109
9.0	General	109
9.1	Message Functional Definition and Content	109
9.1.1	Messages for Basic Mobility Procedures	109
9.1.1.1	HANDOVER REQUEST	109
9.1.1.2	HANDOVER REQUEST ACKNOWLEDGE	112
9.1.1.3	HANDOVER PREPARATION FAILURE	113
9.1.1.4	SN STATUS TRANSFER	114
9.1.1.5	UE CONTEXT RELEASE	114
9.1.1.6	HANDOVER CANCEL	115
9.1.1.7	RAN PAGING	115
9.1.1.8	RETRIEVE UE CONTEXT REQUEST	116
9.1.1.9	RETRIEVE UE CONTEXT RESPONSE	118
9.1.1.10	RETRIEVE UE CONTEXT FAILURE	119
9.1.1.11	XN-U ADDRESS INDICATION	120
9.1.1.12	HANDOVER SUCCESS	122
9.1.1.13	CONDITIONAL HANDOVER CANCEL	122
9.1.1.14	EARLY STATUS TRANSFER	123
9.1.1.15	RAN MULTICAST GROUP PAGING	125
9.1.1.16	RETRIEVE UE CONTEXT CONFIRM	125
9.1.1.17	PARTIAL UE CONTEXT TRANSFER	126
9.1.1.18	PARTIAL UE CONTEXT TRANSFER ACKNOWLEDGE	126
9.1.1.19	PARTIAL UE CONTEXT TRANSFER FAILURE	127
9.1.2	Messages for Dual Connectivity Procedures	127
9.1.2.1	S-NODE ADDITION REQUEST	127
9.1.2.2	S-NODE ADDITION REQUEST ACKNOWLEDGE	130
9.1.2.3	S-NODE ADDITION REQUEST REJECT	132
9.1.2.4	S-NODE RECONFIGURATION COMPLETE	132
9.1.2.5	S-NODE MODIFICATION REQUEST	133
9.1.2.6	S-NODE MODIFICATION REQUEST ACKNOWLEDGE	137
9.1.2.7	S-NODE MODIFICATION REQUEST REJECT	140
9.1.2.8	S-NODE MODIFICATION REQUIRED	140
9.1.2.9	S-NODE MODIFICATION CONFIRM	142
9.1.2.10	S-NODE MODIFICATION REFUSE	144
9.1.2.11	S-NODE CHANGE REQUIRED	144
9.1.2.12	S-NODE CHANGE CONFIRM	146
9.1.2.13	S-NODE CHANGE REFUSE	148
9.1.2.14	S-NODE RELEASE REQUEST	148
9.1.2.15	S-NODE RELEASE REQUEST ACKNOWLEDGE	149
9.1.2.16	S-NODE RELEASE REJECT	149
9.1.2.17	S-NODE RELEASE REQUIRED	150
9.1.2.18	S-NODE RELEASE CONFIRM	150
9.1.2.19	S-NODE COUNTER CHECK REQUEST	151
9.1.2.20	RRC TRANSFER	152
9.1.2.21	NOTIFICATION CONTROL INDICATION	154

9.1.2.22	ACTIVITY NOTIFICATION.....	155
9.1.2.23	E-UTRA – NR CELL RESOURCE COORDINATION REQUEST.....	155
9.1.2.24	E-UTRA – NR CELL RESOURCE COORDINATION RESPONSE.....	156
9.1.2.25	SECONDARY RAT DATA USAGE REPORT	157
9.1.2.26	TRACE START	158
9.1.2.27	DEACTIVATE TRACE	158
9.1.2.28	CELL TRAFFIC TRACE	159
9.1.2.29	SCG FAILURE INFORMATION REPORT	159
9.1.2.30	SCG FAILURE TRANSFER.....	160
9.1.2.31	CONDITIONAL PSCell CHANGE CANCEL	160
9.1.3	Messages for Global Procedures.....	161
9.1.3.1	XN SETUP REQUEST.....	161
9.1.3.2	XN SETUP RESPONSE.....	163
9.1.3.3	XN SETUP FAILURE	165
9.1.3.4	NG-RAN NODE CONFIGURATION UPDATE.....	165
9.1.3.5	NG-RAN NODE CONFIGURATION UPDATE ACKNOWLEDGE	168
9.1.3.6	NG-RAN NODE CONFIGURATION UPDATE FAILURE	170
9.1.3.7	CELL ACTIVATION REQUEST	170
9.1.3.8	CELL ACTIVATION RESPONSE	171
9.1.3.9	CELL ACTIVATION FAILURE	172
9.1.3.10	RESET REQUEST	172
9.1.3.11	RESET RESPONSE.....	172
9.1.3.12	ERROR INDICATION	173
9.1.3.13	XN REMOVAL REQUEST	174
9.1.3.14	XN REMOVAL RESPONSE	174
9.1.3.15	XN REMOVAL FAILURE	174
9.1.3.16	FAILURE INDICATION	174
9.1.3.17	HANDOVER REPORT	176
9.1.3.18	RESOURCE STATUS REQUEST	178
9.1.3.19	RESOURCE STATUS RESPONSE	180
9.1.3.20	RESOURCE STATUS FAILURE	180
9.1.3.21	RESOURCE STATUS UPDATE	181
9.1.3.22	MOBILITY CHANGE REQUEST.....	183
9.1.3.23	MOBILITY CHANGE ACKNOWLEDGE.....	184
9.1.3.24	MOBILITY CHANGE FAILURE.....	184
9.1.3.25	ACCESS AND MOBILITY INDICATION	184
9.1.4	Messages for IAB Procedures.....	185
9.1.4.1	F1-C TRAFFIC TRANSFER.....	185
9.1.4.2	IAB TRANSPORT MIGRATION MANAGEMENT REQUEST	186
9.1.4.3	IAB TRANSPORT MIGRATION MANAGEMENT RESPONSE	187
9.1.4.3a	IAB TRANSPORT MIGRATION MANAGEMENT REJECT	189
9.1.4.4	IAB TRANSPORT MIGRATION MODIFICATION REQUEST	189
9.1.4.5	IAB TRANSPORT MIGRATION MODIFICATION RESPONSE	190
9.1.4.6	IAB RESOURCE COORDINATION REQUEST.....	191
9.1.4.7	IAB RESOURCE COORDINATION RESPONSE.....	192
9.2	Information Element definitions.....	193
9.2.0	General.....	193
9.2.1	Container and List IE definitions	194
9.2.1.1	PDU Session Resources To Be Setup List	194
9.2.1.2	PDU Session Resources Admitted List	196
9.2.1.3	PDU Session Resources Not Admitted List	197
9.2.1.4	QoS Flow List with Cause	197
9.2.1.4a	QoS Flow List	197
9.2.1.5	PDU Session Resource Setup Info – SN terminated	197
9.2.1.6	PDU Session Resource Setup Response Info – SN terminated.....	198
9.2.1.7	PDU Session Resource Setup Info – MN terminated.....	200
9.2.1.8	PDU Session Resource Setup Response Info – MN terminated	202
9.2.1.9	PDU Session Resource Modification Info – SN terminated	204
9.2.1.10	PDU Session Resource Modification Response Info – SN terminated	207
9.2.1.11	PDU Session Resource Modification Info – MN terminated.....	211
9.2.1.12	PDU Session Resource Modification Response Info – MN terminated.....	214
9.2.1.13	UE Context Information – Retrieve UE Context Response	216

9.2.1.14	DRBs Subject To Status Transfer List	218
9.2.1.15	DRB to QoS Flow Mapping List.....	220
9.2.1.16	Data Forwarding Info from target NG-RAN node	221
9.2.1.17	Data Forwarding and Offloading Info from source NG-RAN node.....	221
9.2.1.18	PDU Session Resource Change Required Info – SN terminated	222
9.2.1.19	PDU Session Resource Change Confirm Info – SN terminated	222
9.2.1.20	PDU Session Resource Modification Required Info – SN terminated.....	223
9.2.1.21	PDU Session Resource Modification Confirm Info – SN terminated	226
9.2.1.22	PDU Session Resource Modification Required Info – MN terminated.....	228
9.2.1.23	PDU Session Resource Modification Confirm Info – MN terminated.....	228
9.2.1.24	PDU Session List with data forwarding request info	229
9.2.1.25	PDU Session List with data forwarding info from the target node	229
9.2.1.26	PDU Session List with Cause.....	229
9.2.1.27	PDU Session List	230
9.2.1.28	DRB List with Cause	230
9.2.1.29	DRB List	230
9.2.1.30	PDU Session Resource Setup Complete Info – SN terminated.....	230
9.2.1.31	Secondary Data Forwarding Info from target NG-RAN node List	231
9.2.1.32	Additional UL NG-U UP TNL Information at UPF List	231
9.2.1.33	DAPS Request Information.....	232
9.2.1.34	DAPS Response Information	232
9.2.1.35	Data Forwarding Info from target E-UTRAN node	232
9.2.1.36	MBS Session Information List.....	232
9.2.1.37	MBS Session Associated Information.....	233
9.2.1.38	MBS Session Information Response List.....	234
9.2.1.39	MBS Mapping and Data Forwarding Request Info from source NG-RAN node	234
9.2.1.40	MBS Data Forwarding Response Info from target NG-RAN node	234
9.2.2	NG-RAN Node and Cell Configuration related IE definitions	235
9.2.2.1	Global gNB ID	235
9.2.2.2	Global ng-eNB ID	235
9.2.2.3	Global NG-RAN Node ID	236
9.2.2.4	PLMN Identity	236
9.2.2.5	TAC.....	236
9.2.2.6	RAN Area Code	236
9.2.2.7	NR CGI	237
9.2.2.8	E-UTRA CGI	237
9.2.2.9	NG-RAN Cell Identity	237
9.2.2.10	NG-RAN Cell PCI	237
9.2.2.11	Served Cell Information NR	237
9.2.2.12	Served Cell Information E-UTRA	243
9.2.2.13	Neighbour Information NR	246
9.2.2.14	Neighbour Information E-UTRA	247
9.2.2.15	Served Cells To Update NR.....	248
9.2.2.16	Served Cells to Update E-UTRA	248
9.2.2.17	Cell Assistance Information NR	249
9.2.2.18	SUL Information	250
9.2.2.19	NR Frequency Info.....	250
9.2.2.20	NR Transmission Bandwidth	251
9.2.2.21	E-UTRA ARFCN.....	252
9.2.2.22	E-UTRA Transmission Bandwidth	252
9.2.2.23	Number of Antenna Ports E-UTRA	252
9.2.2.24	E-UTRA Multiband Info List.....	252
9.2.2.25	E-UTRA PRACH Configuration	253
9.2.2.26	MBSFN Subframe Allocation E-UTRA	253
9.2.2.27	Global NG-RAN Cell Identity	253
9.2.2.28	Connectivity Support	253
9.2.2.29	Protected E-UTRA Resource Indication	254
9.2.2.30	Data Traffic Resource Indication	256
9.2.2.31	Data Traffic Resources.....	256
9.2.2.32	Reserved Subframe Pattern	257
9.2.2.33	MR-DC Resource Coordination Information.....	257
9.2.2.34	E-UTRA Resource Coordination Information	258

9.2.2.35	NR Resource Coordination Information	260
9.2.2.36	E-UTRA Coordination Assistance Information	262
9.2.2.37	NR Coordination Assistance Information	262
9.2.2.38	NE-DC TDM Pattern	263
9.2.2.39	Interface Instance Indication	263
9.2.2.39a	Configured TAC Indication	263
9.2.2.40	Intended TDD DL-UL Configuration NR.....	263
9.2.2.41	Cell and Capacity Assistance Information NR.....	265
9.2.2.42	Cell and Capacity Assistance Information E-UTRA.....	265
9.2.2.43	Cell Assistance Information E-UTRA	265
9.2.2.44	Maximum Cell List Size	265
9.2.2.45	Message Oversize Notification	265
9.2.2.46	Partial List Indicator.....	266
9.2.2.47	Offset of NB-IoT Channel Number to EARFCN.....	266
9.2.2.48	NB-IoT UL DL Alignment Offset	266
9.2.2.49	TNL Capacity Indicator	266
9.2.2.50	Radio Resource Status.....	266
9.2.2.51	Composite Available Capacity Group.....	269
9.2.2.52	Composite Available Capacity.....	269
9.2.2.53	Cell Capacity Class Value.....	269
9.2.2.54	Capacity Value	270
9.2.2.55	Slice Available Capacity	270
9.2.2.56	RRC Connections.....	271
9.2.2.57	Number of RRC Connections	271
9.2.2.58	Available RRC Connection Capacity Value	271
9.2.2.63	NR Carrier List.....	273
9.2.2.64	SSB Positions In Burst.....	273
9.2.2.65	NID	274
9.2.2.66	CAG-Identifier	274
9.2.2.67	Broadcast NID List	274
9.2.2.68	Broadcast SNPN ID List	275
9.2.2.69	Broadcast CAG-Identifier List	275
9.2.2.70	Broadcast PNI-NPN ID Information	275
9.2.2.71	NPN Broadcast Information	275
9.2.2.72	NPN Support.....	276
9.2.2.73	Global Cell Identity	276
9.2.2.74	NPRACH Configuration	276
9.2.2.75	SFN Offset	277
9.2.2.76	CHO Configuration	278
9.2.2.77	SSB Offset Information.....	278
9.2.2.78	SSB Offset Modification Range.....	279
9.2.2.79	Multiplexing Info	279
9.2.2.80	Traffic Index	279
9.2.2.81	Traffic Profile.....	280
9.2.2.82	F1-Terminating Topology BH Information	280
9.2.2.83	Non-F1-terminating Topology BH Information.....	280
9.2.2.84	Traffic To Be Released Information	281
9.2.2.85	IAB TNL Address Request	282
9.2.2.86	IAB TNL Address Response.....	282
9.2.2.87	BAP Routing ID.....	283
9.2.2.88	BH RLC Channel ID.....	283
9.2.2.89	BAP Address.....	283
9.2.2.90	BAP Path ID.....	283
9.2.2.91	IAB QoS mapping information.....	283
9.2.2.92	IAB TNL Address	283
9.2.2.93	IAB TNL Addresses Requested	284
9.2.2.94	IAB Cell Information	284
9.2.2.95	gNB-DU Cell Resource Configuration	286
9.2.2.96	IAB STC Info	288
9.2.2.97	RB Set Configuration.....	289
9.2.2.98	IAB TNL Address Exception.....	290
9.2.2.99	BH Info List	290

9.2.2.100	Non-UP traffic.....	291
9.2.2.101	Local NG-RAN Node Identifier.....	291
9.2.2.102	Served Cell Specific Info Request	292
9.2.3	General IE definitions.....	292
9.2.3.1	Message Type	292
9.2.3.2	Cause.....	292
9.2.3.3	Criticality Diagnostics.....	299
9.2.3.4	Bit Rate	300
9.2.3.5	QoS Flow Level QoS Parameters.....	300
9.2.3.6	GBR QoS Flow Information	301
9.2.3.7	Allocation and Retention Priority	302
9.2.3.8	Non dynamic 5QI Descriptor	303
9.2.3.9	Dynamic 5QI Descriptor	304
9.2.3.10	QoS Flow Identifier.....	306
9.2.3.11	Packet Loss Rate	306
9.2.3.12	Packet Delay Budget.....	306
9.2.3.13	Packet Error Rate	306
9.2.3.14	Averaging Window	306
9.2.3.15	Maximum Data Burst Volume	306
9.2.3.16	NG-RAN node UE XnAP ID	307
9.2.3.17	UE Aggregate Maximum Bit Rate	307
9.2.3.18	PDU Session ID	307
9.2.3.19	PDU Session Type	307
9.2.3.20	TAI Support List	307
9.2.3.21	S-NSSAI	308
9.2.3.22	Slice Support List.....	308
9.2.3.23	Index to RAT/Frequency Selection Priority.....	309
9.2.3.24	GUAMI	309
9.2.3.25	Target Cell Global ID.....	309
9.2.3.26	AMF UE NGAP ID.....	309
9.2.3.27	SCG Configuration Query.....	309
9.2.3.28	RLC Mode.....	309
9.2.3.29	Transport Layer Address.....	310
9.2.3.30	UP Transport Layer Information.....	310
9.2.3.31	CP Transport Layer Information.....	310
9.2.3.32	Masked IMEISV	311
9.2.3.33	DRB ID	311
9.2.3.34	DL Forwarding.....	311
9.2.3.35	Data Forwarding Accepted.....	311
9.2.3.36	COUNT Value for PDCP SN Length 12.....	311
9.2.3.37	COUNT Value for PDCP SN Length 18.....	311
9.2.3.38	RAN Paging Area	312
9.2.3.39	RAN Area ID	312
9.2.3.40	UE Context ID	312
9.2.3.41	Assistance Data for RAN Paging	313
9.2.3.42	RAN Paging Attempt Information	313
9.2.3.43	UE RAN Paging Identity	313
9.2.3.44	Paging Priority	314
9.2.3.45	Delivery Status	314
9.2.3.46	I-RNTI.....	314
9.2.3.47	Location Reporting Information.....	314
9.2.3.48	Area of Interest Information.....	315
9.2.3.49	UE Security Capabilities	315
9.2.3.50	AS Security Information	318
9.2.3.51	S-NG-RAN node Security Key.....	318
9.2.3.52	Security Indication	318
9.2.3.53	Mobility Restriction List.....	319
9.2.3.54	Xn Benefit Value	321
9.2.3.55	Trace Activation.....	322
9.2.3.56	Time To Wait.....	322
9.2.3.57	QoS Flow Notification Control Indication Info	322
9.2.3.58	Request Reporting Reference ID.....	323

9.2.3.59	User plane traffic activity report	323
9.2.3.60	Lower Layer presence status change	323
9.2.3.61	RRC Resume Cause	324
9.2.3.62	Priority Level	324
9.2.3.63	PDCCP SN Length	324
9.2.3.64	UE History Information	324
9.2.3.65	Last Visited Cell Information.....	325
9.2.3.66	Paging DRX	325
9.2.3.67	Security Result	325
9.2.3.68	UE Context Kept Indicator.....	325
9.2.3.69	PDU Session Aggregate Maximum Bit Rate	326
9.2.3.70	LCID	326
9.2.3.71	Duplication Activation	326
9.2.3.72	RRC Config Indication	326
9.2.3.73	Maximum Integrity Protected Data Rate.....	326
9.2.3.74	PDCCP Change Indication	327
9.2.3.75	UL Configuration.....	327
9.2.3.76	UP Transport Parameters	327
9.2.3.77	Desired Activity Notification Level.....	328
9.2.3.78	Number of DRB IDs	328
9.2.3.79	QoS Flow Mapping Indication.....	328
9.2.3.80	RLC Status	328
9.2.3.81	Expected UE Behaviour	329
9.2.3.82	Expected UE Activity Behaviour	329
9.2.3.83	AMF Region Information	330
9.2.3.84	TNL Association Usage	330
9.2.3.85	Network Instance	330
9.2.3.86	PDCCP Duplication Configuration.....	331
9.2.3.87	Secondary RAT Usage Information.....	331
9.2.3.88	Volume Timed Report List	331
9.2.3.89	Maximum IP Rate	332
9.2.3.90	UL Forwarding.....	332
9.2.3.91	UE Radio Capability for Paging.....	332
9.2.3.92	Common Network Instance	333
9.2.3.93	Default DRB Allowed.....	333
9.2.3.94	Split Session Indicator.....	333
9.2.3.95	UL Forwarding Proposal.....	333
9.2.3.96	TNL Configuration Info	333
9.2.3.97	NG-RAN Trace ID.....	335
9.2.3.98	Non-GBR Resources Offered.....	335
9.2.3.99	Extended RAT Restriction Information	335
9.2.3.100	5GC Mobility Restriction List Container	335
9.2.3.101	Maximum Number of CHO Preparations	336
9.2.3.102	Alternative QoS Parameters Set List.....	336
9.2.3.103	Alternative QoS Parameters Set Index.....	336
9.2.3.104	Alternative QoS Parameters Set Notify Index.....	336
9.2.3.105	NR V2X Services Authorized.....	337
9.2.3.106	LTE V2X Services Authorized	337
9.2.3.107	NR UE Sidelink Aggregate Maximum Bit Rate	337
9.2.3.108	LTE UE Sidelink Aggregate Maximum Bit Rate.....	337
9.2.3.109	PC5 QoS Parameters.....	337
9.2.3.110	UE History Information from the UE	338
9.2.3.111	RLC Duplication Information	338
9.2.3.112	Redundant PDU Session Information	339
9.2.3.113	Extended Packet Delay Budget.....	339
9.2.3.114	TSC Traffic Characteristics.....	339
9.2.3.115	TSC Assistance Information	340
9.2.3.116	Periodicity	340
9.2.3.117	Burst Arrival Time	340
9.2.3.118	Redundant QoS Flow Indicator.....	340
9.2.3.119	NPN Mobility Information.....	341
9.2.3.120	Allowed PNI-NPN ID List.....	341

9.2.3.121	NPN Paging Assistance Information.....	341
9.2.3.122	Void.....	341
9.2.3.123	PNI-NPN Restricted Information.....	341
9.2.3.124	URI.....	342
9.2.3.125	MDT Configuration	342
9.2.3.126	MDT Configuration-NR.....	342
9.2.3.127	MDT Configuration-EUTRA	344
9.2.3.128	M1 Configuration.....	345
9.2.3.129	M4 Configuration.....	347
9.2.3.130	M5 Configuration.....	347
9.2.3.131	M6 Configuration.....	347
9.2.3.132	M7 Configuration.....	348
9.2.3.133	MDT PLMN List	348
9.2.3.134	Bluetooth Measurement Configuration.....	349
9.2.3.135	WLAN Measurement Configuration.....	349
9.2.3.136	Sensor Measurement Configuration.....	349
9.2.3.137	Logged Event Trigger Config	350
9.2.3.138	UE Radio Capability ID	350
9.2.3.139	Extended Slice Support List.....	351
9.2.3.140	Area Scope of Neighbour Cells.....	351
9.2.3.141	Extended UE Identity Index Value	351
9.2.3.142	E-UTRA Paging eDRX Information.....	351
9.2.3.143	UE Specific DRX.....	352
9.2.3.144	QoS Mapping Information	352
9.2.3.145	MRB ID	352
9.2.3.146	MBS Session ID.....	352
9.2.3.147	MRB Progress Information.....	352
9.2.3.148	MBS Area Session ID	353
9.2.3.149	MBS Service Area information.....	353
9.2.3.150	MBS Service Area	353
9.2.3.151	SCG UE History Information.....	354
9.2.3.152	Survival Time.....	354
9.2.3.153	Time Synchronisation Assistance Information	354
9.2.3.154	SCG Activation Request	354
9.2.3.155	SCG Activation Status	354
9.2.3.156	QMC Configuration Information	355
9.2.3.157	UE Application Layer Measurement Configuration Information	355
9.2.3.158	Available RAN Visible QoE Metrics.....	357
9.2.3.159	5G ProSe Authorized	357
9.2.3.160	5G ProSe PC5 QoS Parameters.....	358
9.2.3.161	NR Paging eDRX Information.....	358
9.2.3.162	NR Paging eDRX Information for RRC INACTIVE.....	358
9.2.3.163	SDT Support Request.....	359
9.2.3.164	Partial UE Context Information for SDT	359
9.2.3.165	SRB ID.....	360
9.2.3.166	PEIPS Assistance Information	361
9.2.3.167	UE Slice Maximum Bit Rate List	361
9.2.3.168	Positioning Information	361
9.2.3.169	MDT PLMN Modification List.....	361
9.2.3.170	TAI NSAG Support List	362
9.2.3.171	Excess Packet Delay Threshold Configuration.....	362
9.3	Message and Information Element Abstract Syntax (with ASN.1).....	363
9.3.1	General.....	363
9.3.2	Usage of Private Message Mechanism for Non-standard Use.....	363
9.3.3	Elementary Procedure Definitions	363
9.3.4	PDU Definitions	376
9.3.5	Information Element definitions	435
9.3.6	Common definitions	579
9.3.7	Constant definitions	580
9.3.8	Container definitions.....	590
9.4	Message transfer syntax	595
9.5	Timers	595

10 Handling of unknown, unforeseen and erroneous protocol data595

Annex A (informative): Change history596

History603

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ETSI TS 138 423 V17.3.0 (2023-01)
<https://standards.iteh.ai/catalog/standards/sist/b72e0186-7c68-49a5-9523-4452526f0e3f/etsi-ts-138-423-v17-3-0-2023-01>