DRAFT AMENDMENT ISO 15500-18:2012/DAM 1

ISO/TC 22/SC 41

Secretariat: UNI

Voting begins on: 2015-08-19

Voting terminates on:

2015-11-19

Road vehicles — Compressed natural gas (CNG) fuel system components —

Part 18:

Filter

AMENDMENT 1

Véhicules routiers — Composants des systèmes de combustible gaz naturel comprimé (GNC) —
Partie 18: Filtre
AMENDEMENT 1

ICS: 43.060.40

ICS: 43.060.40

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL,
TECHNOLOGICAL, COMMERCIAL AND
USER PURPOSES, DRAFT INTERNATIONAL
STANDARDS MAY ON OCCASION HAVE TO
BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.



Reference number ISO 15500-18:2012/DAM 1:2015(E) Tell ST Standards iteliards and a soll of the standards of the standards and a soll of



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

5 Construction and assembly

5.1 The filter shall comply with the applicable provisions of ISO 15500-1 and ISO 15500-2, and with the tests specified in clause 6 of this part of ISO 15500. <u>Tolerances should follow the specifications of ISO 15500-2</u>.

If non-conductive materials are used, the filter shall be designed to take its conductivity into account.

Table 1 — Tests applicable

Test	Applicable	Test procedure as required by ISO 15500-2	Specific test requirements of this part of ISO 15500
Hydrostatic strength	X	Xoac and	X (see 6.2)
Leakage	X	A STATE OF THE PARTY OF THE PAR	
Excess torque resistance	AXSIL	di daidilX	
Bending moment	A 24 and	at Islands X	
Continued operation	tail Xill state	ig X	X (see 6.3)
Corrosion resistance	X hailoe	132010 X	
Oxygen ageing	de X Naco	Х	
Ozone ageing	indat 18X	<u>X</u>	
Heat Ageing	X X	<u>X</u>	
Automotive Fluids	<u>X</u>	<u>X</u>	
Electrical over-voltages			
Non-metallic material immersion	Х	Х	
Vibration resistance	Х		X(see 6.4)
Brass material compatibility	Х	X	