

SLOVENSKI STANDARD SIST EN ISO 12402-10:2006

01-maj-2006

Osebna plavalna oprema – 10. del: Izbira in uporaba osebne plavalne opreme in druge primerne opreme (ISO 12402-10:2006)

Personal flotation devices - Part 10: Selection and application of personal flotation devices and other relevant devices (ISO 12402-10:2006)

Persönliche Auftriebsmittel - Teil 10: Auswahl und Anwendung von persönlichen Auftriebsmitteln und anderen entsprechenden Geräten (ISO 12402-10:2006)

Equipements individuels de flottabilité - Partie 10: Sélection et application des équipements individuels de flottabilité et d'autres équipements pertinents (ISO 12402-10:2006)

https://standards.iteh.ai/catalog/standards/sist/d4be539e-aa12-461f-95b5-

208b42a1a9ce/sist-en-iso-12402-10-2006

Ta slovenski standard je istoveten z: EN ISO 12402-10:2006

ICS:

13.340.70 Ü^zāŊāÁn[]ãāÁn;:*[}•\æ][{æ*æ‡æÁn,Á,|æçæb, ã

]¦a[[{ \ ã

Lifejackets, buoyancy aids and floating devices

SIST EN ISO 12402-10:2006

en

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 12402-10:2006</u> https://standards.iteh.ai/catalog/standards/sist/d4be539e-aa12-461f-95b5-208b42a1a9ce/sist-en-iso-12402-10-2006

EUROPEAN STANDARD NORME EUROPÉENNE

EN ISO 12402-10

EUROPÄISCHE NORM

February 2006

ICS 13.340

Supersedes CR 13033:1997

English Version

Personal flotation devices - Part 10: Selection and application of personal flotation devices and other relevant devices (ISO 12402-10:2006)

Equipements individuels de flottabilité - Partie 10: Sélection et application des équipements individuels de flottabilité et d'autres équipements pertinents (ISO 12402-10:2006)

Persönliche Auftriebsmittel - Teil 10: Auswahl und Anwendung von persönlichen Auftriebsmitteln und anderen entsprechenden Geräten (ISO 12402-10:2006)

This European Standard was approved by CEN on 6 February 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

208b42a1a9ce/sist-en-iso-12402-10-2006



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

This document (EN ISO 12402-10:2006) has been prepared by Technical Committee CEN/TC 162 "Protective clothing including hand and arm protection and lifejackets", the secretariat of which is held by DIN, in collaboration with Technical Committee ISO/TC 188 "Small craft".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2006, and conflicting national standards shall be withdrawn at the latest by August 2006.

This document supersedes CR 13033:1997.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

SIST EN ISO 12402-10:2006 https://standards.iteh.ai/catalog/standards/sist/d4be539e-aa12-461f-95b5-208b42a1a9ce/sist-en-iso-12402-10-2006

ANNEX ZA

(informative)

Relationship between this Standard and the Essential Requirements of EU Directive 89/686 EEC

This Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive 89/686/EEC on the approximation of the laws of the Member States relating to personal protective equipment.

Once this standard is cited in the Official Journal of the European Communities under that Directive and has been implemented as a national standard in at least one Member State, compliance with the clauses of this standard confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

WARNING: Other requirements and other EU Directives may be applicable to the product(s) falling within the scope of this standard.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 12402-10:2006 https://standards.iteh.ai/catalog/standards/sist/d4be539e-aa12-461f-95b5-208b42a1a9ce/sist-en-iso-12402-10-2006

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 12402-10:2006</u> https://standards.iteh.ai/catalog/standards/sist/d4be539e-aa12-461f-95b5-208b42a1a9ce/sist-en-iso-12402-10-2006

INTERNATIONAL STANDARD

ISO 12402-10

First edition 2006-02-15

Personal flotation devices —

Part 10:

Selection and application of personal flotation devices and other relevant devices

Teh STÉquipements individuels de flottabilité ₩

Partie 10: Sélection et application des équipements individuels de flottabilité et d'autres équipements pertinents

SIST EN ISO 12402-10:2006 https://standards.iteh.ai/catalog/standards/sist/d4be539e-aa12-461f-95b5-208b42a1a9ce/sist-en-iso-12402-10-2006



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 12402-10:2006 https://standards.iteh.ai/catalog/standards/sist/d4be539e-aa12-461f-95b5-208b42a1a9ce/sist-en-iso-12402-10-2006

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents Page

Forew	vord	iv
Introduction		V
1	Scope	1
2	Normative references	1
3	Terms and definitions	
4 4.1	Classification, risks and recommended areas of application of PFDs	4
4.2 4.3 4.4	Performance criteria Performance levels Selection and use	6 7
5	Essential items to be observed by legislative authorities, manufacturers, retailers and users	10
5.1 5.2 5.3	Personal flotation devices (PFDs)	10 11
6 6.1 6.2	Guidance for drowning risk management. General	13 13 13
6.3 6.4 6.5	Identification of risk areas and establishment of safety levels Guidance on identification of risk managing measures Guidance on selection of risk managing measures 39e-aa12-461f-95b5-	13 13 14
6.6 6.7	Guidance on selection of personal protective equipment. Checklists	15 15
Annex	A (informative) List of terms defined in ISO 15027-1	17

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 12402-10 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 162, *Protective clothing including hand and arm protection and lifejackets*, in collaboration with Technical Committee ISO/TC 188, *Small craft*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 12402 consists of the following parts, under the general title *Personal flotation devices*:

- Part 1: Lifejackets for seagoing ships Safety requirements 10:2006 https://standards.iteh.avcatalog/standards/sist/d4be539e-aa12-461f-95b5-
- Part 2: Lifejackets, performance level 275 Safety requirements 0-2006
- Part 3: Lifejackets, performance level 150 Safety requirements
- Part 4: Lifejackets, performance level 100 Safety requirements
- Part 5: Buoyancy aids (level 50) Safety requirements
- Part 6: Special purpose lifejackets and buoyancy aids Safety requirements and additional test methods
- Part 7: Materials and components Safety requirements and test methods
- Part 8: Accessories Safety requirements and test methods
- Part 9: Test methods
- Part 10: Selection and application of personal flotation devices and other relevant devices

Introduction

ISO 12402 has been prepared to give guidance on the design and application of personal flotation devices (hereafter referred to as PFDs) for persons engaged in activities, whether in relation to their work or their leisure, in or near water. PFDs manufactured, selected, and maintained to this standard should give a reasonable assurance of safety from drowning to a person who is immersed in water.

Requirements for lifejackets on large, commercial seagoing ships are regulated by the International Maritime Organisation (IMO) under the International Convention for the Safety of Life at Sea (SOLAS). ISO 12402-1 addresses lifejackets for seagoing ships.

ISO 12402 allows for the buoyancy of a PFD to be provided by a wide variety of materials or designs, some of which may require preparation before entering the water (e.g. inflation of chambers by gas from a cylinder or blown in orally). However, PFDs can be divided into the following two main classes:

- those which provide face up in-water support to the user regardless of physical conditions (lifejackets), and
- those which require the user to make swimming and other postural movements to position the user with the face out of the water (buoyancy aids).
 iTeh STANDARD PREVIEW

Within these main two classes there are a number of levels of support, types of buoyancy, activation methods for inflatable devices, and auxiliary items (such as location aids), all of which will affect the user's probability of survival. Within the different types of buoyancy allowed, inflatable PFDs either provide full buoyancy without any user intervention other than arming (i.e. PFDs inflated by a fully automatic method) or require the user to initiate the inflation. Hybrid PFDs always provide some buoyancy but rely on the same methods as inflatable PFDs to achieve full buoyancy. With inherently buoyant PFDs, the user only needs to put the PFD on to achieve the performance of its class.

PFDs that do not require intervention (automatically operating PFDs) are suited to activities where persons are likely to enter the water unexpectedly; whereas PFDs requiring intervention (e.g. manually inflated PFDs) are only suitable for use if the user believes there will be sufficient time to produce full buoyancy, or help is close at hand. In every circumstance, the user should ensure that the operation of the PFD is suited to the specific application. The conformity of a PFD to this part of ISO 12402 does not imply that it is suitable for all circumstances. The relative amount of required inspection and maintenance is another factor of paramount importance in the choice and application of specific PFDs.

ISO 12402 is intended to serve as a guide to manufacturers, purchasers, and users of such safety equipment in ensuring that the equipment provides an effective standard of performance in use. Equally essential is the need for the designer to encourage the wearing of the equipment by making it comfortable and attractive for continuous wear on or near water, rather than for it to be stored in a locker for emergency use. Throwable devices and flotation cushions are not covered by this part of ISO 12402. The primary function of a PFD is to support the user in reasonable safety in the water. Within the two classes, alternative attributes make some PFDs better suited to some circumstances than others or make them easier to use and care for than others. Important alternatives allowed by ISO 12402 are the following:

- to provide higher levels of support (levels 100, 150, or 275) that generally float the user with greater water clearance, enabling the user's efforts to be expended in recovery rather than avoiding waves; or to provide lighter or less bulky PFDs (levels 50 to 100);
- to provide the kinds of flotation (inherently buoyant foam, hybrid, and inflatable) that will accommodate
 the sometimes conflicting needs of reliability and durability, in-water performance, and continuous wear;

© ISO 2006 – All rights reserved

ISO 12402-10:2006(E)

- to provide automatically operating (inherently buoyant or automatically inflated) PFDs that float users without any intervention on their part, except in initially donning the PFD (and regular inspection and rearming of inflatable types), or to provide user control of the inflatable PFD's buoyancy by manual and oral operation; and
- to assist in detection (location aids) and recovery of the user.

PFDs provide various degrees of buoyancy in garments that are light in weight and only as bulky and restrictive as needed for their intended use. They will need to be secure when worn, in order to provide positive support in the water and to allow the user to swim or actively assist herself/himself or others. The PFD selected shall ensure that the user is supported with the mouth and nose clear of the water under the expected conditions of use and the user's ability to assist.

Under certain conditions (such as rough water and waves), the use of watertight and multilayer clothing, which provide (intentionally or otherwise) additional buoyancy, or the use of equipment with additional weight (such as tool belts) will likely alter the performance of the PFD. Users, owners and employers need to ensure that this is taken into account when selecting a PFD. Similarly, PFDs may not perform as well in extremes of temperature, although fully approved under this part of ISO 12402. PFDs may also be affected by other conditions of use, such as chemical exposure and welding, and may require additional protection to meet the specific requirements of use. If the user intends taking a PFD into such conditions, she/he has to be assured that the PFD will not be adversely affected. This part of ISO 12402 also allows a PFD to be an integral part of a safety harness designed to conform to ISO 12401, or an integral part of a garment with other uses, for example to provide thermal protection during immersion, in which case the complete assembly as used is required to conform to this part of ISO 12402.

In compiling the attributes required of a PFD, consideration has also been given to the potential length of service that the user might expect. Whilst a PFD needs to be of substantial construction and material, its potential length of service often depends on the conditions of use and storage, which are the responsibility of the owner, user and/or employer. Furthermore, whilst the performance tests included are believed to assess relevant aspects of performance in real-life use, they do not accurately simulate all conditions of this. For example, the fact that a device passes the self-righting tests in swimming attire, as described herein, does not guarantee that it will self-right an unconscious user wearing waterproof clothing; neither can it be expected to completely protect the airway of an unconscious person in rough water. Waterproof clothing can trap air and further impede the self-righting action of a lifejacket.

It is essential that owners, users and employers choose those PFDs that meet the correct standards for the circumstances in which they will be used. Manufacturers and those selling PFDs have to make clear to prospective purchasers the product properties, alternative choices and the limitations to normal use, prior to the purchase.

Similarly, those framing legislation regarding the use of these garments should consider carefully which class and performance levels are most appropriate for the foreseeable conditions of use, allowing for the higher risk circumstances. These higher risk circumstances should account for the highest probabilities of occurrence of accidental immersion and the expected consequences in such emergencies.