

Vmesniki V pri digitalnih krajevnih centralah (LE) – Vmesnik V5.1 za podporo dostopovnemu omrežju (AN) – 5. del: Zgradba preskušalnega niza in namen preskušanja (TSS&TP) za omrežno plast na strani krajevne centrale (LE)

V interfaces at the digital Local Exchange (LE); V5.1 interface for the support of Access Network (AN); Part 5: Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (LE side)

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 324-5 V3.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/1e355e8e-0ea3-4b98-bb71-6cac89ee7199/sist-en-300-324-5-v3-1-1-2005)
<https://standards.iteh.ai/catalog/standards/sist/1e355e8e-0ea3-4b98-bb71-6cac89ee7199/sist-en-300-324-5-v3-1-1-2005>

Ta slovenski standard je istoveten z: EN 300 324-5 Version 3.1.1

ICS:

33.040.30 Komutacijski in signalizacijski sistem Switching and signalling systems

SIST EN 300 324-5 V3.1.1:2005 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 324-5 V3.1.1:2005

<https://standards.iteh.ai/catalog/standards/sist/1e355e8e-0ea3-4b98-bb71-6cac89ee7199/sist-en-300-324-5-v3-1-1-2005>

ETSI EN 300 324-5 V3.1.1 (2001-03)

European Standard (Telecommunications series)

**V interfaces at the digital Local Exchange (LE);
V5.1 interface for the support of Access Network (AN);
Part 5: Test Suite Structure and Test Purposes (TSS&TP)
specification for the network layer (LE side)**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 324-5 V3.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/1e355e8e-0ea3-4b98-bb71-6cac89ee7199/sist-en-300-324-5-v3-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/1e355e8e-0ea3-4b98-bb71-6cac89ee7199/sist-en-300-324-5-v3-1-1-2005>



Reference

REN/SPAN-09101-5

KeywordsAN, LE, network, testing, TSS&TP, V interface,
V5 interface**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 324-5 V3.1.1:2005<https://standards.iteh.ai/catalog/standards/sist/1e355e8e-0ea3-4b98-bb71-6cac89ee7199/sist-en-300-324-5-v3-1-1-2005>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at <http://www.etsi.org/tb/status/>

If you find errors in the present document, send your comment to:
editor@etsi.fr

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2001.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword	6
1 Scope	7
2 References	7
3 Definitions and abbreviations	8
3.1 Definitions	8
3.2 Abbreviations	9
4 Test Suite Structure (TSS)	10
4.1 TSS overview	10
4.2 Test groups	11
4.2.1 Protocol groups	11
4.2.1.1 Control protocol	11
4.2.1.2 PSTN protocol	12
4.2.2 Main test groups	12
4.2.2.1 Basic Interconnection (IT) tests	12
4.2.2.2 Capability (CA) tests	12
4.2.2.3 Valid Behaviour (BV) tests	12
4.2.2.4 Inopportune Behaviour (BO) tests	12
4.2.2.5 Invalid Behaviour (BI) tests	12
4.2.2.6 Timer (TI) expiry and counter mismatch tests	12
4.2.2.6.1 Timer expiry and counters of the Control protocol	13
4.2.2.6.2 Timer expiry and counters of the PSTN protocol	13
4.2.2.6.3 Timer expiry and counters of the LE system management	13
4.3 Test step structure	14
4.3.1 State transitions	14
4.3.1.1 Startup of V5.1 interface	14
4.3.1.2 Common control Protocol (system management)	15
4.3.1.3 Control protocol (PSTN port FSM)	16
4.3.1.4 Control protocol (ISDN-BA port FSM)	16
4.3.1.5 PSTN protocol	16
4.3.2 Preambles	17
4.3.3 Postambles	17
4.3.4 Status verification	17
4.3.4.1 PSTN protocol	17
4.3.4.2 Port control protocol	18
4.3.4.3 Common control protocol	18
4.3.5 Common test steps	18
4.4 Defaults	18
4.5 Abstract Service Primitives (ASPs) and Protocol Data Units (PDUs)	19
4.5.1 ASPs	19
4.5.2 PDUs	19
4.5.2.1 Common control protocol	19
4.5.2.2 Port control protocol	19
4.5.2.3 PSTN protocol	19
4.5.3 Information elements	19
4.5.3.1 Variable length information elements	19
4.5.3.1.1 Control protocol	19
4.5.3.1.2 PSTN protocol	20
4.5.3.2 Single octet information elements	20
4.5.3.2.1 Control protocol	20
4.5.3.2.2 PSTN protocol	20
4.6 Timers and counters of the Abstract Test Suite (ATS)	20

5	Test Purposes (TPs)	21
5.1	Introduction	21
5.1.1	TP naming convention	22
5.1.2	Source of TP definition	22
5.1.3	Test strategy	23
5.1.4	Requirements not covered by TPs.....	23
5.1.5	Initial state.....	24
5.1.6	Test and data configuration requirements.....	24
5.2	Control protocol	24
5.2.1	Basic interconnection tests (V5NWKLE/CTRL/IT).....	24
5.2.2	Capability tests (V5NWKLE/CTRL/CA).....	24
5.2.3	Valid behaviour tests (V5NWKLE/CTRL/BV).....	25
5.2.3.1	V5NWKLE/CTRL/BV/COM.....	25
5.2.3.1.1	V5NWKLE/CTRL/BV/COM/TRANS.....	25
5.2.3.1.2	V5NWKLE/CTRL/BV/COM/REST.....	25
5.2.3.1.3	V5NWKLE/CTRL/BV/COM/REVV.....	26
5.2.3.2	V5NWKLE/CTRL/BV/PORT	28
5.2.3.2.1	V5NWKLE/CTRL/BV/PORT/TRANS.....	28
5.2.3.2.2	V5NWKLE/CTRL/BV/PORT/PSTN.....	28
5.2.3.2.3	V5NWKLE/CTRL/BV/PORT/ISDNBA	30
5.2.4	Inopportune behaviour tests (V5NWKLE/CTRL/BO).....	34
5.2.4.1	V5NWKLE/CTRL/BO/COM.....	34
5.2.4.1.1	V5NWKLE/CTRL/BO/COM/TRANS.....	34
5.2.4.1.2	V5NWKLE/CTRL/BO/COM/REVV.....	35
5.2.4.2	V5NWKLE/CTRL/BO/PORT	35
5.2.4.2.1	V5NWKLE/CTRL/BO/PORT/TRANS.....	35
5.2.4.2.2	V5NWKLE/CTRL/BO/PORT/ISDNBA.....	35
5.2.5	Invalid behaviour tests (V5NWKLE/CTRL/BI).....	36
5.2.5.1	V5NWKLE/CTRL/BI/COM.....	36
5.2.5.1.1	V5NWKLE/CTRL/BI/COM/TRANS.....	36
5.2.5.2	V5NWKLE/CTRL/BI/PORT	37
5.2.5.2.1	V5NWKLE/CTRL/BI/PORT/TRANS.....	37
5.2.6	Timer expiry and counter mismatch tests (V5NWKLE/CTRL/TI).....	38
5.2.6.1	V5NWKLE/CTRL/TI/COM.....	38
5.2.6.1.1	V5NWKLE/CTRL/TI/COM/TRANS.....	38
5.2.6.2	V5NWKLE/CTRL/TI/PORT	39
5.2.6.2.1	V5NWKLE/CTRL/TI/PORT/TRANS.....	39
5.3	PSTN Protocol	39
5.3.1	Basic interconnection tests (V5NWKLE/PSTN/IT).....	39
5.3.2	Capability tests (V5NWKLE/PSTN/CA).....	40
5.3.3	Valid behaviour tests (V5NWKLE/PSTN/BV).....	40
5.3.3.1	V5NWKLE/PSTN/BV/0.....	40
5.3.3.2	V5NWKLE/PSTN/BV/1.....	40
5.3.3.3	V5NWKLE/PSTN/BV/2.....	41
5.3.3.4	V5NWKLE/PSTN/BV/4.....	42
5.3.3.5	V5NWKLE/PSTN/BV/5.....	43
5.3.3.6	V5NWKLE/PSTN/BV/6.....	44
5.3.4	Inopportune behaviour tests (V5NWKLE/PSTN/BO).....	44
5.3.4.1	V5NWKLE/PSTN/BO/0.....	45
5.3.4.2	V5NWKLE/PSTN/BO/1.....	46
5.3.4.3	V5NWKLE/PSTN/BO/2.....	47
5.3.4.4	V5NWKLE/PSTN/BO/4.....	48
5.3.4.5	V5NWKLE/PSTN/BO/6.....	49
5.3.5	Invalid behaviour tests (V5NWKLE/PSTN/BI).....	50
5.3.5.1	V5NWKLE/PSTN/BI/1.....	50
5.3.5.2	V5NWKLE/PSTN/BI/4.....	51
5.3.6	Timer expiry and counter mismatch tests (V5NWKLE/PSTN/TI).....	51
5.3.6.1	V5NWKLE/PSTN/TI/0.....	51
5.3.6.2	V5NWKLE/PSTN/TI/1.....	52
5.3.6.3	V5NWKLE/PSTN/TI/2.....	52
5.3.6.4	V5NWKLE/PSTN/TI/4.....	53
5.3.6.5	V5NWKLE/PSTN/TI/5.....	54

5.3.6.6	V5NWKLE/PSTN/TI/6	54
Bibliography.....		55
History		56

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 300 324-5 V3.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/1e355e8e-0ea3-4b98-bb71-6cac89ee7199/sist-en-300-324-5-v3-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/1e355e8e-0ea3-4b98-bb71-6cac89ee7199/sist-en-300-324-5-v3-1-1-2005>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Services and Protocols for Advanced Networks (SPAN).

The present document is part 5 of a multi-part deliverable covering the V5.1 interface for the support of Access Network (AN) as described below:

- Part 1: "V5.1 interface specification";
- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (AN side)";
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network layer (AN side)";
- Part 5: "Test Suite Structure and Test Purposes (TSS&TP) specification for the network layer (LE side)";**
- Part 6: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network layer (LE side)";
- Part 7: "Test Suite Structure and Test Purposes (TSS&TP) specification for the data link layer";
- Part 8: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the data link layer";
- Part 9: "Test specification for the physical layer".

National transposition dates

Date of adoption of this EN:	16 March 2001
Date of latest announcement of this EN (doa):	30 June 2001
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 December 2001
Date of withdrawal of any conflicting National Standard (dow):	31 December 2001

1 Scope

This fifth part of EN 300 324 contains the Test Suite Structure (TSS) and Test Purposes (TPs) for the Network layer (NWK) and parts of the system management of the Local Exchange (LE) side of a V5.1 interface.

The objective of the present document is to provide conformance tests giving a high probability of inter-operability of an Access Network (AN) and a LE from different manufacturers over the V5.1 interface. The present document covers the procedures described in EN 300 324-1 [1] only.

ISO/IEC 9646-1 [4] is used as the basis for the methodology of conformance testing.

Concerning the Public Switched Telephone Network (PSTN) protocol testing, only the procedures defined in EN 300 324-1 [1] are covered by the tests defined in the present document. An Implementation Under Test (IUT), however, will have implemented a national PSTN protocol part as well. This requires that the tester generates messages containing the national PSTN protocol specific optional Information Elements (IEs), otherwise the IUT would not act on messages according to the PSTN protocol procedure definition. However, this does not provide a comprehensive test of the national PSTN protocol mapping specification, which is outside the scope of the present document.

As the tests use PSTN messages containing optional IEs according to national specifications, the test result is only valid for the implemented national mapping of the V5.1 PSTN protocol.

The present document does not cover tests related to functions of the bearer channel. Those functions should be tested in conjunction with testing the national PSTN protocol mapping specification.

The present document contains no requirements concerning NWK tests for Integrated Services Digital Network Basic Access (ISDN-BA).

iTeh STANDARD PREVIEW
(standards.iteh.ai)

2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies.
- A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] ETSI EN 300 324-1 (V2.1.1): "V interfaces at the digital Local Exchange (LE); V5.1 interface for the support of Access Network (AN); Part 1: V5.1 interface specification".
- [2] ETSI EN 300 324-2: "V interfaces at the digital Local Exchange (LE); V5.1 interface for the support of Access Network (AN); Part 2: Protocol Implementation Conformance Statement (PICS) proforma".
- [3] ISO 7498: "Information Processing Systems - Open Systems Interconnection - Basic Reference Model".
- [4] ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts".

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following terms and definitions apply, together with those given in EN 300 324-1 [1]:

abstract test case: refer to ISO/IEC 9646-1 [4]

abstract test suite: refer to ISO/IEC 9646-1 [4]

current provisioning variant: identifier for the presently active data set

data link layer: refer to ISO 7498 [3]

implementation under test: refer to ISO/IEC 9646-1 [4]

incorrect information element: specified information element carrying information types not defined in EN 300 324-1 [1]

invalid PSTN information element: PSTN information element not according to national specific requirements

invalid protocol data unit: PDU which contains an incorrect message format

invalid PSTN message: PSTN message carrying information elements not according to national specific requirements

lower tester: refer to ISO/IEC 9646-1 [4]

network layer: refer to ISO 7498 [3]

new provisioning variant: identifier for the data set which was announced to the IUT to become the next active data set through reprovisioning

physical layer: refer to ISO 7498 [3]

Protocol Implementation Conformance Statement (PICS): refer to ISO/IEC 9646-1 [4]

PICS proforma: refer to ISO/IEC 9646-1 [4]

specified information element: information element identifier defined in EN 300 324-1 [1]

system under test: refer to ISO/IEC 9646-1 [4]

test purpose: refer to ISO/IEC 9646-1 [4]

unknown provisioning variant: identifier for a non-available data set

unspecified information element: information element identifier not defined in EN 300 324-1 [1]

valid information element: PSTN information element according to national specific requirements

valid PSTN message: PSTN message carrying information elements according to national specific requirements

STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 324-5 V3.1.1:2005](https://standards.iteh.ai/catalog/standards/sist/1e355e8e-0ea3-4b98-bb71-6cac89ee7199/sist-en-300-324-5-v3-1-1-2005)

<https://standards.iteh.ai/catalog/standards/sist/1e355e8e-0ea3-4b98-bb71-6cac89ee7199/sist-en-300-324-5-v3-1-1-2005>

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

AN	Access Network
ASP	Abstract Service Primitive
ATC	Abstract Test Case
ATS	Abstract Test Suite
BI	Invalid Behaviour
BO	Inopportune Behaviour
BV	Valid Behaviour
CA	Capability
COM	Common control protocol
CTRL	Control
FE	Function Element
FSM	Finite State Machine
ID	Identifier
IE	Information Element
ISDN	Integrated Services Digital Network
ISDN-BA	ISDN-Basic Access
IT	Basic Interconnection
IUT	Implementation Under Test
L3addr	Layer 3 address
LE	Local Exchange
LT	Lower Tester
MDU	Management Data Unit
MPH	Management Physical Layer
NWK	Network Layer
PDU	Protocol Data Unit
PICS	Protocol Implementation Conformance Statements
PSTN	Public Switched Telephone Network
REST	Restart
REVV	Verify and Reprovisioning
SUT	System Under Test
TI	Timer
TP	Test Purpose
TSS	Test Suite Structure

4 Test Suite Structure (TSS)

4.1 TSS overview

Figure 1 shows the structure of the V5.1 LE side NWK test suite.




Figure 1: NWK LE TSS

4.2 Test groups

Figure 2 gives an overview of the various protocol entities of a V5.1 interface. Table 1 maps each protocol entity on tested protocol groups.




Figure 2: Network Layer LE - protocol entity overview

Table 1: Names used in figure 2 that correspond to EN 300 324-1

NWK protocol entities	Protocol entities defined in EN 300 324-1 [1]	Protocol group references
LE_PSTN_port_FSM	LE_PSTN_user_port_FSM	4.2.1.1
LE_ISDN_port_FSM	LE_ISDN-BA_user_port_FSM	4.2.1.1
LE_CTRL	LE_control_protocol	4.2.1.1
LE_SYS	LE_system_management	4.2.1.1
LE_PSTN	LE_PSTN_protocol	4.2.1.2

4.2.1 Protocol groups

4.2.1.1 Control protocol

All tests in the Control protocol (V5NWKLE/CTRL) test group are intended to verify as thoroughly as possible the various procedures of the LE_control_protocol entity. Depending on provisioning the following configurations are covered:

LE_system_management: the startup, restart, re-provisioning and verification procedures for normal operation of the LE_system_management (V5NWKLE/CTRL/BV/COM/REST, V5NWKLE/CTRL/BV/COM/REVV and V5NWKLE/CTRL/BO/COM/REVV) are tested.

LE_control_protocol: the normal and exceptional procedures of the LE_control_protocol are verified in the test groups V5NWKLE/CTRL/BV/COM/TRANS, V5NWKLE/CTRL/BO/COM/TRANS, V5NWKLE/CTRL/TI/COM/TRANS, V5NWKLE/CTRL/BV/PORT/TRANS, V5NWKLE/CTRL/BO/PORT/TRANS and V5NWKLE/CTRL/TI/PORT/TRANS. Contents of the LE_control_protocol values are not verified (e.g. the control function ID). The error handling procedures are verified in test groups V5NWLKE/CTRL/BI/COM/TRANS and V5NWLKE/CTRL/BI/PORT/TRANS.

LE_PSTN_user_port: the blocking, blocking request and co-ordinated unblocking procedures of the LE_PSTN_user_port_FSM are verified in the test group V5NWKLE/CTRL/BV/PORT/PSTN. The interworking of the LE_PSTN_user_port_FSM and the LE_PSTN protocol entity is tested via the LE_system_management.

LE_ISDN-BA_user_port: the blocking, blocking request, co-ordinated unblocking and activation/ deactivation procedures of the LE_ISDN-BA_user_port_FSM are verified in the test groups V5NWKLE/CTRL/BV/PORT/ISDNBA and V5NWKLE/CTRL/BO/PORT/ISDNBA.

4.2.1.2 PSTN protocol

All tests in the PSTN protocol (V5NWKLE/PSTN) test group are intended to verify as thoroughly as possible the various procedures of the LE_PSTN protocol entity.

The following PSTN procedures are covered:

- all path related normal operation procedures;
- significant path related exceptional procedures;
- the status enquiry procedure;
- the layer 3 error detection procedure;
- the error handling procedures;
- the port blocking procedure;
- the restart procedure.

4.2.2 Main test groups

4.2.2.1 Basic Interconnection (IT) tests

The IT test subgroup contains a basic set of TPs which assures that there is a sufficient conformance for interconnection and that the chosen parameters are valid for the configuration.

4.2.2.2 Capability (CA) tests

Capability testing provides a limited testing to ascertain the capabilities stated in the PICS can be observed.

4.2.2.3 Valid Behaviour (BV) tests

Predefined state transitions are considered as valid. The TPs in the BV test subgroup cover as far as reasonable the verification of the normal and exceptional procedures of the various Finite State Machines (FSMs).

A valid test is a test where the message sequence and the message contents are considered as valid (no error indication shall be indicated).

4.2.2.4 Inopportune Behaviour (BO) tests

This test group is intended to verify that the IUT is able to react properly in the case an inopportune protocol event occurring. Such an event is syntactically correct but occurs when it is not expected and an error indication is caused.

4.2.2.5 Invalid Behaviour (BI) tests

This test subgroup is intended to verify that the IUT is able to react properly having received an invalid Protocol Data Unit (PDU). An invalid PDU is defined as a syntactically incorrect message and therefore an error indication is caused.

4.2.2.6 Timer (TI) expiry and counter mismatch tests

Different timers and counters are defined to supervise the various state transitions. This test group is intended to verify that the FSM is reacting properly to an expiry of one of the timers or counter mismatch.

4.2.2.6.1 Timer expiry and counters of the Control protocol

Refer to EN 300 324-1 [1], table 58.

T01	PORT CONTROL message sent
T02	COMMON CONTROL message sent

4.2.2.6.2 Timer expiry and counters of the PSTN protocol

Refer to EN 300 324-1 [1], table 28.

T1	ESTABLISH sent
T3	DISCONNECT sent
T4	STATUS ENQUIRY sent
Tr	SIGNAL received
Tt	SIGNAL or PROTOCOL PARAMETER sent

Refer to EN 300 324-1 [1], clause 13.5.5.

S(S)	Sequence number of the next message to be sent
S(A)	Sequence number of the last acknowledged message
S(R)	Sequence number of the last received message
M(S)	Send sequence number in SIGNAL or PROTOCOL PARAMETER messages
M(R)	Receive sequence number in SIGNAL ACK messages

4.2.2.6.3 Timer expiry and counters of the LE system management

Refer to EN 300 324-1 [1], annex C, table C.1.

TR1	MDU-CTRL(restart request) to all PSTN protocol FSMs
TR2	MDU-CTRL(restart request) to or from CTRL protocol
TC1	MDL-RELEASE-INDICATION from CONTROL-DL
TC2	Expiry of TC1
TC3	MDL-RELEASE-INDICATION from PSTN-DL
TC8	Expiry of TC2
TC9	Cold restart of V5 interface
TV1	MDU-CTRL(request variant & interface ID) to CTRL protocol