



SLOVENSKI STANDARD
SIST EN 60127-2:2015/A1:2024

01-februar-2024

Miniature varovalke - 2. del: Taljivi vložki varovalke - Dopolnilo A1

Miniature fuses - Part 2: Cartridge fuse-links

Geräteschutzsicherungen - Teil 2: Feinsicherungseinsätze

Coupe-circuit miniatures - Partie 2: Cartouches

Ta slovenski standard je istoveten z: EN 60127-2:2014/A1:2023

ICS:

29.120.50 Varovalke in druga nadtokovna zaščita Fuses and other overcurrent protection devices

SIST EN 60127-2:2015/A1:2024

en,fr,de

EUROPEAN STANDARD

EN 60127-2:2014/A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2023

ICS 29.120.50

English Version

**Miniature fuses - Part 2: Cartridge fuse-links
(IEC 60127-2:2014/A1:2020)**Coupe-circuit miniatures - Partie 2: Cartouches
(IEC 60127-2:2014/A1:2020)Geräteschutzsicherungen - Teil 2: Feinsicherungseinsätze
(IEC 60127-2:2014/A1:2020)

This amendment A1 modifies the European Standard EN 60127-2:2014; it was approved by CENELEC on 2022-10-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this amendment the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

[SIST EN 60127-2:2015/A1:2024](https://standards.iteh.ai/catalog/standards/sist/daa99066-ec98-432d-acfb-d4936f797c51/sist-en-60127-2-2015-a1-2024)<https://standards.iteh.ai/catalog/standards/sist/daa99066-ec98-432d-acfb-d4936f797c51/sist-en-60127-2-2015-a1-2024>

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 60127-2:2014/A1:2023 (E)**European foreword**

The text of document 32C/587/FDIS, future IEC 60127-2/A1, prepared by SC 32C "Miniature fuses" of IEC/TC 32 "Fuses" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60127-2:2014/A1:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2024-02-25
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2026-08-25

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60127-2:2014/A1:2020 was approved by CENELEC as a European Standard without any modification.

International Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST EN 60127-2:2015/A1:2024](https://standards.iteh.ai/catalog/standards/sist/daa99066-ec98-432d-acfb-d4936f797c51/sist-en-60127-2-2015-a1-2024)

<https://standards.iteh.ai/catalog/standards/sist/daa99066-ec98-432d-acfb-d4936f797c51/sist-en-60127-2-2015-a1-2024>



IEC 60127-2

Edition 3.0 2020-09

INTERNATIONAL STANDARD

NORME INTERNATIONALE

AMENDMENT 1
AMENDEMENT 1

**Miniature fuses –
Part 2: Cartridge fuse-links**

**Coupe-circuit miniatures –
Partie 2: Cartouches**

ITeh Standards
<https://standards.iteh.ai>
Document Preview

[SIST EN 60127-2:2015/A1:2024](https://standards.iteh.ai/catalog/standards/sist/daa99066-ec98-432d-acfb-d4936f797c51/sist-en-60127-2-2015-a1-2024)

<https://standards.iteh.ai/catalog/standards/sist/daa99066-ec98-432d-acfb-d4936f797c51/sist-en-60127-2-2015-a1-2024>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 29.120.50

ISBN 978-2-8322-8800-9

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

FOREWORD

This amendment has been prepared by subcommittee 32C: Miniature fuses, of IEC technical committee 32: Fuses.

The text of this amendment is based on the following documents:

FDIS	Report on voting
32C/587/FDIS	32C/591/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

The committee has decided that the contents of this amendment and the base publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

**Figure 1 – Test fuse-base for 5 mm × 20 mm and 6,3 mm × 32 mm fuse-links –
Rated currents up to and including 6,3 A (see 7.3)**

Replace the existing title of Figure 1 with the following new title:

**Figure 1 – Test fuse-base for 5 mm × 20 mm and 6,3 mm × 32 mm fuse-links –
Rated currents up to and including 6,3 A**

**Figure 2 – Test fuse-base for 5 mm × 20 mm and 6,3 mm × 32 mm fuse-links –
Rated currents exceeding 6,3 A (see 7.3)**

Replace the existing title of Figure 2 with the following new title:

**Figure 2 – Test fuse-base for 5 mm × 20 mm and 6,3 mm × 32 mm fuse-links –
Rated currents exceeding 6,3 A**

Figure 3 – Test fuse-base for breaking capacity tests (see 7.3)

Replace the existing title of Figure 3 with the following new title:

Figure 3 – Test fuse-base for breaking capacity tests