

SLOVENSKI STANDARD

SIST EN ISO 9693:2020

01-januar-2020

Nadomešča:

SIST EN ISO 9693-1:2012

SIST EN ISO 9693-2:2016

Zobozdravstvo - Preskušanje združljivosti za kovinsko-keramične in keramično-keramične sisteme (ISO 9693:2019)

Dentistry - Compatibility testing for metal-ceramic and ceramic-ceramic systems (ISO 9693:2019)

Zahnheilkunde - Kompatibilitätsprüfungen für metall-keramische und keramisch-keramische Systeme (ISO 9693:2019)

Médecine bucco-dentaire - Essais de compatibilité pour systèmes métalliques-céramiques et céramiques-céramiques (ISO 9693:2019)

Ta slovenski standard je istoveten z: EN ISO 9693:2019

ICS:

11.060.10 Zobotehnični materiali Dental materials

SIST EN ISO 9693:2020

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 9693:2020

<https://standards.iteh.ai/catalog/standards/sist/ddf4c0b2-0496-4b36-8e8d-901c833b5abc/sist-en-iso-9693-2020>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 9693

November 2019

ICS 11.060.10

Supersedes EN ISO 9693-1:2012, EN ISO 9693-2:2016

English Version

**Dentistry - Compatibility testing for metal-ceramic and
ceramic-ceramic systems (ISO 9693:2019)**

Médecine bucco-dentaire - Essais de compatibilité pour
systèmes métallo-céramiques et céramo-céramiques
(ISO 9693:2019)

Zahnheilkunde - Kompatibilitätsprüfungen für metall-
keramische und keramisch-keramische Systeme (ISO
9693:2019)

This European Standard was approved by CEN on 6 October 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

| Contents | Page |
|------------------------|------|
| European foreword..... | 3 |

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 9693:2020
<https://standards.iteh.ai/catalog/standards/sist/ddf4c0b2-0496-4b36-8e8d-901c833b5abc/sist-en-iso-9693-2020>

European foreword

This document (EN ISO 9693:2019) has been prepared by Technical Committee ISO/TC 106 "Dentistry" in collaboration with Technical Committee CEN/TC 55 "Dentistry" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2020, and conflicting national standards shall be withdrawn at the latest by May 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 9693-1:2012 and EN ISO 9693-2:2016.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW
Endorsement notice
(standards.iteh.ai)

The text of ISO 9693:2019 has been approved by CEN as EN ISO 9693:2019 without any modification.

<https://standards.iteh.ai/catalog/standards/sist/ddf4c0b2-0496-4b36-8e8d-901c833b5abc/sist-en-iso-9693-2020>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 9693:2020

<https://standards.iteh.ai/catalog/standards/sist/ddf4c0b2-0496-4b36-8e8d-901c833b5abc/sist-en-iso-9693-2020>

INTERNATIONAL STANDARD

**ISO
9693**

Third edition
2019-10

Dentistry — Compatibility testing for metal-ceramic and ceramic-ceramic systems

*Médecine bucco-dentaire — Essais de compatibilité pour systèmes
métallo-céramiques et céramo-céramiques*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 9693:2020](https://standards.iteh.ai/catalog/standards/sist/ddf4c0b2-0496-4b36-8e8d-901c833b5abc/sist-en-iso-9693-2020)

<https://standards.iteh.ai/catalog/standards/sist/ddf4c0b2-0496-4b36-8e8d-901c833b5abc/sist-en-iso-9693-2020>



Reference number
ISO 9693:2019(E)

© ISO 2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 9693:2020

<https://standards.iteh.ai/catalog/standards/sist/ddf4c0b2-0496-4b36-8e8d-901c833b5abc/sist-en-iso-9693-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

| | Page |
|---------------------------------------------------------------------|-----------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Requirements | 2 |
| 4.1 Biocompatibility | 2 |
| 4.2 Physical properties | 2 |
| 4.2.1 General | 2 |
| 4.2.2 Thermal expansion | 2 |
| 4.2.3 De-bonding/crack-initiation test | 2 |
| 4.2.4 Thermal shock resistance | 3 |
| 5 Sampling | 3 |
| 5.1 Metallic substructure material | 3 |
| 5.2 Ceramic substructure material | 3 |
| 5.3 Veneering ceramic | 3 |
| 6 Test methods | 3 |
| 6.1 Linear thermal expansion | 3 |
| 6.1.1 Metallic materials | 3 |
| 6.1.2 Ceramic materials | 3 |
| 6.2 Glass transition temperature | 3 |
| 6.3 Young's modulus | 3 |
| 6.4 De-bonding/crack-initiation test | 3 |
| 6.4.1 Apparatus | 3 |
| 6.4.2 Preparation of test specimens | 4 |
| 6.4.3 Determination of fracture force | 4 |
| 6.4.4 Test report | 6 |
| 6.5 Thermal shock testing | 6 |
| 6.5.1 General | 6 |
| 6.5.2 Preparation of test specimen | 7 |
| 6.5.3 Thermocycling test with fixed temperature interval | 7 |
| 6.5.4 Thermocycling test with increasing temperature interval | 7 |
| 7 Test report | 8 |
| Bibliography | 10 |

ISO 9693:2019(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 106, *Dentistry*, Subcommittee SC 2, *Prosthodontic materials*.

This third edition cancels and replaces ISO 9693-1:2012 and ISO 9693-2:2016, which have been technically revised.

The main changes compared to the previous editions are as follows:

- this document focuses only on the compatibility of veneering ceramics fired on to metallic or ceramic substrate materials. Tests of dental veneering ceramics themselves, whether for either metal or ceramic substructures, are now contained in ceramics standard ISO 6872;
- some clauses are relevant for all materials (e.g. measurement of thermal expansion coefficients);
- the de-bonding test (formerly denoted the Schwickerath bond characterization test) for veneering ceramic fired to a substrate is retained for metallic substrates and for ceramic substrates with an elastic modulus less than 250 GPa;
- a new requirement has been added for metal-ceramic systems to undergo thermal shock testing according to either of two protocols.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Dental veneering ceramics and metal alloys or substructure ceramics are suitable materials for the fabrication of dental restorations. Compatibility between the veneering ceramic and the substructure material under mechanical and thermal loading is essential if they are to function in a prosthetic construction.

This document specifies requirements and test methods for assessing the risk of failure associated with masticatory forces and the oral environment.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 9693:2020

<https://standards.iteh.ai/catalog/standards/sist/ddf4c0b2-0496-4b36-8e8d-901c833b5abc/sist-en-iso-9693-2020>