INTERNATIONAL STANDARD

ISO 2031

Second edition 1991-05-01

Granulated cork — Determination of bulk density

Granulés crus de liège — Détermination de la masse volumique

iTeh STANDARD PREVIEW (standards.iteh.ai)



ISO 2031:1991(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75% of the member bodies casting a vote.

Teh STANDARD PREVIEW

International Standard ISO 2031 was prepared by Technical Committee ISO/TC 87, Cork.

This second edition cancels and replaces the second edition (ISO 2031:1972), which has been technically revised. https://standards.iieh.ai/catalog/standards/sist/f36a8eb1-d572-4afa-a98d-8071639492bd/iso-2031-1991

© ISO 1991

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 ● CH-1211 Genève 20 ● Switzerland

Printed in Switzerland

Granulated cork — Determination of bulk density

Scope

This International Standard specifies a method of determining the bulk density of granulated cork, as defined in ISO 633.1)

Normative reference 2

The following standard contains provisions which, through reference in this text, constitute provisions of this International Standard. At the time of public R cation, the edition indicated was valid, All standards are subject to revision, and parties (Sagreements ds.iteh.ai) based on this International Standard are encouraged to investigate the possibility of applying the 2031:1991 most recent edition of the standard indicated below.

Members of IEC and ISO maintain registers of cur8071639492bd/iso-2031-1991 rently valid International Standards.

ISO 2067:1988, Granulated cork — Sampling.

Apparatus

- 3.1 Balance, accurate to 0,5 g.
- 3.2 Oven, capable of maintaining a temperature of 20 °C \pm 2 °C relative humidity and a $(65 \pm 5) \%$.
- 3.3 Cubic container with a known accurate mass, capacity 2 dm3 (side 126 mm). (No. 4 in figure 1.)
- 3.4 Cubic container with a known accurate mass, capacity 1 dm³. (No. 4 in figure 1.)

3.5 Wooden ruler.

3.6 Stand, for the hopper with a height such that the upper rim of the hopper is 450 mm away from the supporting surface. (No. 3 in figure 1.)

3.7 Conical hopper, made of a sheet of stainless steel (No. 1 in figure 1), with upper and lower diameters of 300 mm and 70 mm respectively, at a distance of 200 mm from each other.

The top of the hopper is open; the base ends in a cylindrical tube 50 mm high and has a removable bottom, which allows a quick and complete opening of the cylindrical tube in such a way that the granulated cork falls down, into the container, always with the same speed and flow type. (No. 2 in

Dimensions in millimetres




Figure 1 — Apparatus

Sampling

Follow the instructions given in ISO 2067.

¹⁾ ISO 633:1986, Cork — Vocabulary.

Procedure

Preparation of sample

Condition the sample at a temperature of 20 °C + 2°C and a relative humidity of (65 ± 5) %, keeping it in the oven (3.2) for 24 h.

5.2 Test portion

Immediately after conditioning the sample, take at random a test portion large enough (see ISO 2067, 5.4) to fill three times, allowing for overfill, the cubic container (3.4).

NOTE 1 If large granules are being tested (see ISO 2067, 5.2) the cubic container (3.3) shall be used.

5.3 Determination

Hang the hopper (3.7) on the stand (3.6). Place the container (3.3 or 3.4) under the base of the hopper and on the supporting surface of the stand.

Close the base of the hopper and pour the test portion to fill the hopper. iTeh STAND

Open fully the bottom of the hopper (3.7) and allow container. Use the ruler (3.5) to level the top.

sufficient granulated cork to fall to completely full the art

Carry out three tests, each time with the same test portion.

Expression of results

Bulk density, expressed in kilograms per cubic metre, is equal to

m/2 for large granules (see ISO 2067, 5.3);

m for the remaining granules;

where m is the mass, in grams, rounded to the nearest whole number, of the granulated cork taken from the container (3.3 or 3.4), in each determination

Take as the result the arithmetic mean of the three determinations.

Round the result to the nearest whole number.

Test report

The test report shall include the following particu-PREVIEW

- a) the complete identification of the sample;
- iteh.ai b) the test results;

Weigh it on the balance (3.1) taking into account the SO 2031;1991 details of procedures not specified in this Intermass of the cubic container. https://standards.itch.ai/catalog/standards/standards/standard-fractional-sta 8071639492bd/iso-2031-1

d) any incidents that may have affected the results.

iTeh STANDARD PREVIEW

Standards itch ai This page intentionally left blank

iTeh STANDARD PREVIEW

Standards itch ain This page intentionally left blank

iTeh STANDARD PREVIEW

Standards itch ai This page intentionally left blank

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 2031:1991 https://standards.iteh.ai/catalog/standards/sist/f36a8eb1-d572-4afa-a98d-8071639492bd/iso-2031-1991

UDC 674.83-492.3:531.755

Descriptors: cork, granular materials, tests, density measurement, bulk density.

Price based on 2 pages