
**Health informatics — Identification
of medicinal products —
Implementation guide for ISO
11239 data elements and structures
for the unique identification and
exchange of regulated information on
pharmaceutical dose forms, units of
presentation, routes of administration
and packaging**

*Informatique de santé — Identification des produits médicaux —
Guide de mise en oeuvre des éléments de données et structures pour
l'identification unique et l'échange d'informations réglementées sur
les formes des doses pharmaceutiques, les unités de présentation, les
voies d'administration et les emballages de l'ISO 11239*

PROOF / ÉPREUVE



ISO/CEN PARALLEL PROCESSING

This final draft has been developed within the International Organization for Standardization (ISO), and processed under the **ISO-lead** mode of collaboration as defined in the Vienna Agreement. The final draft was established on the basis of comments received during a parallel enquiry on the draft.

This final draft is hereby submitted to the ISO member bodies and to the CEN member bodies for a parallel two-month approval vote in ISO and formal vote in CEN.

Positive votes shall not be accompanied by comments.

Negative votes shall be accompanied by the relevant technical reasons.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/6c7da46f-579c-481d-b5e2-a15d4464920e/iso-ts-20440-2016>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Organization of controlled terms	1
2.1 General.....	1
2.2 Code-term pair and coded concept.....	2
2.2.1 General.....	2
2.2.2 Code-term pair.....	2
2.2.3 Coded concept.....	5
2.3 Versioning.....	6
2.3.1 Versioning of the term.....	6
2.3.2 Versioning of the terminology.....	9
3 Terminologies	9
3.1 General.....	9
3.2 Pharmaceutical dose form.....	10
3.2.1 Pharmaceutical dose form overview.....	10
3.2.2 Pharmaceutical dose form schema.....	11
3.2.3 Pharmaceutical dose form example: Prolonged-release tablet.....	16
3.3 Combined pharmaceutical form.....	21
3.3.1 Combined pharmaceutical dose form overview.....	21
3.3.2 Combined pharmaceutical dose form schema.....	22
3.3.3 Combined pharmaceutical dose form example: Powder and solvent for solution for injection.....	23
3.3.4 Other authorized combinations of terms — Combined terms and combination packs.....	24
3.4 Unit of presentation.....	25
3.4.1 Unit of presentation overview.....	25
3.4.2 Unit of presentation schema.....	26
3.4.3 Unit of presentation example: Tablet.....	27
3.5 Route of administration.....	28
3.5.1 Route of administration overview.....	28
3.5.2 Route of administration schema.....	28
3.5.3 Route of administration example: Intravenous use.....	29
3.6 Packaging.....	29
3.6.1 Packaging overview.....	29
3.6.2 Packaging schema.....	29
3.6.3 Packaging example: Ampoule (Packaging category: Container).....	31
3.6.4 Packaging example: Screw cap (Packaging category: Closure).....	32
3.6.5 Packaging example: Oral syringe (Packaging category: Administration device).....	34
3.6.6 Packaging concept summaries.....	35
4 Mapping of regional terms	36
4.1 Differences in granularity between regional terminologies.....	36
4.2 Organization of regional terms in the database.....	37
4.2.1 General.....	37
4.2.2 Addition of regional terms to the database.....	37
4.2.3 Mapping regional terms to central coded concepts.....	40
4.2.4 Versioning of mapped regional terms.....	40
4.2.5 Mapped regional term example: Extended-release caplet.....	40
Bibliography	42

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/TC 215, *Health informatics*, in collaboration with CEN/TC 251, *Health informatics*.

Introduction

The terminologies described in EN/ISO 11239:2012 (hereafter referred to as ISO 11239) and in this Technical Specification are essential for the implementation of the IDMP standards as a whole.

Each region traditionally uses its own sets of terminologies to describe the concepts covered in ISO 11239 within their regions; these terminologies are not harmonized with those of the other regions. Therefore, harmonized controlled terminologies need to be provided to ensure that all regions can refer to a given concept in the same manner. The purpose of this Technical Specification is to describe how these controlled vocabularies are constructed and illustrate their use for ISO 11239 implementation.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/6c7da46f-579c-481d-b5e2-a15d4464920e/iso-ts-20440-2016>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/6c7da46f-579c-481d-b5e2-a15d4464920e/iso-ts-20440-2016>

Health informatics — Identification of medicinal products — Implementation guide for ISO 11239 data elements and structures for the unique identification and exchange of regulated information on pharmaceutical dose forms, units of presentation, routes of administration and packaging

1 Scope

This Technical Specification describes data elements and structures for the unique identification and exchange of regulated information on pharmaceutical dose forms, units of presentation, routes of administration and packaging.

Based on the principles outlined in this Technical Specification, harmonized controlled terminologies will be developed according to an agreed maintenance process, allowing users to consult the terminologies and locate the appropriate terms for the concepts that they wish to describe. Provisions to allow for the mapping of existing regional terminologies to the harmonized controlled terminologies will also be developed in order to facilitate the identification of the appropriate terms. The codes provided for the terms can then be used in the relevant fields in the PhPID, PCID and MPID in order to identify those concepts.

This Technical Specification is intended for use by

- any organization that might be responsible for developing and maintaining such controlled vocabularies,
- any regional authorities or software vendors who wish to use the controlled vocabularies in their own systems and need to understand how they are created,
- owners of databases who wish to map their own terms to a central list of controlled vocabularies,
- other users who wish to understand the hierarchy of the controlled vocabularies in order to help identify the most appropriate term to describe a particular concept.

The terminology to be applied in the context of this Technical Specification and set out in ISO 11239 is under development. All codes, terms and definitions used as examples in this Technical Specification are provided for illustration purposes only, and are not intended to represent the final terminology.

2 Organization of controlled terms

2.1 General

This Clause describes how each controlled term is built, describing the data types used to convey the information and the versioning requirements for tracking their creation and evolution. [Clause 3](#) describes the different types of terminologies and sub-vocabularies that use these data types, and any relevant relationships between them.

Each field in [Clause 2](#) is described under a separate subclause, consisting of the title of the field and a table containing the following:

- “User Guidance”, a description of the field;
- “Data Type”, a description of the data type;

- “Conformance”, a description of whether the field is mandatory, optional, or conditional;
- “Value Allowed”, indicating the possible values for the field;
- “Business Rules”, providing technical guidance for the field.

2.2 Code-term pair and coded concept

2.2.1 General

The code-term pair and the coded concept are the data types that are used to represent the information that is required to describe each term in each terminology or sub-vocabulary, in each language/region combination.

2.2.2 Code-term pair

2.2.2.1 Code-term pair overview

This is the underlying class for each term, and is used to describe and define a term in a specific language and for a specific region. It contains the core attributes for each concept, including the identifier, the textual representation of the term (i.e. the controlled term itself), the definition, an optional domain to indicate whether a term is restricted to veterinary use, an optional textual comment, and the language and region codes.

Each controlled term or sub-term has a unique code-term pair for each language/region combination. This combination of language and region allows for regional variants of a specific language to be catered for; for example, where the spelling of a term or definition differs between UK English and US English, it is possible to reflect this difference. Where terms and definitions already exist for a particular language for a particular region, and the same language is used in a second region, it is a regional implementation issue to decide whether terms and definitions need to be provided for the second region, or whether the terms and definitions of the first region shall be used.

When a new concept is required, a new coded concept must be created, and at least one code-term pair is required in order to hold the data to describe the concept. The language/region combination chosen to represent the “value” shall always be created first to represent the concept, even when the request originates from a different language/region combination. The maintenance organization shall provide instructions on how to request a new term or a revision to an existing term.

2.2.2.2 Code-term pair: Code

User Guidance	<p>This field contains a unique, machine-readable identifier for the code-term pair. In this Technical Specification, the following format is used for the code:</p> <ul style="list-style-type: none"> — XXX-12345678-LL-RR <p>where</p> <ul style="list-style-type: none"> — XXX represents the class of term (see Table 1); — 12345678 represents a unique 8-digit number; for sub-vocabularies, a 4-digit number is used; — LL represents the language code; — RR represents the region/country code.
Data Type	String <ST>
Conformance	Mandatory
Value Allowed	Free text
Business Rule(s)	Each code-term pair shall have one code.

The codes used in this Technical Specification to represent the various classes of term in the examples that follow are shown in [Table 1](#).

Table 1 — Codes used to represent the class of term

Code	Class
SOM	State of matter
BDF	Basic dose form
RCA	Release characteristics
TRA	Transformation
ISI	Intended site
AME	Administration method
PDF	Pharmaceutical dose form
CDF	Combined pharmaceutical dose form
UOP	Unit of presentation
ROA	Route of administration
PCA	Packaging category
CON	Container
CLO	Closure
DEV	Administration device
MAP	Mapped term

2.2.2.3 Code-term pair: Term

User Guidance	This field contains the textual term description for the code-term pair.
Data Type	String <ST>
Conformance	Mandatory
Value Allowed	Free text
Business Rule(s)	Each code-term pair shall have one term.

2.2.2.4 Code-term pair: Definition

User Guidance	This field contains the textual definition for the code-term pair. The definition is as comprehensive as possible, in order to guide the user to the most appropriate term to describe a given concept. For example, it should be detailed enough to distinguish between similar pharmaceutical dose forms, and may exceptionally make direct reference to related terms in order to exclude them, although such references may be considered more appropriate in the Comments section instead.
Data Type	String <ST>
Conformance	Mandatory for the default code-term pair; optional for the translation code-term pairs
Value Allowed	Free text
Business Rule(s)	Each code-term pair may have one definition. For each coded concept, the default code-term pair (e.g. EN-GB) shall have one definition. If a code-term pair for a given language/region combination does not have a definition provided, the definition in the code-term pair for the default language/region combination is adopted.

2.2.2.5 Code-term pair: Domain

User Guidance	This field is used to identify whether a term is considered appropriate for both human and veterinary use, or whether it is considered appropriate for veterinary use only.
Data Type	Concept Descriptor <CD>
Conformance	Optional
Value Allowed	“Human and veterinary”; “Veterinary only”
Business Rule(s)	Each code-term pair may have one domain. Although veterinary medicines are outside the scope of IDMP, certain regions use a single terminology system to cover both medicines for human use and medicines for veterinary use; this optional field is therefore included in order to allow veterinary-only terms to be easily distinguished in such systems.

2.2.2.6 Code-term pair: Comment

User Guidance	This optional field contains a textual comment for the code-term pair. It is used to provide to the user additional information and guidance that would not be strictly appropriate to appear as part of the definition.
Data Type	String <ST>
Conformance	Optional
Value Allowed	Free text
Business Rule(s)	Each code-term pair may have one comment.

2.2.2.7 Code-term pair: Language code

User Guidance	This field contains the language in which the term, definition and comment are described; in this Technical Specification, the working language is English. The language code used is in line with ISO 639-1.
Data Type	Concept Descriptor <CD>
Conformance	Mandatory
Value Allowed	ISO 639-1 code, OID reference 1.0.639.1
Business Rule(s)	Each code-term pair shall have one language code.

2.2.2.8 Code-term pair: Region code

User Guidance	This field contains the region/country that uses this code-term pair, in the language described above; it can be used to differentiate between regional variants of that language; in this Technical Specification, the default region is the United Kingdom. The region code used is in line with ISO 3166-1. Alpha-2 (i.e. 2-letter) codes are used. The additional code EU is also allowed to represent the European Union. It should be noted that the United Kingdom is represented in ISO 3166-1 by the 2-letter code GB, as in the examples used in this Technical Specification.
Data Type	Concept Descriptor <CD>
Conformance	Mandatory
Value Allowed	ISO 3166-1 alpha-2 code, OID reference 1.0.3166.1.2.2.
Business Rule(s)	Each code-term pair shall have one region code.

2.2.2.9 Code-term pair example

An example of a code-term pair for the concept “Tablet”, a pharmaceutical dose form, is shown in [Table 2](#). Since the working language of this Technical Specification is UK English, the language is English and the region is the United Kingdom.

Table 2 — Example code-term pair for pharmaceutical dose form “Tablet” in UK English

Code	PDF-10219000-EN-GB
Term	Tablet
Definition	Solid single-dose uncoated preparation obtained by compressing uniform volumes of particulate solids or by other means such as extrusion or moulding. Tablets include single-layer tablets resulting from a single compression of particles and multi-layer tablets consisting of concentric or parallel layers obtained by successive compressions of particles of different composition. Tablets are intended for oral use to release active substance(s) in the gastrointestinal fluids by a rate depending essentially on the intrinsic properties of the active substance(s) (conventional release).
languageCode	EN
regionCode	GB

2.2.3 Coded concept

2.2.3.1 Coded concept overview

This is the class that is used to represent the concept itself, and is a collection of all of the code-term pairs that define the same concept for each language/region combination. The code-term pairs for a given concept can be considered as different translations of that concept; the coded concept groups those various translations under a single, unique code. In order to represent the coded concept, one of the code-term pairs is selected as the “value”, while each other code-term pair is a “translation”.

The use of a coded concept in another system allows for the identification of a concept without specifying a particular language and region. The code-term pair selected as the “value” may be used by default to represent the coded concept when a textual term is requested. The default code-term pair in this Technical Specification is English/United Kingdom. Where a language/region combination is specified by the requesting system, the appropriate code-term pair for that combination can be used to represent the coded concept.

As described in 2.2.2.1, when a new concept is required, a new coded concept must be created, and at least one code-term pair is required in order to hold the data to describe the concept. The language/region combination chosen to represent the “value” must always be created, even when the request originates from a different language/region combination. The maintenance organization shall provide instructions on how to request a new term, as well as how to request a revision to an existing term.

2.2.3.2 Coded concept: Code

User Guidance	This field contains a unique, machine-readable identifier for the coded concept.
Data Type	String <ST>
Conformance	Mandatory
Value Allowed	Free text
Business Rule(s)	Each coded concept shall have one code.

2.2.3.3 Coded concept: Value

User Guidance	This field contains the identifier of the code-term pair that has been chosen to represent the coded concept. In this Technical Specification this code-term pair is always that of the English/United Kingdom combination.
Data Type	String <ST>
Conformance	Mandatory
Value Allowed	Code-term pair identifier
Business Rule(s)	Each coded concept shall have one value, which is considered to be its default code-term pair. Whenever a new concept is created, the code-term pair with the language/region combination that is chosen for the “value” shall always be created first, even if the request is made for a different language/region combination.

2.2.3.4 Coded concept: Translation

User Guidance	This repeatable field contains the identifier of the code-term pair that represents the concept using a language/region combination that is different from that of the code-term pair used for the above coded concept value. In this Technical Specification, since the above value is always represented by English/United Kingdom, these code-term pairs will represent combinations such as English/United States, Japanese/Japan, French/France, etc.
Data Type	String <ST>
Conformance	Optional
Value Allowed	Code-term pair identifier
Business Rule(s)	Each coded concept may have zero to many translations.

2.2.3.5 Coded concept example

An example of a coded concept for the concept “Tablet” is shown in [Table 3](#). Since the working language of this Technical Specification is UK English, the value is the code-term pair that has English as the language and United Kingdom as the region (as shown in [Table 2](#)). In order to simplify the example, just two translations are associated with it here: the code-term pair that has French as the language and France as the region, and the code-term pair that has Japanese as the language and Japan as the region. As can be seen from [Table 3](#), only the code-term pair identifiers are required, since each one represents all of the necessary information for each language/region combination, (such as for English and the United Kingdom as shown in [Table 2](#)). The overall concept of “Tablet” (i.e. including all language/region combinations) has its own identifier (code PDF-10219000 in this example).

Table 3 — Example coded concept for pharmaceutical dose form “Tablet”, linking the code-term pairs for the concept in English for the United Kingdom, French for France, and Japanese for Japan

code	PDF-10219000
value	PDF-10219000-EN-GB
translation	PDF-10219000-FR-FR PDF-10219000-JA-JP

2.3 Versioning

2.3.1 Versioning of the term

ISO/TR 14872 includes guidance on principles and procedures for versioning and change control.

Code-term pairs are used to populate a terminology database, and as such they can be considered as the current representation of specific concepts for specific language/region combinations. They contain the information that is considered to be the most important and relevant to the database user. However,

as controlled vocabularies can evolve over time, the situation arises whereby terms in a database need to be revised, which means that code-term pairs therefore need to be revised.

In order to maintain a traceable history of a code-term pair, including any changes that are made to it, each code-term pair is associated with versioning information. This is done with the use of versions. Each time a code-term pair is created or modified, a version of that code-term pair is created.

A version acts as a record of a code-term pair at a specific point in time. It contains the elements of the code-term pair at that point in time, as well as a timestamp, an identifier of the operator that made the modification, and a description of the modification that took place. Also recorded in the version is the status of the term; any change in status of a code-term pair will evoke the creation of a new version of that code-term pair. Certain information, such as the identifier of the operator, may not be made publicly available, but is nevertheless recorded.

These additional elements of versioning information are described in more detail below.

The coded concept can be considered as the container for all of the translations (i.e. code-term pairs) for a given concept; it does not therefore require versioning information itself. The addition of a new translation (i.e. a new code-term pair) does not therefore result in the creation of a new version of the coded concept.

2.3.1.1 Versioning: Code

User Guidance	This field contains the unique, machine-readable identifier for the version of the code-term pair that is the subject of the versioning. In this Technical Specification, the following format is used for the code: — XXX-12345678-LL-RR-V where — XXX-12345678-LL-RR represents the code-term pair; — V represents the version number, the length of which is not limited to a single digit.
Data Type	String <ST>
Conformance	Mandatory
Value Allowed	The code is generated automatically from the code-term pair and the version number.
Business Rule(s)	Each version shall have one code.

2.3.1.2 Versioning: Creation date

User Guidance	This field contains the time and date upon which the concept was first created. The time stamp used is in line with ISO 8601.
Data Type	Timestamp <TS>
Conformance	Mandatory
Value Allowed	YYYY-MM-DD hh:mm:ss
Business Rule(s)	The creation date refers to the creation of the coded concept and the first code-term pair for the default language/region. The time standard chosen to measure the point in time (e.g. UTC, UTC+1) is used consistently throughout the database.