



# SLOVENSKI STANDARD SIST EN 16603-60-20:2020

01-november-2020

Nadomešča:

SIST EN 16603-60-20:2014

---

**Vesoljska tehnika - Terminologija v zvezi s senzorji za zaznavanje zvezd in  
specifikacija lastnosti**

Space engineering - Star sensor terminology and performance specification

Raumfahrttechnik - Terminologie und Leistungsspezifikation für Sternensensoren

**iTeh STANDARD PREVIEW**

(standards.iteh.ai)  
Ingénierie spatiale - Specification des performances et terminologie des senseurs  
stellaires

[SIST EN 16603-60-20:2020](https://standards.iteh.ai/catalog/standards/sist/af8408c3-d108-4814-8394-10c4a55c7dc4/sist-en-16603-60-20-2020)

**Ta slovenski standard je istoveten z: EN 16603-60-20:2020**

---

**ICS:**

01.040.49	Letalska in vesoljska tehnika (Slovarji)	Aircraft and space vehicle engineering (Vocabularies)
49.140	Vesoljski sistemi in operacije	Space systems and operations

**SIST EN 16603-60-20:2020**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 16603-60-20:2020](#)

<https://standards.iteh.ai/catalog/standards/sist/af8408c3-d108-4814-8394-f9e4a35e7de4/sist-en-16603-60-20-2020>

EUROPEAN STANDARD

EN 16603-60-20

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2020

ICS 01.040.49; 49.140

Supersedes EN 16603-60-20:2014

English version

## Space engineering - Star sensor terminology and performance specification

Ingénierie spatiale - Terminologie et spécification des performances des capteurs stellaires


Raumfahrttechnik - Terminologie und Leistungsspezifikation für Sternensensoren

This European Standard was approved by CEN on 20 May 2020.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



CEN-CENELEC Management Centre:  
Rue de la Science 23, B-1040 Brussels

## Table of contents

<b>European Foreword</b> .....	<b>5</b>
<b>Introduction</b> .....	<b>7</b>
<b>1 Scope</b> .....	<b>8</b>
<b>2 Normative references</b> .....	<b>9</b>
<b>3 Terms, definitions and abbreviated terms</b> .....	<b>10</b>
3.1 Terms from other standards.....	10
3.2 Terms specific to the present standard .....	10
3.3 Abbreviated terms.....	29
3.4 Nomenclature .....	30
<b>4 Functional requirements (standards.iteh.ai)</b> .....	<b>31</b>
4.1 Star sensor capabilities.....	31
4.1.1 Overview.....	31
4.1.2 Cartography .....	32
4.1.3 Star tracking.....	33
4.1.4 Autonomous star tracking.....	33
4.1.5 Autonomous attitude determination.....	34
4.1.6 Autonomous attitude tracking .....	35
4.1.7 Angular rate measurement.....	35
4.1.8 (Partial) image download.....	36
4.1.9 Sun survivability .....	37
4.2 Types of star sensors .....	37
4.2.1 Overview.....	37
4.2.2 Star camera .....	37
4.2.3 Star tracker .....	37
4.2.4 Autonomous star tracker .....	38
4.3 Reference frames .....	38
4.3.1 Overview.....	38
4.3.2 Provisions .....	38
4.4 On-board star catalogue .....	38

<b>5 Performance requirements .....</b>	<b>40</b>
5.1 Use of the statistical ensemble .....	40
5.1.1 Overview .....	40
5.1.2 Provisions .....	41
5.2 Verification methods .....	42
5.2.1 Overview .....	42
5.2.2 Provisions for single star performances.....	42
5.2.3 Provisions for attitude performances .....	42
5.2.4 Provision for tests .....	42
5.3 <<deleted>> .....	43
5.4 General performance requirements .....	43
5.5 General performance metrics .....	45
5.5.1 Overview .....	45
5.5.2 Bias .....	45
5.5.3 Thermo elastic error .....	46
5.5.4 FOV spatial error .....	46
5.5.5 Pixel spatial error .....	47
5.5.6 Temporal noise .....	48
5.5.7 Aberration of light .....	49
5.5.8 Measurement date error .....	50
5.5.9 Measured output bandwidth .....	50
5.6 Cartography .....	50
5.7 Star tracking .....	51
5.7.1 Additional performance conditions .....	51
5.7.2 Single star tracking maintenance probability .....	51
5.8 Autonomous star tracking .....	51
5.8.1 Additional performance conditions .....	51
5.8.2 Multiple star tracking maintenance level.....	52
5.9 Autonomous attitude determination .....	52
5.9.1 General .....	52
5.9.2 Additional performance conditions .....	52
5.9.3 Verification methods.....	53
5.9.4 Attitude determination probability .....	53
5.10 Autonomous attitude tracking .....	54
5.10.1 Additional performance conditions .....	54
5.10.2 Maintenance level of attitude tracking .....	55
5.10.3 Sensor settling time.....	56

**EN 16603-60-20:2020 (E)**

5.11	Angular rate measurement .....	56
5.11.1	Additional performance conditions .....	56
5.11.2	Verification methods.....	56
5.12	Mathematical model.....	57
5.13	Robustness to solar events.....	57
5.13.1	Additional robustness conditions .....	57
5.13.2	Continuity of tracking during a solar event.....	58
5.13.3	Ability to solve the lost in space problem during a solar event.....	59
5.13.4	Flux levels .....	59

<b>Bibliography.....</b>	<b>88</b>
--------------------------	-----------

**Figures**

Figure 3-1: Star sensor elements – schematic.....	13
Figure 3-2: Example alignment reference frame .....	15
Figure 3-3: Boresight reference frame .....	16
Figure 3-4: Example of Inertial reference frame.....	16
Figure 3-5: Mechanical reference frame .....	17
Figure 3-6: Stellar reference frame.....	18
Figure 3-7: Schematic illustration of reference frames.....	18
Figure 3-8: Schematic timing diagram.....	20
Figure 3-9: Field of View.....	22
Figure 3-10: Aspect angle to planetary body or sun.....	23
Figure 4-1: Schematic generalized Star Sensor model.....	32
Figure B-1 : Rotational and directional Error Geometry .....	65
Figure F-1 : Angle rotation sequence.....	76
Figure H-1 : Example of detailed data sheet.....	82

**Tables**

Table C-1 : Minimum and optional capabilities for star sensors .....	69
Table G-1 : Contributing error sources .....	78
Table I-1 : Command table .....	84
Table I-2 : Telemetry table.....	86

## European Foreword

---

This document (EN 16603-60-20:2020) has been prepared by Technical Committee CEN-CENELEC/TC 5 "Space", the secretariat of which is held by DIN.

This standard (EN 16603-60-20:2020) originates from ECSS-E-ST-60-20C Rev. 2.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2021, and conflicting national standards shall be withdrawn at the latest by February 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 16603-60-20:2014.

The main changes with respect to EN 16603-60-20:2014 are:

- Update of several definitions in clause 3.2 including update of some of the Figures. [SIST EN 16603-60-20:2020](https://standards.iteh.ai/catalog/standards/sist/af8408c3-d108-4814-8394-)
- Update of list of Abbreviated term in clause 3.3.
- Addition of the Nomenclature in clause 3.4
- Addition of a standard set of core commands and telemetry (or functional interfaces) prepared in the context of SAVOIR initiative in clauses 4.1.5, 4.1.6, 4.1.7 and Annex I.
- Clause 5.1.1 rewritten.
- Addition of new clause 5.13 "Robustness to solar events" addressing robustness and performance in presence of solar events.
- Heading of clauses 5.2, 5.2.3, 5.4 updated.
- Addition of new clauses
  - 5.2.4 "Provision for tests";
  - 5.9.4.1 "Probability of correct attitude determination";
  - 5.9.4.2 "Probability of false attitude determination";
  - 5.9.4.3 "Probability of invalid attitude solution"
- Update of Clause 5 and Annex B and Annex G to be fully consistent with the Control Performance Standard ECSS-E-ST-60-10 and to remove irrelevant duplications.

**EN 16603-60-20:2020 (E)**

This document has been prepared under a standardization request given to CEN by the European Commission and the European Free Trade Association.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## **iTeh STANDARD PREVIEW (standards.iteh.ai)**

[SIST EN 16603-60-20:2020](https://standards.iteh.ai/catalog/standards/sist/af8408c3-d108-4814-8394-f9e4a35e7de4/sist-en-16603-60-20-2020)

<https://standards.iteh.ai/catalog/standards/sist/af8408c3-d108-4814-8394-f9e4a35e7de4/sist-en-16603-60-20-2020>



## Introduction

---

In recent years there have been rapid developments in star sensor technology, in particular with a great increase in sensor autonomy and capabilities. This Standard is intended to support the variety of star sensors either available or under development.

This Standard defines the terminology and specification definitions for the performance of star sensors (in particular, star trackers and autonomous star trackers). It focuses on the specific issues involved in the specification of performances of star sensors and is intended to be used as a structured set of systematic provisions.

This Standard is not intended to replace textbook material on star sensor technology, and such material is intentionally avoided. The readers and users of this Standard are assumed to possess general knowledge of star sensor technology and its application to space missions.

This document defines and normalizes terms used in star sensor performance specifications, as well as some performance assessment conditions:

- sensor components
- sensor capabilities
- sensor types
- sensor reference frames
- general performance conditions including temperature, radiation, dynamic and stray light
- sensor performance metrics

This document also defines a standard core of functional interfaces which help to harmonize the majority of commands and telemetry necessary to operate star sensors.

# 1 Scope

---

This Standard specifies star sensor performances as part of a space project. The Standard covers all aspects of performances, including nomenclature, definitions, and performance requirements for the performance specification of star sensors.

The Standard focuses on:

- performance specifications (including the impact of temperature, radiation and straylight environments);
- robustness (ability to maintain functionalities under non nominal environmental conditions).

Other specification types, for example mass and power, housekeeping data and data structures, are outside the scope of this Standard.

This Standard also proposes a standard core of functional interfaces defined by unit suppliers and avionics primes in the context of Space AVionics Open Interface Architecture (SAVOIR) initiative.

When viewed from the perspective of a specific project context, the requirements defined in this Standard should be tailored to match the genuine requirements of a particular profile and circumstances of a project.

This standard may be tailored for the specific characteristics and constraints of a space project in conformance with ECSS-S-ST-00.

## 2

## Normative references

---

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications, do not apply. However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

EN reference	Reference in text	Title
EN 16601-00-01	ECSS-S-ST-00-01	ECSS system – Glossary of terms
EN 16603-60-10	ECSS-E-ST-60-10	Space engineering – Control performance
EN 16603-60-30	ECSS-E-ST-60-30	Space engineering – Satellite attitude and orbit control system (AOCS) requirements

<https://standards.iteh.ai/catalog/standards/sist/af8408c3-d108-4814-8394-f9e4a35e7de4/sist-en-16603-60-20-2020>

## Terms, definitions and abbreviated terms

---

### 3.1 Terms from other standards

- a. For the purpose of this Standard, the terms and definitions from ECSS-S-ST-00-01, ECSS-E-ST-60-10 and ECSS-E-ST-60-30 apply.

NOTE Additional definitions are included in Annex B.

### 3.2 Terms specific to the present standard

#### 3.2.1 Capabilities

##### 3.2.1.1 aided tracking

capability to input information to the star sensor internal processing from an external source

NOTE 1 This capability applies to star tracking, autonomous star tracking and autonomous attitude tracking.

NOTE 2 E.g. AOCS.

##### 3.2.1.2 angular rate measurement

capability to determine, the instantaneous sensor reference frame inertial angular rotational rates

NOTE Angular rate can be computed from successive star positions obtained from the detector or successive absolute attitude (derivation of successive attitude).

##### 3.2.1.3 autonomous attitude determination

capability to determine the absolute orientation of a defined sensor reference frame with respect to a defined inertial reference frame and to do so without the use of any a priori or externally supplied attitude, angular rate or angular acceleration information

##### 3.2.1.4 autonomous attitude tracking

capability to repeatedly re-assess and update the orientation of a sensor-defined reference frame with respect to an inertially defined reference frame for an extended period of time, using autonomously selected star images in the field

of view, following the changing orientation of the sensor reference frame as it moves in space

- NOTE 1 The Autonomous Attitude Tracking makes use of a supplied a priori Attitude Quaternion, either provided by an external source (e.g. AOCS) or as the output of an Autonomous Attitude Determination ('Lost-in-Space' solution).
- NOTE 2 The autonomous attitude tracking functionality can also be achieved by the repeated use of the Autonomous Attitude Determination capability.
- NOTE 3 The Autonomous Attitude Tracking capability does not imply the solution of the 'lost in space' problem.

### 3.2.1.5 autonomous star tracking

capability to detect, locate, select and subsequently track star images within the sensor field of view for an extended period of time with no assistance external to the sensor

- NOTE 1 Furthermore, the autonomous star tracking capability is taken to include the ability to determine when a tracked image leaves the sensor field of view and select a replacement image to be tracked without any user intervention.

NOTE 2 See also 3.2.1.9 (star tracking).

### 3.2.1.6 cartography

capability to scan the entire sensor field of view and to locate and output the position of each star image within that field of view

### 3.2.1.7 image download

capability to capture the signals from the detector over the entire detector Field of view, within a single integration, and output all of that information to the user

- NOTE See also 3.2.1.8 (partial image download).

### 3.2.1.8 partial image download

capability to capture the signals from the detector over the entire detector Field of view, within a single integration, and output part of that information to the user

- NOTE 1 Partial image download is an image download (see 3.2.1.7) where only a part of the detector field of view can be output for any given specific 'instant'.
- NOTE 2 Partial readout of the detector array (windowing) and output of the corresponding pixel signals also fulfil the functionality.

## EN 16603-60-20:2020 (E)

**3.2.1.9 star tracking**

capability to measure the location of selected star images on a detector, to output the co-ordinates of those star images with respect to a sensor defined reference frame and to repeatedly re-assess and update those co-ordinates for an extended period of time, following the motion of each image across the detector

**3.2.1.10 sun survivability**

capability to withstand direct sun illumination along the boresight axis for a certain period of time without permanent damage or subsequent performance degradation

NOTE This capability can be extended to flare capability considering the potential effect of the earth or the moon in the FOV.

**3.2.2 Star sensor components****3.2.2.1 Overview**


Figure 3-1 shows a scheme of the interface among the generalized components specified in this Standard.

NOTE Used as a camera the sensor output can be located directly after the pre-processing block.

iTeh STANDARD PREVIEW  
(standards.iteh.ai)

[SIST EN 16603-60-20:2020](https://standards.iteh.ai/catalog/standards/sist/af8408c3-d108-4814-8394-f9e4a35e7de4/sist-en-16603-60-20-2020)

<https://standards.iteh.ai/catalog/standards/sist/af8408c3-d108-4814-8394-f9e4a35e7de4/sist-en-16603-60-20-2020>



**Figure 3-1: Star sensor elements – schematic**

### 3.2.2.2 baffle

passive structure used to prevent or reduce the entry into the sensor lens or aperture of any signals originating from outside of the field of view of the sensor

**NOTE** Baffle design is usually mission specific and usually determines the effective exclusion angles for the limb of the Earth, Moon and Sun. The Baffle can be mounted directly on the sensor or can be a totally separate element. In the latter case, a positioning specification with respect to the sensor is used.

### 3.2.2.3 detector

element of the star sensor that converts the incoming signal (photons) into an electrical signal

**NOTE** Usual technologies in use are CCD (charge coupled device) and APS (active pixel sensor)