INTERNATIONAL STANDARD

ISO 2037

Second edition 1992-12-15

Stainless steel tubes for the food industry

Tubes en acier inoxydable pour l'industrie alimentaire

iTeh STANDARD PREVIEW (standards.iteh.ai)



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

(standards.iteh.ai)

International Standard ISO 2037 was prepared by Technical Committee ISO/TC 5, Ferrous metal pipes and metallic fittings. Sub-Committee SC 1, Steel tubes. https://standards.iteh.ai/catalog/standards/sist/64990d34-8082-4857-

This second edition cancels and replaces the first edition (ISO 2037:1980), the table of which has been technically revised.

Annex A of this International Standard is for information only.

© ISO 1992

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization Case Postale 56 • CH-1211 Genève 20 • Switzerland Printed in Switzerland

Stainless steel tubes for the food industry

1 Scope Table 1

For further information concerning the series, see also

ISO 4200.

This International Standard specifies the dimensions,		Dimensions in millimetres
tolerances, surface roughness, materials and hygienic	Tube outside diameter	Thickness
requirements for seamless or welded stainless steel		
tubes in straight lengths for the food industry. In a rus	iten.ai j ₂	1
	12,7	1
2 Normative references ISO 2037:1	17,2	1
2 Normative references ISO 2037:11 https://standards.iteh.ai/catalog/standards	21,3	1
https://standards.iteh.ai/catalog/standard	ls/sist/64990d34-8082-4857-	
The following standards contain provisions-which 399dd/is	o-2037-1992 25	1,2; 1,6
through reference in this text, constitute provisions	33,7	1,2; 1,6
of this International Standard. At the time of publi-	38	1,2; 1,6
cation, the editions indicated were valid. All standards		
are subject to revision, and parties to agreements	40	1,2; 1,6
based on this International Standard are encouraged	51	1,2; 1,6
to investigate the possibility of applying the most re-	63,5	1,6
cent editions of the standards indicated below.		
Members of IEC and ISO maintain registers of cur-	70	1,6
	76,1	1,6 2
rently valid International Standards.	88,9	2
ISO 469:1093 Curfosa raughnasa Paramatara	101.0	0
ISO 468:1982, Surface roughness — Parameters,	101,6	2
their values and general rules for specifying require-	114,3	2 2 2
ments.	139,7	
100 5050 4004 0: / /	168.3	2,6
ISO 5252:1991, Steel tubes — Tolerance systems.	219,1	2,6
	273	2,6
3 Dimensions	2/3	2,0
	323,9	2,6
The dimensions given in table 1 have been extracted	355,6	2,6
	406,4	3,2
from ISO 1127:1992, series 1 and 2 outside diameter.	400,4	

4 Dimensional tolerances

The deviations permitted for the outside diameter and thickness are limited by the tolerances specified in 4.1 and 4.2.

4.1 Tolerance on outside diameter

The tolerance on outside diameters less than or equal to 101,6 mm shall be class D4 in accordance with ISO 5252:1991.

For outside diameters greater than 101,6 mm, this tolerance shall be class D3 in accordance with ISO 5252:1991.

4.2 Tolerance on thickness

The tolerance on thickness shall be class T3 in accordance with ISO 5252:1991.

5 Surface roughness

The surface roughness, in accordance with the specifications of ISO 468, shall be as follows.

5.1 Finely finished surface

 $R_a \leqslant 1 \, \mu \text{m}$

5.2 Other surfaces

 $R_{\rm a} \leqslant 2.5 \; \mu {\rm m}$

The surface roughness on welded seams shall not exceed $R_{\rm v}$ = 16 μm .

6 Materials

Austenitic stainless steels shall be used. Generally the following steel types are suitable for pressure purposes:

- seamless tubes: TS 47, TS 60 and TS 61 in accordance with ISO 2604-2:1975;
- welded tubes: TW 47, TW 60 and TW 61 in accordance with ISO 2604-5:1978.

7 Hygienic requirements

7.1 Care shall be taken that any non-ferrous metals or their alloys coming into contact with the tubes during manufacture do not leave deposits which will be harmful during subsequent fabrication and use.

(standards.iteh.ai)
7.2 The interior surface of the tubes shall be clean and smooth. It shall be free from surface defects, inclusions and longitudinal grooving.

Annex A

(informative)

Bibliography

- [1] ISO 1127:1992, Stainless steel tubes Dimensions, tolerances and conventional masses per unit length.
- [2] ISO 2604-2:1975, Steel products for pressure purposes Quality requirements Part 2: Wrought seamless tubes.
- [3] ISO 2604-5:1978, Steel products for pressure purposes Quality requirements Part 5: Longitudinally welded austenitic stainless steel tubes.
- [4] ISO 4200:1991, Plain end steel tubes, welded and seamless General tables of dimensions and masses per unit length.

iTeh STANDARD PREVIEW (standards.iteh.ai)

iTeh This page Intentionally left blank EVIEW (standards.iteh.ai)

iTeh This page Intentionally left blank EVIEW (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 2037:1992 https://standards.iteh.ai/catalog/standards/sist/64990d34-8082-4857-a309-f6317aa399dd/iso-2037-1992

UDC 621.643.2-034.14.018.8:664

Descriptors: food industry, pipes (tubes), stainless steels, steel tubes, specifications, dimensions, dimensional tolerances.

Price based on 3 pages