

ETSI TS 129 518 V17.9.0 (2023-04)



**5G;
5G System;
Access and Mobility Management Services;
Stage 3
(3GPP TS 29.518 version 17.9.0 Release 17)**

<https://standards.iteh.ai/catalog/standards/sist/121e2652-3df0-4756-8a8c-22bc68e11065/etsi-ts-129-518-v17-9-0-2023-04>



ReferenceRTS/TSGC-0429518vh90

Keywords5G

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from:

<https://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at www.etsi.org/deliver.

Users of the present document should be aware that the document may be subject to revision or change of status.

Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:

<https://standards-portal.etsi.org/People/CommitteeSupportStaff.aspx>

If you find a security vulnerability in the present document, please report it through our

Coordinated Vulnerability Disclosure Program:

<https://www.etsi.org/standards/coordinated-vulnerability-disclosure>

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.

No representation or warranty is made that this deliverable is technically accurate or sufficient or conforms to any law and/or governmental rule and/or regulation and further, no representation or warranty is made of merchantability or fitness for any particular purpose or against infringement of intellectual property rights.

In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2023.
All rights reserved.

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <https://webapp.etsi.org/key/queryform.asp>.

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Contents

Intellectual Property Rights	2
Legal Notice	2
Modal verbs terminology.....	2
Foreword.....	15
1 Scope	17
2 References	17
3 Definitions and abbreviations.....	19
3.1 Definitions	19
3.2 Abbreviations	19
4 Overview	20
4.1 Introduction	20
5 Services offered by the AMF	21
5.1 Introduction	21
5.2 Namf_Communication Service	23
5.2.1 Service Description.....	23
5.2.2 Service Operations	23
5.2.2.1 Introduction.....	23
5.2.2.2 UE Context Operations	24
5.2.2.2.1 UEContextTransfer.....	24
5.2.2.2.1.1 General.....	24
5.2.2.2.1.2 Retrieve UE Context after successful UE authentication.....	26
5.2.2.2.2 RegistrationStatusUpdate	27
5.2.2.2.2.1 General.....	27
5.2.2.2.3 CreateUEContext.....	28
5.2.2.2.3.1 General.....	28
5.2.2.2.3.2 Create UE Context with AMF Relocation	30
5.2.2.2.4 ReleaseUEContext.....	31
5.2.2.2.4.1 General.....	31
5.2.2.2.5 RelocateUEContext	31
5.2.2.2.5.1 General.....	31
5.2.2.2.6 CancelRelocateUEContext	32
5.2.2.2.6.1 General.....	32
5.2.2.3 UE Specific N1N2 Message Operations	33
5.2.2.3.1 N1N2MessageTransfer.....	33
5.2.2.3.1.1 General.....	33
5.2.2.3.1.2 Detailed behaviour of the AMF	36
5.2.2.3.2 N1N2Transfer Failure Notification	38
5.2.2.3.3 N1N2MessageSubscribe.....	39
5.2.2.3.3.1 General.....	39
5.2.2.3.4 N1N2MessageUnSubscribe.....	40
5.2.2.3.4.1 General.....	40
5.2.2.3.5 N1MessageNotify.....	40
5.2.2.3.5.1 General.....	40
5.2.2.3.5.2 Using N1MessageNotify in the Registration with AMF Re-allocation Procedure	41
5.2.2.3.5.3 Using N1MessageNotify in the UE Assisted and UE Based Positioning Procedure	41
5.2.2.3.5.4 Using N1MessageNotify in the UE Configuration Update for transparent UE Policy delivery	42
5.2.2.3.5.5 Using N1MessageNotify in the LCS Event Report, Event Reporting in RRC INACTIVE state procedures, LCS Cancel Location and LCS Periodic-Triggered Invoke Procedures	42
5.2.2.3.5.6 Using N1MessageNotify in the UE triggered policy provisioning procedure to request UE policies.....	42
5.2.2.3.6 N2InfoNotify	43
5.2.2.3.6.1 General.....	43

5.2.2.3.6.2	Using N2InfoNotify during Inter NG-RAN node N2 based handover procedure.....	43
5.2.2.3.6.3	Using N2InfoNotify during Location Services procedures.....	45
5.2.2.3.6.4	Using N2InfoNotify during AMF planned removal procedure with UDSF deployed procedure	45
5.2.2.4	Non-UE N2 Message Operations	45
5.2.2.4.1	NonUeN2MessageTransfer	45
5.2.2.4.1.1	General.....	45
5.2.2.4.1.2	Obtaining Non UE Associated Network Assistance Data Procedure	46
5.2.2.4.1.3	Warning Request Transfer Procedure	46
5.2.2.4.1.4	Configuration Transfer Procedure	47
5.2.2.4.1.5	RIM Information Transfer Procedures.....	47
5.2.2.4.1.6	Broadcast of Assistance Data by an LMF.....	47
5.2.2.4.2	NonUeN2InfoSubscribe	47
5.2.2.4.2.1	General.....	47
5.2.2.4.3	NonUeN2InfoUnSubscribe	48
5.2.2.4.3.1	General.....	48
5.2.2.4.4	NonUeN2InfoNotify.....	49
5.2.2.4.4.1	General.....	49
5.2.2.4.4.2	Using NonUeN2InfoNotify during Location Services procedures	49
5.2.2.4.4.3	Use of NonUeN2InfoNotify for PWS related events.....	49
5.2.2.5	AMF Status Change Operations.....	50
5.2.2.5.1	AMFStatusChangeSubscribe.....	50
5.2.2.5.1.1	General.....	50
5.2.2.5.1.2	Creation of a subscription	50
5.2.2.5.1.3	Modification of a subscription	51
5.2.2.5.2	AMFStatusChangeUnSubscribe.....	51
5.2.2.5.2.1	General.....	51
5.2.2.5.3	AMFStatusChangeNotify	52
5.2.2.5.3.1	General.....	52
5.2.2.6	EBIAssignment	53
5.2.2.6.1	General	53
5.3	Namf_EventExposure Service.....	54
5.3.1	Service Description.....	54
5.3.2	Service Operations	59
5.3.2.1	Introduction.....	59
5.3.2.2	Subscribe	60
5.3.2.2.1	General	60
5.3.2.2.2	Creation of a subscription.....	60
5.3.2.2.3	Modification of a subscription.....	62
5.3.2.2.4	Remove or add group member UE(s) for a group subscription.....	63
5.3.2.3	Unsubscribe.....	63
5.3.2.3.1	General	63
5.3.2.4	Notify	64
5.3.2.4.1	General	64
5.3.2.4.2	Event Subscription Synchronization for specific UE	65
5.4	Namf_MT Service.....	65
5.4.1	Service Description.....	65
5.4.2	Service Operations	66
5.4.2.1	Introduction.....	66
5.4.2.2	EnableUERachability	66
5.4.2.2.1	General	66
5.4.2.3	ProvideDomainSelectionInfo	67
5.4.2.3.1	General	67
5.4.2.4	EnableGroupRachability	68
5.4.2.4.1	General	68
5.4.2.5	UERachabilityInfoNotify	68
5.4.2.5.1	General	68
5.5	Namf_Location Service.....	69
5.5.1	Service Description.....	69
5.5.2	Service Operations	69
5.5.2.1	Introduction.....	69
5.5.2.2	ProvidePositioningInfo	69

5.5.2.2.1	General	69
5.5.2.3	EventNotify	70
5.5.2.3.1	General	70
5.5.2.4	ProvideLocationInfo	71
5.5.2.4.1	General	71
5.5.2.5	CancelLocation	72
5.5.2.5.1	General	72
5.6	Namf_MBSBroadcast Service	73
5.6.1	Service Description	73
5.6.2	Service Operations	73
5.6.2.1	Introduction	73
5.6.2.2	ContextCreate	73
5.6.2.3	ContextUpdate	75
5.6.2.4	ContextRelease	76
5.6.2.5	ContextStatusNotify	77
5.7	Namf_MBSCommunication Service	79
5.7.1	Service Description	79
5.7.2	Service Operations	79
5.7.2.1	Introduction	79
5.7.2.2	N2MessageTransfer	79
6	API Definitions	80
6.1	Namf_Communication Service API	80
6.1.1	API URI	80
6.1.2	Usage of HTTP	80
6.1.2.1	General	80
6.1.2.2	HTTP standard headers	80
6.1.2.2.1	General	80
6.1.2.2.2	Content type	80
6.1.2.3	HTTP custom headers	81
6.1.2.3.1	General	81
6.1.2.4	HTTP multipart messages	81
6.1.3	Resources	82
6.1.3.1	Overview	82
6.1.3.2	Resource: Individual ueContext	83
6.1.3.2.1	Description	83
6.1.3.2.2	Resource Definition	84
6.1.3.2.3	Resource Standard Methods	84
6.1.3.2.3.1	PUT	84
6.1.3.2.4	Resource Custom Operations	86
6.1.3.2.4.1	Overview	86
6.1.3.2.4.2	Operation: release (POST)	86
6.1.3.2.4.2.1	Description	86
6.1.3.2.4.2.2	Operation Definition	86
6.1.3.2.4.3	Operation: assign-ebi (POST)	88
6.1.3.2.4.3.1	Description	88
6.1.3.2.4.3.2	Operation Definition	88
6.1.3.2.4.4	Operation: transfer (POST)	90
6.1.3.2.4.4.1	Description	90
6.1.3.2.4.4.2	Operation Definition	90
6.1.3.2.4.5	Operation: transfer-update (POST)	92
6.1.3.2.4.5.1	Description	92
6.1.3.2.4.5.2	Operation Definition	92
6.1.3.2.4.6	Operation: relocate (POST)	93
6.1.3.2.4.6.1	Description	93
6.1.3.2.4.6.2	Operation Definition	93
6.1.3.2.4.7	Operation: cancel-relocate (POST)	94
6.1.3.2.4.7.1	Description	94
6.1.3.2.4.7.2	Operation Definition	95
6.1.3.3	Resource: N1N2 Subscriptions Collection for Individual UE Contexts	96
6.1.3.3.1	Description	96
6.1.3.3.2	Resource Definition	96

6.1.3.3.3	Resource Standard Methods	96
6.1.3.3.3.1	POST.....	96
6.1.3.3.4	Resource Custom Operations	97
6.1.3.4	Resource: N1N2 Individual Subscription.....	98
6.1.3.4.1	Description	98
6.1.3.4.2	Resource Definition.....	98
6.1.3.4.3	Resource Standard Methods	98
6.1.3.4.3.1	DELETE	98
6.1.3.4.4	Resource Custom Operations	99
6.1.3.5	Resource: N1N2 Messages Collection	99
6.1.3.5.1	Description	99
6.1.3.5.2	Resource Definition.....	99
6.1.3.5.3	Resource Standard Methods	100
6.1.3.5.3.1	POST.....	100
6.1.3.6	Resource: subscriptions collection.....	104
6.1.3.6.1	Description	104
6.1.3.6.2	Resource Definition.....	104
6.1.3.6.3	Resource Standard Methods	104
6.1.3.6.3.1	POST.....	104
6.1.3.7	Resource: individual subscription	106
6.1.3.7.1	Description	106
6.1.3.7.2	Resource Definition.....	106
6.1.3.7.3	Resource Standard Methods	106
6.1.3.7.3.1	DELETE	106
6.1.3.7.3.2	PUT.....	107
6.1.3.8	Resource: Non UE N2 Messages Collection.....	109
6.1.3.8.1	Description	109
6.1.3.8.2	Resource Definition.....	109
6.1.3.8.3	Resource Standard Methods	109
6.1.3.8.4	Resource Custom Operations	109
6.1.3.8.4.1	Overview.....	109
6.1.3.8.4.2	Operation: transfer	109
6.1.3.8.4.2.1	Description	109
6.1.3.8.4.2.2	Operation Definition	109
6.1.3.9	Resource: Non UE N2 Messages Subscriptions Collection	111
6.1.3.9.1	Description	111
6.1.3.9.2	Resource Definition.....	111
6.1.3.9.3	Resource Standard Methods	111
6.1.3.9.3.1	POST.....	111
6.1.3.9.4	Resource Custom Operations	112
6.1.3.10	Resource: Non UE N2 Message Notification Individual Subscription	113
6.1.3.10.1	Description	113
6.1.3.10.2	Resource Definition.....	113
6.1.3.10.3	Resource Standard Methods	113
6.1.3.10.3.1	DELETE	113
6.1.3.10.4	Resource Custom Operations	114
6.1.4	Custom Operations without associated resources	114
6.1.5	Notifications	114
6.1.5.1	General	114
6.1.5.2	AMF Status Change Notification	115
6.1.5.2.1	Description	115
6.1.5.2.2	Notification Definition	115
6.1.5.2.3	Notification Standard Methods.....	115
6.1.5.2.3.1	POST.....	115
6.1.5.3	Non UE N2 Information Notification	116
6.1.5.3.1	Description	116
6.1.5.3.2	Notification Definition	116
6.1.5.3.3	Notification Standard Methods.....	117
6.1.5.3.3.1	POST.....	117
6.1.5.4	N1 Message Notification.....	118
6.1.5.4.1	Description	118
6.1.5.4.2	Notification Definition	118

6.1.5.4.3	Notification Standard Methods.....	118
6.1.5.4.3.1	POST.....	118
6.1.5.5	UE Specific N2 Information Notification	119
6.1.5.5.1	Description	119
6.1.5.5.2	Notification Definition	119
6.1.5.5.3	Notification Standard Methods.....	120
6.1.5.5.3.1	POST.....	120
6.1.5.6	N1N2 Transfer Failure Notification.....	121
6.1.5.6.1	Description	121
6.1.5.6.2	Notification Definition	121
6.1.5.6.3	Notification Standard Methods.....	121
6.1.5.6.3.1	POST.....	121
6.1.5.7	Void.....	122
6.1.6	Data Model	122
6.1.6.1	General	122
6.1.6.2	Structured data types	129
6.1.6.2.1	Introduction	129
6.1.6.2.2	Type: SubscriptionData	129
6.1.6.2.3	Type: AmfStatusChangeNotification	130
6.1.6.2.4	Type: AmfStatusInfo	130
6.1.6.2.5	Type: AssignEbiData.....	130
6.1.6.2.6	Type: AssignedEbiData.....	131
6.1.6.2.7	Type: AssignEbiFailed	131
6.1.6.2.8	Type: UEContextRelease	131
6.1.6.2.9	Type: N2InformationTransferReqData	132
6.1.6.2.10	Type: NonUeN2InfoSubscriptionCreateData	132
6.1.6.2.11	Type: NonUeN2InfoSubscriptionCreatedData	133
6.1.6.2.12	Type: UeN1N2InfoSubscriptionCreateData	133
6.1.6.2.13	Type: UeN1N2InfoSubscriptionCreatedData	133
6.1.6.2.14	Type: N2InformationNotification.....	134
6.1.6.2.15	Type: N2InfoContainer	136
6.1.6.2.16	Type: N1MessageNotification.....	137
6.1.6.2.17	Type: N1MessageContainer	138
6.1.6.2.18	Type: N1N2MessageTransferReqData	139
6.1.6.2.19	Type: N1N2MessageTransferRspData	143
6.1.6.2.20	Type: RegistrationContextContainer	144
6.1.6.2.21	Type: AreaOfValidity	146
6.1.6.2.22	Void.....	146
6.1.6.2.23	Type: UeContextTransferReqData	146
6.1.6.2.24	Type: UeContextTransferRspData	147
6.1.6.2.25	Type: UeContext	148
6.1.6.2.26	Type: N2SmInformation.....	157
6.1.6.2.27	Type: N2InfoContent.....	157
6.1.6.2.28	Type: NrppaInformation.....	158
6.1.6.2.29	Type: PwsInformation	159
6.1.6.2.30	Type: N1N2MsgTxfrFailureNotification	160
6.1.6.2.31	Type: N1N2MessageTransferError	160
6.1.6.2.32	Type: N1N2MsgTxfrErrDetail	161
6.1.6.2.33	Type: N2InformationTransferRspData.....	161
6.1.6.2.34	Type: MmContext	162
6.1.6.2.35	Type: SeafData	165
6.1.6.2.36	Type: NasSecurityMode.....	165
6.1.6.2.37	Type: PduSessionContext.....	166
6.1.6.2.38	Type: NssaiMapping	171
6.1.6.2.39	Type: UeRegStatusUpdateReqData.....	171
6.1.6.2.40	Type: AssignEbiError.....	172
6.1.6.2.41	Type: UeContextCreateData.....	172
6.1.6.2.42	Type: UeContextCreatedData.....	173
6.1.6.2.43	Type: UeContextCreateError.....	173
6.1.6.2.44	Type: NgRanTargetId.....	174
6.1.6.2.45	Type: N2InformationTransferError	174
6.1.6.2.46	Type: PWSResponseData.....	174

6.1.6.2.47	Type: PWSErrorData.....	175
6.1.6.2.48	Void.....	175
6.1.6.2.49	Type: NgKsi.....	175
6.1.6.2.50	Type: KeyAmf.....	175
6.1.6.2.51	Type: ExpectedUeBehavior.....	175
6.1.6.2.52	Type: UeRegStatusUpdateRspData.....	176
6.1.6.2.53	Type: N2RanInformation.....	176
6.1.6.2.54	Type: N2InfoNotificationRspData.....	176
6.1.6.2.55	Type: SmallDataRateStatusInfo.....	176
6.1.6.2.56	Type: SmfChangeInfo.....	177
6.1.6.2.57	Type: V2xContext.....	177
6.1.6.2.58	Type: ImmediateMdtConf.....	178
6.1.6.2.59	Type: V2xInformation.....	180
6.1.6.2.60	Type: EpsNasSecurityMode.....	180
6.1.6.2.61	Type: UeContextRelocateData.....	181
6.1.6.2.62	Type: UeContextRelocatedData.....	181
6.1.6.2.63	Void.....	181
6.1.6.2.64	Type: EcRestrictionDataWb.....	182
6.1.6.2.65	Type: ExtAmfEventSubscription.....	182
6.1.6.2.66	Type: AmfEventSubscriptionAddInfo.....	183
6.1.6.2.67	Type: UeContextCancelRelocateData.....	184
6.1.6.2.68	Type: UeDifferentiationInfo.....	184
6.1.6.2.69	Type: CeModeBInd.....	184
6.1.6.2.70	Type: LteMInd.....	185
6.1.6.2.71	Type: NpnAccessInfo.....	185
6.1.6.2.72	Type: ProseContext.....	185
6.1.6.2.73	Type: AnalyticsSubscription.....	186
6.1.6.2.74	Type: NwdafSubscription.....	186
6.1.6.2.75	Type: UpdpSubscriptionData.....	186
6.1.6.2.76	Type: ProSeInformation.....	186
6.1.6.2.77	Type: ReleaseSessionInfo.....	187
6.1.6.2.78	Type: AreaOfInterestEventState.....	187
6.1.6.3	Simple data types and enumerations.....	187
6.1.6.3.1	Introduction.....	187
6.1.6.3.2	Simple data types.....	187
6.1.6.3.3	Enumeration: StatusChange.....	188
6.1.6.3.4	Enumeration: N2InformationClass.....	189
6.1.6.3.5	Enumeration: N1MessageClass.....	189
6.1.6.3.6	Enumeration: N1N2MessageTransferCause.....	190
6.1.6.3.7	Enumeration: UeContextTransferStatus.....	191
6.1.6.3.8	Enumeration: N2InformationTransferResult.....	191
6.1.6.3.9	Enumeration: CipheringAlgorithm.....	191
6.1.6.3.10	Enumeration: IntegrityAlgorithm.....	191
6.1.6.3.11	Enumeration: SmsSupport.....	191
6.1.6.3.12	Enumeration: ScType.....	192
6.1.6.3.13	Enumeration: KeyAmfType.....	192
6.1.6.3.14	Enumeration: TransferReason.....	192
6.1.6.3.15	Enumeration: PolicyReqTrigger.....	192
6.1.6.3.16	Enumeration: RatSelector.....	193
6.1.6.3.17	Enumeration: NgapIeType.....	193
6.1.6.3.18	Enumeration: N2InfoNotifyReason.....	193
6.1.6.3.19	Enumeration: SmfChangeIndication.....	193
6.1.6.3.20	Enumeration: SbiBindingLevel.....	194
6.1.6.3.21	Enumeration: EpsNasCipheringAlgorithm.....	194
6.1.6.3.22	Enumeration: EpsNasIntegrityAlgorithm.....	194
6.1.6.3.23	Enumeration: PeriodicCommunicationIndicator.....	194
6.1.6.3.24	Enumeration: UuaaMmStatus.....	194
6.1.6.3.25	Enumeration: ReleaseCause.....	195
6.1.6.4	Binary data.....	195
6.1.6.4.1	Introduction.....	195
6.1.6.4.2	N1 Message.....	195
6.1.6.4.3	N2 Information.....	196

6.1.6.4.3.1	Introduction.....	196
6.1.6.4.3.2	NGAP IEs	196
6.1.6.4.3.3	NGAP Messages	198
6.1.6.4.4	Mobile Terminated Data.....	199
6.1.6.4.5	GTP-C Message.....	199
6.1.7	Error Handling	199
6.1.7.1	General	199
6.1.7.2	Protocol Errors	199
6.1.7.3	Application Errors	200
6.1.8	Feature Negotiation.....	203
6.1.9	Security	206
6.1.10	HTTP redirection	206
6.2	Namf_EventExposure Service API	206
6.2.1	API URI.....	206
6.2.2	Usage of HTTP	207
6.2.2.1	General	207
6.2.2.2	HTTP standard headers	207
6.2.2.2.1	General	207
6.2.2.2.2	Content type	207
6.2.2.3	HTTP custom headers	208
6.2.2.3.1	General	208
6.2.3	Resources	208
6.2.3.1	Overview	208
6.2.3.2	Resource: Subscriptions collection	208
6.2.3.2.1	Description	208
6.2.3.2.2	Resource Definition.....	208
6.2.3.2.3	Resource Standard Methods	209
6.2.3.2.3.1	POST.....	209
6.2.3.2.4	Resource Custom Operations	210
6.2.3.3	Resource: Individual subscription.....	210
6.2.3.3.1	Description	210
6.2.3.3.2	Resource Definition.....	210
6.2.3.3.3	Resource Standard Methods	210
6.2.3.3.3.1	PATCH	210
6.2.3.3.3.2	DELETE	212
6.2.3.3.4	Resource Custom Operations	213
6.2.4	Custom Operations without associated resources	213
6.2.5	Notifications	213
6.2.5.1	Void.....	213
6.2.5.2	AMF Event Notification	213
6.2.5.2.1	Notification Definition	213
6.2.5.2.3	Notification Standard Methods.....	214
6.2.5.2.3.1	POST.....	214
6.2.6	Data Model	215
6.2.6.1	General	215
6.2.6.2	Structured data types	217
6.2.6.2.1	Introduction	217
6.2.6.2.2	Type: AmfEventSubscription	218
6.2.6.2.3	Type: AmfEvent	221
6.2.6.2.4	Type: AmfEventNotification	226
6.2.6.2.5	Type: AmfEventReport	227
6.2.6.2.6	Type: AmfEventMode	232
6.2.6.2.7	Type: AmfEventState	234
6.2.6.2.8	Type: RmInfo	234
6.2.6.2.9	Type: CmInfo	234
6.2.6.2.10	Void.....	234
6.2.6.2.11	Type: CommunicationFailure	235
6.2.6.2.12	Type: AmfCreateEventSubscription.....	235
6.2.6.2.13	Type: AmfCreatedEventSubscription.....	235
6.2.6.2.14	Type: AmfUpdateEventSubscriptionItem	236
6.2.6.2.15	Type: AmfUpdatedEventSubscription.....	239
6.2.6.2.16	Type: AmfEventArea	239

6.2.6.2.17	Type: LdnInfo	239
6.2.6.2.18	Type: AmfUpdateEventOptionItem	240
6.2.6.2.19	Type: 5GsUserStateInfo	240
6.2.6.2.20	Type: TrafficDescriptor	240
6.2.6.2.21	Type: UEIdExt	241
6.2.6.2.22	Type: AmfEventSubsSyncInfo	241
6.2.6.2.23	Type: AmfEventSubscriptionInfo	241
6.2.6.2.24	Type: TargetArea	241
6.2.6.2.25	Type: SnssaiTaiMapping	242
6.2.6.2.26	Type: SupportedSnssai	242
6.2.6.2.27	Type: UeInAreaFilter	243
6.2.6.2.28	Type: IdleStatusIndication	243
6.2.6.2.29	Type: UeAccessBehaviorReportItem	243
6.2.6.2.30	Type: UeLocationTrendsReportItem	244
6.2.6.2.31	Type: DispersionArea	244
6.2.6.2.32	Type: MmTransactionLocationReportItem	245
6.2.6.2.33	Type: MmTransactionSliceReportItem	245
6.2.6.3	Simple data types and enumerations	245
6.2.6.3.1	Introduction	245
6.2.6.3.2	Simple data types	245
6.2.6.3.3	Enumeration: AmfEventType	246
6.2.6.3.4	Enumeration: AmfEventTrigger	248
6.2.6.3.5	Enumeration: LocationFilter	249
6.2.6.3.6	Void	249
6.2.6.3.7	Enumeration: UeReachability	249
6.2.6.3.8	Void	249
6.2.6.3.9	Enumeration: RmState	249
6.2.6.3.10	Enumeration: CmState	249
6.2.6.3.11	Enumeration: 5GsUserState	250
6.2.6.3.12	Enumeration: LossOfConnectivityReason	250
6.2.6.3.13	Enumeration: ReachabilityFilter	250
6.2.6.3.14	Enumeration: UeType	250
6.2.6.3.15	Enumeration: AccessStateTransitionType	251
6.2.6.4	Binary data	251
6.2.7	Error Handling	251
6.2.7.1	General	251
6.2.7.2	Protocol Errors	251
6.2.7.3	Application Errors	251
6.2.8	Feature Negotiation	251
6.2.9	Security	253
6.2.10	HTTP redirection	254
6.3	Namf_MT Service API	254
6.3.1	API URI	254
6.3.2	Usage of HTTP	255
6.3.2.1	General	255
6.3.2.2	HTTP standard headers	255
6.3.2.2.1	General	255
6.3.2.2.2	Content type	255
6.3.2.3	HTTP custom headers	255
6.3.2.3.1	General	255
6.3.3	Resources	256
6.3.3.1	Overview	256
6.3.3.2	Resource: ueReachInd	256
6.3.3.2.1	Description	256
6.3.3.2.2	Resource Definition	256
6.3.3.2.3	Resource Standard Methods	257
6.3.3.2.3.1	PUT	257
6.3.3.2.4	Resource Custom Operations	259
6.3.3.3	Resource: ueContext	259
6.3.3.3.1	Description	259
6.3.3.3.2	Resource Definition	259
6.3.3.3.3	Resource Standard Methods	259

6.3.3.3.3.1	GET	259
6.3.3.3.4	Resource Custom Operations	262
6.3.3.4	Resource: ueContexts collection	262
6.3.3.4.1	Description	262
6.3.3.4.2	Resource Definition	262
6.3.3.4.3	Resource Standard Methods	262
6.3.3.4.4	Resource Custom Operations	262
6.3.3.4.4.1	Overview	262
6.3.3.4.4.2	Operation: enable-group-reachability	262
6.3.3.4.4.2.1	Description	262
6.3.3.4.4.2.2	Operation Definition	262
6.3.4	Custom Operations without associated resources	264
6.3.5	Notifications	264
6.3.5.1	General	264
6.3.5.2	UE Reachability Info Notify	264
6.3.5.2.1	Notification Definition	264
6.3.5.2.3	Notification Standard Methods	264
6.3.5.2.3.1	POST	264
6.3.6	Data Model	265
6.3.6.1	General	265
6.3.6.2	Structured data types	266
6.3.6.2.1	Introduction	266
6.3.6.2.2	Type: EnableUeReachabilityReqData	267
6.3.6.2.3	Type: EnableUeReachabilityRspData	267
6.3.6.2.4	Type: UeContextInfo	268
6.3.6.2.5	Type: ProblemDetailsEnableUeReachability	268
6.3.6.2.6	Type: AdditionInfoEnableUeReachability	268
6.3.6.2.7	Type: EnableGroupReachabilityReqData	269
6.3.6.2.8	Type: EnableGroupReachabilityRspData	269
6.3.6.2.9	Type: UeInfo	269
6.3.6.2.10	Type: ReachabilityNotificationData	269
6.3.6.2.11	Type: ReachableUeInfo	270
6.3.6.3	Simple data types and enumerations	270
6.3.6.3.1	Introduction	270
6.3.6.3.2	Simple data types	270
6.3.6.3.3	Enumeration: UeContextInfoClass	270
6.3.6.4	Binary data	270
6.3.7	Error Handling	270
6.3.7.1	General	270
6.3.7.2	Protocol Errors	270
6.3.7.3	Application Errors	270
6.3.8	Feature Negotiation	271
6.3.9	Security	272
6.3.10	HTTP redirection	272
6.4	Namf_Location Service API	273
6.4.1	API URI	273
6.4.2	Usage of HTTP	273
6.4.2.1	General	273
6.4.2.2	HTTP standard headers	273
6.4.2.2.1	General	273
6.4.2.2.2	Content type	273
6.4.2.3	HTTP custom headers	274
6.4.2.3.1	General	274
6.4.3	Resources	274
6.4.3.1	Overview	274
6.4.3.2	Resource: Individual UE Context	274
6.4.3.2.1	Description	274
6.4.3.2.2	Resource Definition	275
6.4.3.2.3	Resource Standard Methods	275
6.4.3.2.4	Resource Custom Operations	275
6.4.3.2.4.1	Overview	275
6.4.3.2.4.2	Operation: provide-pos-info (POST)	275

6.4.3.2.4.2.1	Description	275
6.4.3.2.4.2.2	Operation Definition	275
6.4.3.2.4.3	Operation: provide-loc-info (POST)	277
6.4.3.2.4.3.1	Description	277
6.4.3.2.4.3.2	Operation Definition	277
6.4.3.2.4.4	Operation: cancel-pos-info (POST)	278
6.4.3.2.4.4.1	Description	278
6.4.3.2.4.4.2	Operation Definition	279
6.4.4	Custom Operations without associated resources	280
6.4.5	Notifications	280
6.4.5.1	General	280
6.4.5.2	Event Notify	280
6.4.5.2.1	Description	280
6.4.5.2.2	Notification Definition	280
6.4.5.2.3	Notification Standard Methods	280
6.4.5.2.3.1	POST	280
6.4.6	Data Model	281
6.4.6.1	General	281
6.4.6.2	Structured data types	283
6.4.6.2.1	Introduction	283
6.4.6.2.2	Type: RequestPosInfo	284
6.4.6.2.3	Type: ProvidePosInfo	287
6.4.6.2.4	Type: NotifiedPosInfo	290
6.4.6.2.5	Type: RequestLocInfo	293
6.4.6.2.6	Type: ProvideLocInfo	294
6.4.6.2.7	Type: CancelPosInfo	294
6.4.6.3	Simple data types and enumerations	295
6.4.6.3.1	Introduction	295
6.4.6.3.2	Simple data types	295
6.4.6.3.3	Enumeration: LocationType	295
6.4.6.3.4	Enumeration: LocationEvent	295
6.4.6.3.5	Enumeration: LocationPrivacyVerResult	295
6.4.7	Error Handling	296
6.4.7.1	General	296
6.4.7.2	Protocol Errors	296
6.4.7.3	Application Errors	296
6.4.8	Feature Negotiation	296
6.4.9	Security	297
6.4.10	HTTP redirection	297
6.5	Namf_MBSBroadcast Service API	297
6.5.1	API URI	297
6.5.2	Usage of HTTP	298
6.5.2.1	General	298
6.5.2.2	HTTP standard headers	298
6.5.2.2.1	General	298
6.5.2.2.2	Content type	298
6.5.2.3	HTTP custom headers	299
6.5.2.3.1	General	299
6.5.2.4	HTTP multipart messages	299
6.5.3	Resources	300
6.5.3.1	Overview	300
6.5.3.2	Resource: Broadcast MBS session contexts collection	300
6.5.3.2.1	Description	300
6.5.3.2.2	Resource Definition	300
6.5.3.2.3	Resource Standard Methods	301
6.5.3.2.3.1	POST	301
6.5.3.2.4	Resource Custom Operations	302
6.5.3.3	Resource: Individual broadcast MBS session context	302
6.5.3.3.1	Description	302
6.5.3.3.2	Resource Definition	302
6.5.3.3.3	Resource Standard Methods	302
6.5.3.3.3.1	DELETE	302

6.5.3.3.4	Resource Custom Operations	303
6.5.3.2.4.2	Operation: update (POST)	303
6.5.3.2.4.2.1	Description	303
6.5.3.2.4.2.2	Operation Definition	304
6.5.4	Custom Operations without associated resources	304
6.5.5	Notifications	305
6.5.5.1	General	305
6.5.5.2	Broadcast MBS Session Context Status Notification.....	305
6.5.5.2.1	Description	305
6.5.5.2.2	Target URI.....	305
6.5.5.2.3	Notification Standard Methods.....	305
6.5.5.2.3.1	POST.....	305
6.5.6	Data Model	306
6.5.6.1	General	306
6.5.6.2	Structured data types	307
6.5.6.2.1	Introduction	307
6.5.6.2.2	Type: ContextCreateReqData	308
6.5.6.2.3	Type: ContextCreateRspData	308
6.5.6.2.4	Type: ContextStatusNotification	309
6.5.6.2.5	Type: ContextUpdateReqData	310
6.5.6.2.6	Type: ContextUpdateRspData	310
6.5.6.2.7	Type: N2MbsSmInfo	311
6.5.6.2.8	Type: OperationEvent	311
6.5.6.2.9	Type: NgranFailureEvent	311
6.5.6.3	Simple data types and enumerations	311
6.5.6.3.1	Introduction	311
6.5.6.3.2	Simple data types.....	311
6.5.6.3.3	Enumeration: OperationStatus.....	312
6.5.6.3.4	Enumeration: NgapIeType	312
6.5.6.3.5	Enumeration: OpEventType	312
6.5.6.3.6	Enumeration: NgranFailureIndication	312
6.5.6.4	Binary data	313
6.5.6.4.1	Introduction	313
6.5.6.4.2	N2 Information	313
6.5.6.4.2.1	Introduction.....	313
6.5.6.4.2.2	NGAP IEs	313
6.5.7	Error Handling.....	314
6.5.7.1	General	314
6.5.7.2	Protocol Errors	314
6.5.7.3	Application Errors	314
6.5.8	Feature Negotiation.....	314
6.5.9	Security	314
6.5.10	HTTP redirection	314
6.6	Namf_MBSCCommunication Service API	315
6.6.1	API URI	315
6.6.2	Usage of HTTP	315
6.6.2.1	General	315
6.6.2.2	HTTP standard headers	315
6.6.2.2.1	General	315
6.6.2.2.2	Content type	315
6.6.2.3	HTTP custom headers	316
6.6.2.3.1	General	316
6.6.2.4	HTTP multipart messages	316
6.6.3	Resources.....	316
6.6.3.1	Overview	316
6.6.3.1	Resource: N2 Message Handler (Custom Operation)	317
6.6.3.1.1	Description	317
6.6.3.1.2	Resource Definition.....	317
6.6.3.1.3	Resource Standard Methods	317
6.6.3.1.4	Resource Custom Operations	318
6.6.3.1.4.1	Overview.....	318
6.6.3.1.4.2	Operation: transfer	318

6.6.3.1.4.2.1	Description	318
6.6.3.1.4.2.2	Operation Definition	318
6.6.4	Custom Operations without associated resources	319
6.6.5	Notifications	319
6.6.6	Data Model	319
6.6.6.1	General	319
6.6.6.2	Structured data types	320
6.6.6.2.1	Introduction	320
6.6.6.2.2	Type: MbsN2MessageTransferReqData.....	320
6.6.6.2.3	Type: MbsN2MessageTransferRspData.....	320
6.6.6.2.4	Type: N2MbsSmInfo.....	320
6.6.6.3	Simple data types and enumerations	320
6.6.6.3.1	Introduction	320
6.6.6.3.2	Simple data types.....	320
6.6.6.3.3	Enumeration: MbsNgapleType	321
6.6.6.4	Binary data	321
6.6.6.4.1	Introduction	321
6.6.6.4.2	N2 Information	321
6.6.6.4.2.1	Introduction.....	321
6.6.6.4.2.2	NGAP IEs	321
6.6.7	Error Handling	321
6.6.7.1	General	321
6.6.7.2	Protocol Errors	322
6.6.7.3	Application Errors.....	322
6.6.8	Feature Negotiation.....	322
6.6.9	Security.....	322
6.6.10	HTTP redirection.....	322
Annex A (normative):	OpenAPI specification.....	324
A.1	General	324
A.2	Namf_Communication API.....	324
A.3	Namf_EventExposure API.....	375
A.4	Namf_MT.....	388
A.5	Namf_Location.....	393
A.6	Namf_MBSBroadcast API.....	400
A.7	Namf_MBSCommunication API	410
Annex B (Informative):	HTTP Multipart Messages.....	413
B.1	Example of HTTP multipart message	413
B.1.1	General	413
B.1.2	Example HTTP multipart message with N2 Information binary data	413
Annex C (informative):	Change history	414
History		424