SLOVENSKI STANDARD
SIST EN ISO 6888-1:2021

01-december-2021

Nadomešča:
SIST EN ISO 6888-1:1999
SIST EN ISO 6888-1:1999/A1:2003
SIST EN ISO 6888-1:1999/A2:2018

Mikrobiologija v prehranski verigi - Horizontalna metoda za štetje koagulazno pozitivnih stafilokokov (Staphylococcus aureus in drugih vrst) - 1. del: Metoda uporabe Baird-Parkerjevega agarja (ISO 6888-1:2021)

Microbiology of the food chain - Horizontal method for the enumeration of coagulase-positive staphylococci (Staphylococcus aureus and other species) - Part 1: Method using Baird-Parker agar medium (ISO 6888-1:2021)

Mikrobiologie der Lebensmittelkette - Horizontales Verfahren für die Zählung von koagulase-positiven Staphylokokken (Staphylococcus aureus und andere Spezies) - Teil 1: Verfahren mit Baird-Parker-Agar (ISO 6888-1:2021)

Microbiologie de la chaîne alimentaire - Méthode horizontale pour le dénombrement des staphylocoques à coagulase positive (Staphylococcus aureus et autres espèces) - Partie 1: Méthode utilisant le milieu gélosé de Baird-Parker (ISO 6888-1:2021)

Ta slovenski standard je istoveten z: EN ISO 6888-1:2021

ICS:

07.100.30	Mikrobiologija živil	Food microbiology

SIST EN ISO 6888-1:2021 en

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 6888-1

September 2021

ICS 07.100.30

Supersedes EN ISO 6888-1:1999, EN ISO 6888-1:1999/A1:2003, EN ISO 6888-1:1999/A2:2018

English Version

Microbiology of the food chain - Horizontal method for the enumeration of coagulase-positive staphylococci (Staphylococcus aureus and other species) - Part 1: Method using Baird-Parker agar medium (ISO 6888-1:2021)

Microbiologie de la chaîne alimentaire - Méthode horizontale pour le dénombrement des staphylocoques à coagulase positive (Staphylococcus aureus et autres espèces) - Partie 1: Méthode utilisant le milieu gélosé de Baird-Parker (ISO 6888-1:2021)

Mikrobiologie der Lebensmittelkette - Horizontales Verfahren für die Zählung von koagulase-positiven Staphylokokken (Staphylococcus aureus und andere Spezies) - Teil 1: Verfahren mit Baird-Parker-Agar (ISO 66888-1:2021)

This European Standard was approved by CEN on 27 April 2021.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword

This document (EN ISO 6888-1:2021) has been prepared by Technical Committee ISO/TC 34 "Food products" in collaboration with Technical Committee CEN/TC 463 “Microbiology of the food chain” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2022, and conflicting national standards shall be withdrawn at the latest by March 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 6888-1:1999.

Any feedback and questions on this document should be directed to the users’ national standards body/national committee. A complete listing of these bodies can be found on the CEN websites.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 6888-1:2021 has been approved by CEN as EN ISO 6888-1:2021 without any modification.

INTERNATIONAL STANDARD

ISO 6888-1

Second edition
2021-08

Microbiology of the food chain — Horizontal method for the enumeration of coagulase-positive staphylococci (*Staphylococcus aureus* and other species) —

Part 1: Method using Baird-Parker agar medium

Microbiologie de la chaîne alimentaire — Méthode horizontale pour le dénombrement des staphylocoques à coagulase positive (Staphylococcus aureus et autres espèces) —

Partie 1: Méthode utilisant le milieu gélosé de Baird-Parker

Reference number
ISO 6888-1:2021(E)

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 9, *Microbiology* in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 463, *Microbiology of the food chain*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 6888-1:1999), which has been technically revised. It also incorporates the amendments ISO 6888-1:1999/Amd 1:2003 and ISO 6888-1:1999/Amd 2:2018. The main changes compared with the previous edition are as follows:

— the title has been changed to relate to the “Food chain”;

— the status of this document and ISO 6888-2 has been clarified;

— the document has been aligned with ISO 7218:2007, i.e. pour molten agar medium at 44 °C to 47 °C;

— all occurrences, when appropriate, have been changed from “35 °C or 37 °C” to “34 °C to 38 °C”;

— all occurrences of incubation time, when appropriate, have been changed from “18 h to 24 h” to “24 h ± 2 h”;

— requirements have been added to use ISO 11133;

— all available standards related to sampling techniques have been updated;

— a description of typical and atypical colonies on Baird-Parker agar (BPA) medium has been updated;

— the rabbit plasma fibrinogen agar (RPFA) medium has been added as an alternative to the coagulase test for confirmation;

— the flow diagram procedure in Annex A has been updated;

— culture media and reagents with performance testing in Annex B have been added;

— results of the interlaboratory study (from ISO 6888-1:1999/Amd 1:2003, Precision data) has been updated;

— the Bibliography has been updated.

A list of all parts in the ISO 6888 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document, ISO 6888-2 and ISO 6888-3 describe three horizontal methods for the detection and enumeration of coagulase-positive staphylococci among which enterotoxinogenic strains are encountered. It is mainly concerned with *Staphylococcus aureus*, but also with *S. intermedius* and certain strains of *S. hyicus*.

For the purposes of this document, the confirmation of typical and atypical colonies is based on a positive coagulase reaction, but it is recognized that some strains of *Staphylococcus aureus* give weakly positive coagulase reactions. These latter strains can be confused with other bacteria but they can be distinguished by the use of additional tests not included in this document, such as tests for sensitivity to lysostaphin, and production of haemolysin, thermostable nuclease and acid from mannitol (see ISO 7218 and Reference [15]).

The main technical changes listed in the Foreword, introduced in this document compared with the previous edition are considered as minor (see ISO 17468). They have a minor impact on the performance characteristics of this method.

Results of the interlaboratory study and samples tested are described in Annex C.