

SLOVENSKI STANDARD
oSIST prEN IEC 61804-3:2019
01-januar-2019

Funkcijski bloki (FB) za nadzor procesov in opisni jezik za elektronske naprave (EDDL) - 3. del: Sintaksa in semantika EDDL

Function Blocks (FB) for process control and Electronic Device Description Language (EDDL) - Part 3: EDDL syntax and semantics

**Funktionsbausteine für die Prozessautomation und elektronische
Gerätebeschreibungssprache - Teil 3: Elektronische Gerätebeschreibungssprache
(EDDL)**

Blocs Fonctionnels (FB) pour les procédés industriels et le Langage de Description
Electronique de Produit (EDDL) - Partie 3: Sémantique et syntaxe EDDL

Ta slovenski standard je istoveten z: prEN IEC 61804-3:2018

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

oSIST prEN IEC 61804-3:2019

en,fr,de



65E/631/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER:	
IEC 61804-3 ED4	
DATE OF CIRCULATION:	CLOSING DATE FOR VOTING:
2018-11-16	2019-02-08
SUPERSEDES DOCUMENTS:	
65E/529/RR	

IEC SC 65E : DEVICES AND INTEGRATION IN ENTERPRISE SYSTEMS	
SECRETARIAT:	SECRETARY:
United States of America	Mr Donald (Bob) Lattimer
OF INTEREST TO THE FOLLOWING COMMITTEES:	PROPOSED HORIZONTAL STANDARD: <input type="checkbox"/>
	Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary.
FUNCTIONS CONCERNED:	<input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting https://standards.iteh.ae/catalog/standards/sist/ec771e9c-b407-4705-b4ae-8f535595-iec-61804-3-2020 The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Function Blocks (FB) for process control and Electronic Device Description Language (EDDL) - Part 3: EDDL syntax and semantics

PROPOSED STABILITY DATE: 2021

NOTE FROM TC/SC OFFICERS:

CONTENTS

1	Scope	6
2	Normative references	6
3	Terms, definitions, abbreviated terms and acronyms	7
3.1	Terms and definitions	7
3.2	Abbreviated terms and acronyms.....	9
4	Conformance statement.....	9
5	EDD and EDDL model	10
5.1	Overview of EDD and EDDL	10
5.2	EDD architecture	10
5.3	Concepts of EDD.....	10
5.4	Principles of the EDD development process	10
5.4.1	General	10
5.4.2	EDD source generation.....	11
5.4.3	EDD preprocessing.....	11
5.4.4	EDD compilation.....	11
5.5	Interrelations between the lexical structure and formal definitions	11
5.6	Builtins	11
5.7	Profiles.....	12
6	Conventions	12
6.1	General	12
6.2	Conventions for basic construct description.....	12
6.3	Conventions for lexical structure.....	13
7	Overview	14
7.1	EDDL features	14
7.2	Syntax representation.....	14
7.3	EDD language elements	14
7.4	Basic construction elements	15
7.4.1	General	15
7.4.2	AXIS	15
7.4.3	BLOB.....	15
7.4.4	BLOCK_A	15
7.4.5	BLOCK_B	16
7.4.6	CHART	16
7.4.7	COLLECTION	16
7.4.8	COMMAND	16
7.4.9	COMPONENT	17
7.4.10	COMPONENT_FOLDER	17
7.4.11	COMPONENT_REFERENCE	18
7.4.12	COMPONENT_RELATION.....	18
7.4.13	EDIT_DISPLAY	18
7.4.14	FILE	18
7.4.15	GRAPH.....	19
7.4.16	GRID	19
7.4.17	IMAGE.....	19
7.4.18	IMPORT	19

7.4.19	INTERFACE	19
7.4.20	LIKE	19
7.4.21	LIST	20
7.4.22	MENU.....	20
7.4.23	METHOD.....	21
7.4.24	PLUGIN	21
7.4.25	RECORD	21
7.4.26	REFERENCE_ARRAY	21
7.4.27	Relations	22
7.4.28	RESPONSE_CODES.....	23
7.4.29	SOURCE	23
7.4.30	TEMPLATE.....	23
7.4.31	VALUE_ARRAY	23
7.4.32	VARIABLE	24
7.4.33	VARIABLE_LIST.....	24
7.4.34	WAVEFORM	24
7.5	Common attributes	25
7.6	Special elements	25
7.7	Rules for instances.....	25
7.8	Rules for a list of VARIABLEs.....	26
8	EDD identification information.....	26
8.1	General structure	26
8.2	DD_REVISION	27
8.3	DEVICE_REVISION	27
8.4	DEVICE_TYPE	28
8.5	EDD_PROFILE.....	28
8.6	EDD_VERSION	29
8.7	LAYOUT_TYPE	29
8.8	MANUFACTURER	29
8.9	MANUFACTURER_EXT	30
9	Data modelling	30
9.1	VARIABLE	30
9.1.1	General structure.....	30
9.1.2	CLASS	32
9.1.3	CONSTANT_UNIT	35
9.1.4	DEFAULT_VALUE	36
9.1.5	INITIAL_VALUE	36
9.1.6	POST_EDIT_ACTIONS.....	37
9.1.7	POST_READ_ACTIONS	37
9.1.8	POST_RQSTUPDATE_ACTIONS	38
9.1.9	POST_USERCHANGE_ACTIONS.....	38
9.1.10	POST_WRITE_ACTIONS	39
9.1.11	PRE_EDIT_ACTIONS	39
9.1.12	PRE_READ_ACTIONS	39
9.1.13	PRE_WRITE_ACTIONS	40
9.1.14	REFRESH_ACTIONS	40
9.1.15	TYPE	40
9.2	REFERENCE_ARRAY	59
9.2.1	General structure.....	59

9.2.2 ELEMENTS	62
9.2.3 item-type	62
9.3 VALUE_ARRAY.....	62
9.3.1 General structure.....	62
9.3.2 NUMBER_OF_ELEMENTS	63
9.3.3 TYPE	64
9.4 LIST	64
9.4.1 General structure.....	64
9.4.2 CAPACITY.....	66
9.4.3 COUNT.....	66
9.4.4 TYPE	67
9.5 COLLECTION.....	67
9.5.1 General structure.....	67
9.5.2 item-type	68
9.6 FILE	69
9.6.1 General structure.....	69
9.6.2 IDENTITY	70
9.6.3 ON_UPDATE_ACTIONS	71
9.6.4 SHARED.....	71
9.7 Relations	72
9.7.1 REFRESH	72
9.7.2 SEMANTIC_MAP	73
9.7.3 UNIT	75
9.7.4 WRITE_AS_ONE	75
9.8 BLOB	76
9.8.1 General structure.....	76
9.8.2 IDENTITY	77
10 Communication.....	77
10.1 COMMAND.....	77
10.1.1 General structure.....	77
10.1.2 Command addressing	79
10.1.3 API	79
10.1.4 BLOCK_B	80
10.1.5 HEADER.....	80
10.1.6 INDEX	80
10.1.7 NUMBER	80
10.1.8 OPERATION.....	81
10.1.9 SLOT	82
10.1.10 SUB_SLOT	82
10.1.11 TRANSACTION	82
10.2 RECORD	89
10.3 RESPONSE_CODES	90
10.4 VARIABLE_LIST	90
11 User interface	91
11.1 MENU	91
11.1.1 General structure.....	91
11.1.2 ACCESS.....	92
11.1.3 EXIT_ACTIONS	93
11.1.4 INIT_ACTIONS	93

11.1.5 ITEMS	93
11.1.6 POST_EDIT_ACTIONS.....	95
11.1.7 POST_READ_ACTIONS	96
11.1.8 POST_WRITE_ACTIONS	96
11.1.9 PRE_EDIT_ACTIONS	96
11.1.10PRE_READ_ACTIONS	97
11.1.11PRE_WRITE_ACTIONS.....	97
11.1.12STYLE	97
11.1.13Sequence diagrams for actions.....	98
11.2 EDIT_DISPLAY	100
11.2.1 General structure.....	100
11.2.2 EDIT_ITEMS	101
11.2.3 DISPLAY_ITEMS	102
11.2.4 POST_EDIT_ACTIONS.....	102
11.2.5 PRE_EDIT_ACTIONS.....	102
11.3 IMAGE	103
11.3.1 General structure.....	103
11.3.2 LINK	104
11.3.3 PATH.....	105
11.4 GRID	105
11.4.1 General structure.....	105
11.4.2 ORIENTATION	108
11.4.3 VECTORS	108
11.5 CHART	109
11.5.1 General structure.....	109
11.5.2 CYCLE_TIME	117
11.5.3 LENGTH	118
11.5.4 TYPE.....	118
11.5.5 Sequence diagram for actions	121
11.5.6 CHART Legend/Help rules.....	121
11.6 SOURCE	123
11.6.1 General structure.....	123
11.6.2 EXIT_ACTIONS	125
11.6.3 INIT_ACTIONS	125
11.6.4 REFRESH_ACTIONS	125
11.6.5 Y_AXIS.....	126
11.7 AXIS.....	126
11.7.1 General structure.....	126
11.7.2 MIN_VALUE, MAX_VALUE	127
11.7.3 SCALING.....	128
11.7.4 CONSTANT_UNIT	128
11.8 GRAPH	128
11.8.1 General structure.....	128
11.8.2 CYCLE_TIME	137
11.8.3 X_AXIS.....	138
11.8.4 Sequence diagram for actions	138
11.9 WAVEFORM.....	139
11.9.1 General structure.....	139
11.9.2 EXIT_ACTIONS	140

11.9.3 INIT_ACTIONS	140
11.9.4 KEY_POINTS	141
11.9.5 REFRESH_ACTIONS	142
11.9.6 TYPE	142
11.9.7 Y_AXIS	145
11.10 PLUGIN	145
11.10.1 General structure	145
11.10.2 UUID	146
12 Business Logic	146
12.1 METHOD	146
12.1.1 General structure	146
12.1.2 ACCESS	148
12.1.3 CLASS	148
12.1.4 TYPE	149
13 Device modelling	150
13.1 BLOCK_A	150
13.1.1 General structure	150
13.1.2 AXIS_ITEMS	152
13.1.3 CHARACTERISTICS	153
13.1.4 CHARTS	153
13.1.5 CHART_ITEMS	153
13.1.6 COLLECTION_ITEMS	154
13.1.7 EDIT_DISPLAY_ITEMS	154
13.1.8 FILES	154
13.1.9 FILE_ITEMS	155
13.1.10 GRAPHS	155
13.1.11 GRAPH_ITEMS	155
13.1.12 GRIDS	156
13.1.13 GRID_ITEMS	156
13.1.14 IMAGE_ITEMS	156
13.1.15 ITEM_ARRAY_ITEMS	157
13.1.16 LISTS	157
13.1.17 LIST_ITEMS	157
13.1.18 LOCAL_PARAMETERS	157
13.1.19 MENUS	158
13.1.20 MENU_ITEMS	158
13.1.21 METHODS	158
13.1.22 METHOD_ITEMS	159
13.1.23 PARAMETERS	159
13.1.24 PARAMETER_LISTS	159
13.1.25 PLUGINS	160
13.1.26 PLUGIN_ITEMS	160
13.1.27 REFRESH_ITEMS	161
13.1.28 SEMANTIC_MAP_ITEMS	161
13.1.29 SOURCE_ITEMS	161
13.1.30 UNIT_ITEMS	161
13.1.31 WAVEFORM_ITEMS	162
13.1.32 WRITE_AS_ONE_ITEMS	162
13.2 BLOCK_B	162

13.2.1 General structure.....	162
13.2.2 NUMBER	163
13.2.3 TYPE.....	163
13.3 LIKE	164
13.4 IMPORT	164
13.4.1 General structure.....	164
13.5 TEMPLATE	168
13.5.1 General structure.....	168
13.5.2 DEFAULT_VALUES.....	169
13.6 COMPONENT	169
13.6.1 General structure.....	169
13.6.2 BYTE_ORDER.....	170
13.6.3 CAN_DELETE	171
13.6.4 CHECK_CONFIGURATION	171
13.6.5 COMPONENT_RELATIONS	171
13.6.6 CONNECTION_POINT	172
13.6.7 DETECT	172
13.6.8 EDD	172
13.6.9 INITIAL_VALUES.....	173
13.6.10REDUNDANCY.....	173
13.6.11SCAN	173
13.6.12SCAN_LIST	174
13.6.13PRODUCT_URI	174
13.7 COMPONENT_FOLDER.....	174
13.8 COMPONENT_REFERENCE.....	175
13.9 COMPONENT_RELATION	176
13.9.1 General structure.....	176
13.9.2 COMPONENTS	177
13.9.3 RELATION_TYPE.....	178
13.9.4 ADDRESSING	179
13.9.5 MAXIMUM_NUMBER.....	179
13.9.6 MINIMUM_NUMBER.....	179
13.9.7 REQUIRED_INTERFACE	180
13.10 INTERFACE	180
13.10.1General structure.....	180
13.10.2DECLARATION	180
14 Common attributes	181
14.1 CLASSIFICATION	181
14.2 COMPONENT_PARENT	183
14.3 COMPONENT_PATH	183
14.4 DEFINITION	183
14.5 EMPHASIS	184
14.6 HANDLING	185
14.7 HEIGHT.....	185
14.8 HELP.....	186
14.9 LABEL.....	187
14.10LINE_COLOR	187
14.11LINE_TYPE	188
14.12MEMBERS	189

14.13 PRIVATE	190
14.14 PROTOCOL	190
14.15 RESPONSE_CODES	191
14.16 SUPPLIED_INTERFACE	191
14.17 VALIDITY	192
14.18 VISIBILITY	192
14.19 WIDTH	193
14.20 WRITE_MODE	193
15 Redefinitions	193
15.1 Overview	193
15.2 AXIS	196
15.3 BLOB	196
15.4 BLOCK_A	197
15.5 BLOCK_B	199
15.6 CHART	199
15.7 COLLECTION	199
15.8 COMMAND	200
15.9 COMPONENT	200
15.10 COMPONENT_FOLDER	201
15.11 COMPONENT_REFERENCE	201
15.12 COMPONENT_RELATION	202
15.13 EDIT_DISPLAY	202
15.14 FILE	203
15.15 GRAPH	203
15.16 GRID	204
15.17 IMAGE	204
15.18 INTERFACE	205
15.19 LIST	205
15.20 MENU	205
15.21 METHOD	206
15.22 PLUGIN	207
15.23 RECORD	207
15.24 REFERENCE_ARRAY	207
15.25 RESPONSE_CODES	208
15.26 SOURCE	208
15.27 TEMPLATE	209
15.28 VALUE_ARRAY	209
15.29 VARIABLE	210
15.30 VARIABLE_LIST	211
15.31 WAVEFORM	212
16 Referencing	212
16.1 Referencing an EDD instance	212
16.2 Referencing AXIS of a GRAPH, SOURCE, WAVEFORM	213
16.3 Referencing bits of a BIT_ENUMERATED VARIABLE	213
16.4 Referencing members of a CHART	213
16.5 Referencing members of a COLLECTION	214
16.6 Referencing COMPONENT instances	214
16.7 Referencing COMPONENT types	214
16.8 Referencing members of a FILE	215

16.9 Referencing members of a GRAPH.....	215
16.10 Referencing elements of a LIST.....	215
16.11 Referencing members of a RECORD	216
16.12 Referencing elements of a REFERENCE_ARRAY	216
16.13 Referencing members of a SOURCE	216
16.14 Referencing elements of a VALUE_ARRAY	217
16.15 Referencing members of a VARIABLE_LISTS	217
16.16 Referencing BLOCK_A CHARACTERISTICS	217
16.17 Referencing elements of BLOCK_A LOCAL_PARAMETERS	218
16.18 Referencing elements of BLOCK_A PARAMETERS.....	218
16.19 Referencing elements of BLOCK_A PARAMETER_LISTS	218
16.20 Referencing CHARACTERISTICS of specific BLOCK_A instance	218
16.21 Referencing CHARTS of specific BLOCK_A instance	219
16.22 Referencing FILES of specific BLOCK_A instance	219
16.23 Referencing GRAPHS of specific BLOCK_A instance	220
16.24 Referencing GRIDS of specific BLOCK_A instance.....	220
16.25 Referencing LISTS of specific BLOCK_A instance	220
16.26 Referencing LOCAL_PARAMETERS of specific BLOCK_A instance	221
16.27 Referencing MENUS of specific BLOCK_A instance	221
16.28 Referencing METHODS of specific BLOCK_A instance	222
16.29 Referencing PARAMETERS of specific BLOCK_A instance	222
16.30 Referencing PLUGINS of specific BLOCK_A instance	222
17 Strings.....	223
17.1 Specifying a string as a string literal	223
17.2 Specifying a string as a string variable <small>1804-3-2020</small>	223
17.3 Specifying a string as an enumeration value <small>1804-3-2020</small>	223
17.4 Specifying a string as a dictionary reference <small>1804-3-2020</small>	224
17.5 Referencing HELP and LABEL attributes of EDD instances	224
17.6 String operations	224
18 Conditional expression	225
18.1 General structure	225
18.2 IF Conditional	225
18.3 SELECT Conditional	226
19 Expression	227
19.1 General structure	227
19.2 Primary expressions	227
19.3 Unary expressions	230
19.4 Binary expressions	230
19.4.1 General structure.....	230
19.4.2 Multiplicative operators	231
19.4.3 Additive operators	231
19.4.4 Shift operators	231
19.4.5 Relational operators	232
19.4.6 Equality operators	232
19.4.7 Bitwise AND operator (&).....	232
19.4.8 Bitwise XOR operator (^)	232
19.4.9 Bitwise OR operator ()	232
19.4.10 Logical AND operator (&&)	232
19.4.11 Logical OR operator ()	233

19.4.12	Conditional evaluation	233
20	Text dictionary	233
Annex A (normative) EDDL formal definition		234
A.1	EDDL preprocessor	234
A.1.1	General structure	234
A.1.2	Directives	234
A.1.3	Predefined macros	236
A.1.4	NEWLINE characters	237
A.1.5	Comments	237
A.2	Conventions	237
A.2.1	Integer constants	237
A.2.2	Floating-point constants	237
A.2.3	String literals	238
A.2.4	Using language and country codes in string literals	238
A.3	Operators	239
A.4	Keywords	243
A.5	Symbols and symbol scope	247
A.6	Terminals	247
A.7	Formal EDDL syntax	248
A.7.1	General	248
A.7.2	EDD identification information	248
A.7.3	AXIS	250
A.7.4	BLOCK_A and BLOCK_B	251
A.7.5	CHART	255
A.7.6	COLLECTION	256
A.7.7	COMMAND	257
A.7.8	COMPONENT	260
A.7.9	COMPONENT_FOLDER	263
A.7.10	COMPONENT_REFERENCE	263
A.7.11	COMPONENT_RELATION	264
A.7.12	EDIT_DISPLAY	266
A.7.13	FILE	267
A.7.14	GRAPH	267
A.7.15	GRID	267
A.7.16	IMAGE	268
A.7.17	INTERFACE	269
A.7.18	LIST	269
A.7.19	IMPORT	270
A.7.20	LIKE	272
A.7.21	MENU	274
A.7.22	METHOD	275
A.7.23	RECORD	277
A.7.24	REFERENCE_ARRAY	277
A.7.25	Relations	278
A.7.26	RESPONSE_CODES	280
A.7.27	SOURCE	281
A.7.28	TEMPLATE	281
A.7.29	VALUE_ARRAY	282
A.7.30	VARIABLE	282

A.7.31 VARIABLE_LIST	293
A.7.32 WAVEFORM.....	293
A.7.33 Common attributes	295
A.7.34 Expression	299
A.7.35 C-Grammar.....	301
A.7.36 Redefinition	305
A.7.37 References	330
A.7.38 PLUGIN	332
A.7.39 BLOB.....	333
A.7.40 SEMANTIC_MAP.....	333
A.8 Formal dictionary syntax.....	334
Annex B (normative) Data types.....	335
B.1 METHOD DEFINITION data types	335
B.2 VARIABLE TYPE data types.....	335
B.2.1 General	335
B.2.2 Coding of data DATE	337
B.2.3 Coding of data DATE_AND_TIME.....	338
B.2.4 Coding of data DURATION	338
B.2.5 Coding of data TIME	339
B.2.6 Coding of data TIME_VALUE	340
B.2.7 Coding of PACKED_ASCII (6-BIT ASCII) DATA FORMAT.....	340
B.2.8 Coding of BOOLEAN	341
B.2.9 Coding of BIT_ENUMERATED	341
Annex C (informative) EDD example	343
C.1 EDD example of a temperature transmitter 4.3.2020	343
C.2 EDD example 33cd8f9f026a/sist-en-iec-61804-3-2020	343
Figure 1 – Position of IEC 61804 in relation to other standards and products	5
Figure 2 – EDD generation process	11
Figure 3 – BLOCK_A	15
Figure 4 – CHART	16
Figure 5 – COLLECTION	16
Figure 6 – COMMAND	17
Figure 7 – COMPONENT	17
Figure 8 – COMPONENT_FOLDER	18
Figure 9 – COMPONENT_REFERENCE	18
Figure 10 – COMPONENT_RELATION	18
Figure 11 – EDIT_DISPLAY	18
Figure 12 – FILE	19
Figure 13 – GRAPH	19
Figure 14 – GRID.....	19
Figure 15 – IMAGE	19
Figure 16 – LIKE	20
Figure 17 – LIST	20
Figure 18 – MENU	21
Figure 19 – RECORD.....	21

Figure 20 – REFERENCE_ARRAY	22
Figure 21 – REFRESH	22
Figure 22 – SEMANTIC_MAP	22
Figure 23 – UNIT	23
Figure 24 – WRITE_AS_ONE	23
Figure 25 – SOURCE	23
Figure 26 – VALUE_ARRAY	24
Figure 27 – VARIABLE	24
Figure 28 – VARIABLE_LIST	24
Figure 29 – WAVEFORM	25
Figure 30 – REFERENCE_ARRAY example	61
Figure 31 – Abstract COMMAND definition example	62
Figure 32 – EDD examples of SEMANTIC_MAP	74
Figure 33 – Example of an item mask	85
Figure 34 – Example of a single item mask	86
Figure 35 – Mapping example with a single item mask	86
Figure 36 – Example of multiple item masks	87
Figure 37 – Mapping example with a multiple item mask	87
Figure 38 – INFO qualifier	88
Figure 39 – INDEX qualifier	88
Figure 40 – INFO and INDEX qualifier	88
Figure 41 – Examples of MENU STYLES	98
Figure 42 – MENU activation	100
Figure 43 – EDD example of an IMAGE	104
Figure 44 – EDD example of an IMAGE with the LINK attribute	104
Figure 45 – EDD example of a GRID	108
Figure 46 – Result of the EDD example	108
Figure 47 – Example of a chart with one curve in a dialog	111
Figure 48 – Example of a chart with two SOURCES	112
Figure 49 – Displaying example of a chart with two SOURCES	113
Figure 50 – Example of a chart with three horizontal bars	115
Figure 51 – Displaying example of a chart with three horizontal bars	115
Figure 52 – Example of a chart in a dialog	117
Figure 53 – Trend CHART Types examples	120
Figure 54 – Meter CHART Types examples	120
Figure 55 – CHART activation	121
Figure 56 – Legend / help for SOURCES with single and multiple Variables – Y_AXIS not defined	122
Figure 57 – Legend / Help for SOURCES Arrangement of multiple SOURCES with shared Y_AXIS	123
Figure 58 – A graph and the visual elements	130
Figure 59 – Example of a graph	133
Figure 60 – Multiple used axes	134
Figure 61 – EDD with device-supported zooming and scrolling	137