



SLOVENSKI STANDARD
oSIST prEN IEC 61804-5:2019
01-januar-2019

Funkcijski bloki (FB) za nadzor procesov in opisni jezik za elektronske naprave (EDDL) - 5. del: Vgrajena knjižnica EDDL

Function blocks (FB) for process control and electronic device description language (EDDL) - Part 5: EDDL Built-in library

Funktionsbausteine für die Prozessautomation und elektronische Gerätebeschreibungssprache - Teil 5: Bibliothek vorgefertigter Unterprogramme

Blocs fonctionnels (FB) pour les procédés industriels et le langage de description électronique de produit (EDDL) – Partie 5: Bibliothèque de Built-in EDDL

Ta slovenski standard je istoveten z: prEN IEC 61804-5:2018

ICS:

25.040.40	Merjenje in krmiljenje industrijskih postopkov	Industrial process measurement and control
35.240.50	Uporabniške rešitve IT v industriji	IT applications in industry

oSIST prEN IEC 61804-5:2019

en,fr,de



65E/634/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER: IEC 61804-5 ED2	
DATE OF CIRCULATION: 2018-11-16	CLOSING DATE FOR VOTING: 2019-02-08
SUPERSEDES DOCUMENTS: 65E/531/RR	

IEC SC 65E : DEVICES AND INTEGRATION IN ENTERPRISE SYSTEMS	
SECRETARIAT: United States of America	SECRETARY: Mr Donald (Bob) Lattimer
OF INTEREST TO THE FOLLOWING COMMITTEES:	PROPOSED HORIZONTAL STANDARD: <input type="checkbox"/> Other TC/SCs are requested to indicate their interest, if any, in this CDV to the secretary.
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Function blocks (FB) for process control and electronic device description language (EDDL) - Part 5: EDDL Builtin library

PROPOSED STABILITY DATE: 2021

NOTE FROM TC/SC OFFICERS:

CONTENTS

1	Scope	6
2	Normative references	6
3	Terms, definitions, acronyms and abbreviated terms	6
3.1	Terms and definitions	6
3.2	Acronyms and abbreviated terms.....	6
4	Conventions for Builtin descriptions	7
5	Builtin categories	8
5.1	Overview	8
5.2	User interface Bultins	18
5.3	Communication Bultins	20
5.4	Action Bultins	22
6	EDDL Builtin library	24
6.1	General	24
6.2	User Interface Bultins	24
6.2.1	Builtin ACKNOWLEDGE	24
6.2.2	Builtin acknowledge	25
6.2.3	Builtin DELAY	25
6.2.4	Builtin delay	26
6.2.5	Builtin delayfor	26
6.2.6	Builtin delayfor2	27
6.2.7	Builtin DISPLAY	29
6.2.8	Builtin display	30
6.2.9	Builtin display_bitenum	30
6.2.10	Builtin display_builtin_error	31
6.2.11	Builtin display_comm_error	31
6.2.12	Builtin display_comm_status	32
6.2.13	Builtin display_device_status	33
6.2.14	Builtin display_dynamics	33
6.2.15	Builtin display_dynamics2	34
6.2.16	Builtin display_message	35
6.2.17	Builtin display_message2	36
6.2.18	Builtin display_response_code	37
6.2.19	Builtin display_response_status	38
6.2.20	Builtin display_xmtr_status	39
6.2.21	Builtin edit_device_value	39
6.2.22	Builtin edit_device_value2	40
6.2.23	Builtin edit_local_value	42
6.2.24	Builtin edit_local_value2	43
6.2.25	Builtin get_acknowledgement	45
6.2.26	Builtin get_acknowledgement2	45
6.2.27	Builtin GET_DEV_VAR_VALUE	47
6.2.28	Builtin get_dev_var_value	47
6.2.29	Builtin GET_LOCAL_VAR_VALUE	48
6.2.30	Builtin get_local_var_value	49
6.2.31	Builtin Menu	49

6.2.32	Builtin MenuDisplay (version A)	50
6.2.33	Builtin MenuDisplay (version B)	51
6.2.34	Builtin PUT_MESSAGE	52
6.2.35	Builtin put_message	53
6.2.36	Builtin SELECT_FROM_LIST	55
6.2.37	Builtin select_from_list	55
6.2.38	Builtin select_from_menu	56
6.2.39	Builtin select_from_menu2	57
6.2.40	Prompt string formats	59
6.3	Communication Builtins	60
6.3.1	Builtin abort_on_all_comm_errors	60
6.3.2	Builtin ABORT_ON_ALL_COMM_STATUS	61
6.3.3	Builtin ABORT_ON_ALL_DEVICE_STATUS	61
6.3.4	Builtin ABORT_ON_ALL_RESPONSE_CODES	62
6.3.5	Builtin abort_on_all_response_codes	62
6.3.6	Builtin ABORT_ON_COMM_ERROR	63
6.3.7	Builtin abort_on_comm_error	63
6.3.8	Builtin ABORT_ON_COMM_STATUS	64
6.3.9	Builtin ABORT_ON_DEVICE_STATUS	64
6.3.10	Builtin ABORT_ON_NO_DEVICE (deprecated)	65
6.3.11	Builtin ABORT_ON_RESPONSE_CODE	65
6.3.12	Builtin abort_on_response_code	66
6.3.13	Builtin ext_send_command	67
6.3.14	Builtin ext_send_command_trans	68
6.3.15	Builtin fail_on_all_comm_errors	69
6.3.16	Builtin fail_on_all_response_codes	69
6.3.17	Builtin fail_on_comm_error	70
6.3.18	Builtin fail_on_response_code	70
6.3.19	Builtin get_more_status	71
6.3.20	Builtin IGNORE_ALL_COMM_STATUS	72
6.3.21	Builtin IGNORE_ALL_DEVICE_STATUS	72
6.3.22	Builtin IGNORE_ALL_RESPONSE_CODES	73
6.3.23	Builtin IGNORE_COMM_ERROR	73
6.3.24	Builtin IGNORE_COMM_STATUS	74
6.3.25	Builtin IGNORE_DEVICE_STATUS	74
6.3.26	Builtin IGNORE_NO_DEVICE (deprecated)	75
6.3.27	Builtin IGNORE_RESPONSE_CODE	75
6.3.28	Builtin read_value	76
6.3.29	Builtin read_value2	76
6.3.30	Builtin ReadCommand	77
6.3.31	Builtin retry_on_all_comm_errors	77
6.3.32	Builtin RETRY_ON_ALL_COMM_STATUS	78
6.3.33	Builtin RETRY_ON_ALL_DEVICE_STATUS	78
6.3.34	Builtin RETRY_ON_ALL_RESPONSE_CODES	79
6.3.35	Builtin retry_on_all_response_codes	79
6.3.36	Builtin RETRY_ON_COMM_ERROR	80
6.3.37	Builtin retry_on_comm_error	80
6.3.38	Builtin RETRY_ON_COMM_STATUS	81
6.3.39	Builtin RETRY_ON_DEVICE_STATUS	81

6.3.40	Builtin RETRY_ON_NO_DEVICE (deprecated)	82
6.3.41	Builtin RETRY_ON_RESPONSE_CODE	82
6.3.42	Builtin retry_on_response_code	83
6.3.43	Builtin send	84
6.3.44	Builtin send_all_values	84
6.3.45	Builtin send_command	85
6.3.46	Builtin send_command_trans	85
6.3.47	Builtin send_trans	86
6.3.48	Builtin send_value	87
6.3.49	Builtin send_value2	87
6.3.50	Builtin SET_NUMBER_OF_RETRIES	89
6.3.51	Builtin WriteCommand	89
6.3.52	Builtin XMTR_ABORT_ON_ALL_COMM_STATUS	89
6.3.53	Builtin XMTR_ABORT_ON_ALL_DATA	90
6.3.54	Builtin XMTR_ABORT_ON_ALL_DEVICE_STATUS	90
6.3.55	Builtin XMTR_ABORT_ON_ALL_RESPONSE_CODES	91
6.3.56	Builtin XMTR_ABORT_ON_COMM_ERROR	91
6.3.57	Builtin XMTR_ABORT_ON_COMM_STATUS	92
6.3.58	Builtin XMTR_ABORT_ON_DATA	92
6.3.59	Builtin XMTR_ABORT_ON_DEVICE_STATUS	93
6.3.60	Builtin XMTR_ABORT_ON_NO_DEVICE (deprecated)	93
6.3.61	Builtin XMTR_ABORT_ON_RESPONSE_CODE	94
6.3.62	Builtin XMTR_IGNORE_ALL_COMM_STATUS	94
6.3.63	Builtin XMTR_IGNORE_ALL_DATA	95
6.3.64	Builtin XMTR_IGNORE_ALL_DEVICE_STATUS	95
6.3.65	Builtin XMTR_IGNORE_ALL_RESPONSE_CODES	96
6.3.66	Builtin XMTR_IGNORE_COMM_ERROR	96
6.3.67	Builtin XMTR_IGNORE_COMM_STATUS	96
6.3.68	Builtin XMTR_IGNORE_DATA	97
6.3.69	Builtin XMTR_IGNORE_DEVICE_STATUS	97
6.3.70	Builtin XMTR_IGNORE_NO_DEVICE (deprecated)	98
6.3.71	Builtin XMTR_IGNORE_RESPONSE_CODE	98
6.3.72	Builtin XMTR_RETRY_ON_ALL_COMM_STATUS	99
6.3.73	Builtin XMTR_RETRY_ON_ALL_DATA	99
6.3.74	Builtin XMTR_RETRY_ON_ALL_DEVICE_STATUS	100
6.3.75	Builtin XMTR_RETRY_ON_ALL_RESPONSE_CODES	100
6.3.76	Builtin XMTR_RETRY_ON_COMM_ERROR	101
6.3.77	Builtin XMTR_RETRY_ON_COMM_STATUS	101
6.3.78	Builtin XMTR_RETRY_ON_DATA	102
6.3.79	Builtin XMTR_RETRY_ON_DEVICE_STATUS	102
6.3.80	Builtin XMTR_RETRY_ON_NO_DEVICE (deprecated)	103
6.3.81	Builtin XMTR_RETRY_ON_RESPONSE_CODE	103
6.4	Action Builtins	104
6.4.1	Builtin fgetval	104
6.4.2	Builtin fsetval	104
6.4.3	Builtin get_date	105
6.4.4	Builtin get_double	105
6.4.5	Builtin get_float	106
6.4.6	Builtin get_signed	106

6.4.7	Builtin get_string	107
6.4.8	Builtin get_unsigned	108
6.4.9	Builtin igetval	108
6.4.10	Builtin isetval	109
6.4.11	Builtin isOffline	109
6.4.12	Builtin lgetval	110
6.4.13	Builtin lsetval	110
6.4.14	Builtin put_date	110
6.4.15	Builtin put_double	111
6.4.16	Builtin put_float	112
6.4.17	Builtin put_signed	112
6.4.18	Builtin put_string	113
6.4.19	Builtin put_unsigned	114
6.4.20	Builtin sgetval	114
6.4.21	Builtin ssetval	115
6.5	Variable Access Builtins	115
6.5.1	Builtin assign	115
6.5.2	Builtin assign_double	116
6.5.3	Builtin assign_float	116
6.5.4	Builtin assign_int	117
6.5.5	Builtin assign_var	117
6.5.6	Builtin assign2	118
6.5.7	Builtin dassign	119
6.5.8	Builtin fassign	119
6.5.9	Builtin float_value	120
6.5.10	Builtin fvar_value	120
6.5.11	Builtin get_date_value	121
6.5.12	Builtin get_date_value2	121
6.5.13	Builtin get_double_value	122
6.5.14	Builtin get_double_value2	123
6.5.15	Builtin get_float_value	124
6.5.16	Builtin get_float_value2	125
6.5.17	Builtin get_signed_value	125
6.5.18	Builtin get_signed_value2	126
6.5.19	Builtin get_string_value	127
6.5.20	Builtin get_string_value2	128
6.5.21	Builtin get_unsigned_value	129
6.5.22	Builtin get_unsigned_value2	130
6.5.23	Builtin iassign	131
6.5.24	Builtin int_value	131
6.5.25	Builtin ivar_value	132
6.5.26	Builtin lassign	132
6.5.27	Builtin long_value	132
6.5.28	Builtin lvar_value	133
6.5.29	Builtin put_date_value	133
6.5.30	Builtin put_date_value2	134
6.5.31	Builtin put_double_value	135
6.5.32	Builtin put_double_value2	136
6.5.33	Builtin put_float_value	137

6.5.34	Builtin put_float_value2	137
6.5.35	Builtin put_signed_value	138
6.5.36	Builtin put_signed_value2	139
6.5.37	Builtin put_string_value	140
6.5.38	Builtin put_string_value2	141
6.5.39	Builtin put_unsigned_value	142
6.5.40	Builtin put_unsigned_value2	142
6.5.41	Builtin ret_double_value	143
6.5.42	Builtin ret_double_value2	144
6.5.43	Builtin ret_float_value	144
6.5.44	Builtin ret_float_value2	145
6.5.45	Builtin ret_signed_value	145
6.5.46	Builtin ret_signed_value2	146
6.5.47	Builtin ret_unsigned_value	146
6.5.48	Builtin ret_unsigned_value2	147
6.5.49	Builtin vassign	147
6.6	Normal Termination Builtins	148
6.6.1	Builtin discard_on_exit	148
6.6.2	Builtin save_on_exit	149
6.6.3	Builtin save_values	149
6.6.4	Builtin send_on_exit	150
6.7	Abnormal Termination Builtins	151
6.7.1	Builtin abort	151
6.7.2	Builtin add_abort_method (version A)	151
6.7.3	Builtin add_abort_method (version B)	152
6.7.4	Builtin method_abort	152
6.7.5	Builtin pop_abort_method	153
6.7.6	Builtin process_abort	153
6.7.7	Builtin push_abort_method	154
6.7.8	Builtin remove_abort_method (version A)	154
6.7.9	Builtin remove_abort_method (version B)	154
6.7.10	Builtin remove_all_abort_methods	155
6.8	String Builtins	155
6.8.1	Builtin atof	155
6.8.2	Builtin atoi	156
6.8.3	Builtin BUILD_MESSAGE	156
6.8.4	Builtin dictionary_string	157
6.8.5	Builtin ftoa	157
6.8.6	Builtin get_comm_error_string	157
6.8.7	Builtin get_dictionary_string	158
6.8.8	Builtin get_enum_string	159
6.8.9	Builtin get_response_code_string	159
6.8.10	Builtin get_rspcode_string	160
6.8.11	Builtin get_rspcode_string_by_id	161
6.8.12	Builtin get_status_code_string (deprecated)	161
6.8.13	Builtin get_status_string	162
6.8.14	Builtin get_stddict_string	163
6.8.15	Builtin get_variable_string	163
6.8.16	Builtin itoa (version A)	164

6.8.17	Builtin itoa (version B)	164
6.8.18	Builtin strleft	165
6.8.19	Builtin strcmp	165
6.8.20	Builtin strlen	166
6.8.21	Builtin strlwr	166
6.8.22	Builtin strmid	167
6.8.23	Builtin strright	167
6.8.24	Builtin strstr	168
6.8.25	Builtin strtrim	168
6.8.26	Builtinstrupr	169
6.8.27	Builtin trunc	169
6.9	Date Time Builtins	170
6.9.1	Builtin AddTime	170
6.9.2	Builtin DATE_AND_TIME_VALUE_to_string	170
6.9.3	Builtin Date_to_DayOfMonth	171
6.9.4	Builtin DATE_to_days	171
6.9.5	Builtin Date_to_Month	171
6.9.6	Builtin DATE_to_string	172
6.9.7	Builtin Date_To_Time	172
6.9.8	Builtin Date_to_Year	172
6.9.9	Builtin days_to_DATE	173
6.9.10	Builtin DELAY_TIME	173
6.9.11	Builtin DiffTime	173
6.9.12	Builtin From_DATE_AND_TIME_VALUE	174
6.9.13	Builtin From_TIME_VALUE	174
6.9.14	Builtin GetCurrentDate	175
6.9.15	Builtin GetCurrentDateAndTime	175
6.9.16	Builtin GetCurrentTime	175
6.9.17	Builtin GET_TICK_COUNT	176
6.9.18	Builtin Make_Time	176
6.9.19	Builtin seconds_to_TIME_VALUE	177
6.9.20	Builtin seconds_to_TIME_VALUE8	177
6.9.21	Builtin Time_To_Date	177
6.9.22	Builtin TIME_VALUE_to_Hour	178
6.9.23	Builtin TIME_VALUE_to_Minute	178
6.9.24	Builtin TIME_VALUE_to_Second	179
6.9.25	Builtin TIME_VALUE_to_seconds	179
6.9.26	Builtin TIME_VALUE_to_string	180
6.9.27	Builtin timet_to_string	180
6.9.28	Builtin timet_to_TIME_VALUE	181
6.9.29	Builtin timet_To_TIME_VALUE	181
6.9.30	Builtin timet_to_TIME_VALUE8	182
6.9.31	Builtin To_Date	182
6.9.32	Builtin To_Date_and_Time	182
6.9.33	Builtin To_Time	183
6.9.34	Builtin To_TIME_VALUE	183
6.9.35	Builtin To_TIME_VALUE8	184
6.10	Diagnostic Builtins	184
6.10.1	Builtin get_comm_error	184

6.10.2	Builtin get_dds_error	185
6.10.3	Builtin get_response_code.....	186
6.11	Math Builtins	187
6.11.1	Builtin abs	187
6.11.2	Builtin acos.....	187
6.11.3	Builtin asin.....	187
6.11.4	Builtin atan	188
6.11.5	Builtin ByteToDouble	188
6.11.6	Builtin ByteToFloat	189
6.11.7	Builtin ByteToLong	189
6.11.8	Builtin ByteToShort.....	190
6.11.9	Builtin cbrt	190
6.11.10	Builtin ceil.....	191
6.11.11	Builtin cos.....	191
6.11.12	Builtin cosh.....	191
6.11.13	Builtin DoubleToByte	192
6.11.14	Builtin drand	192
6.11.15	Builtin dseed.....	193
6.11.16	Builtin exp	193
6.11.17	Builtin FloatToByte	194
6.11.18	Builtin floor	194
6.11.19	Builtin fmod	194
6.11.20	Builtin fpclassify.....	195
6.11.21	Builtin is_NaN.....	195
6.11.22	Builtin log	196
6.11.23	Builtin log10.....	196
6.11.24	Builtin log2	196
6.11.25	Builtin LongToByte	197
6.11.26	Builtin nan	197
6.11.27	Builtin NaN_value	198
6.11.28	Builtin nanf	198
6.11.29	Builtin pow.....	199
6.11.30	Builtin round	199
6.11.31	Builtin ShortToByte.....	200
6.11.32	Builtin sin.....	200
6.11.33	Builtin sinh.....	201
6.11.34	Builtin sqrt	201
6.11.35	Builtin tan	201
6.11.36	Builtin tanh	202
6.12	List Builtins.....	202
6.12.1	Builtin get_date_lelem	202
6.12.2	Builtin get_date_lelem2	203
6.12.3	Builtin get_double_lelem.....	204
6.12.4	Builtin get_double_lelem2.....	205
6.12.5	Builtin get_float_lelem	206
6.12.6	Builtin get_float_lelem2	206
6.12.7	Builtin get_signed_lelem.....	207
6.12.8	Builtin get_signed_lelem2.....	208
6.12.9	Builtin get_string_lelem	209

6.12.10	Builtin get_string_lelem2.....	209
6.12.11	Builtin get_unsigned_lelem.....	210
6.12.12	Builtin get_unsigned_lelem2.....	211
6.12.13	Builtin ListDeleteElementAt (version A).....	212
6.12.14	Builtin ListDeleteElementAt (version B).....	213
6.12.15	Builtin ListDeleteElementAt2.....	213
6.12.16	Builtin ListInsert (version A).....	214
6.12.17	Builtin ListInsert (version B).....	214
6.12.18	Builtin ListInsert2.....	215
6.13	Translation Builtins.....	216
6.13.1	Builtin DICT_ID.....	216
6.13.2	Builtin get_block_instance_by_object_index.....	216
6.13.3	Builtin get_block_instance_by_tag.....	217
6.13.4	Builtin get_block_instance_count.....	218
6.13.5	Builtin get_resolve_status.....	219
6.13.6	Builtin ITEM_ID.....	219
6.13.7	Builtin MEMBER_ID.....	220
6.13.8	Builtin ObjectReference.....	220
6.13.9	Builtin resolve_array_ref.....	221
6.13.10	Builtin resolve_array_ref2.....	222
6.13.11	Builtin resolve_block_ref.....	223
6.13.12	Builtin resolve_block_ref2.....	223
6.13.13	Builtin resolve_list_ref.....	224
6.13.14	Builtin resolve_local_ref.....	224
6.13.15	Builtin resolve_local_ref2.....	225
6.13.16	Builtin resolve_param_list_ref.....	225
6.13.17	Builtin resolve_param_ref.....	226
6.13.18	Builtin resolve_param_ref2.....	227
6.13.19	Builtin resolve_record_ref.....	227
6.13.20	Builtin resolve_record_ref2.....	228
6.13.21	Builtin VARID.....	229
6.14	Block Transfer Builtins.....	229
6.14.1	Builtin abortTransferPort.....	229
6.14.2	Builtin closeTransferPort.....	229
6.14.3	Builtin fGetByte.....	230
6.14.4	Builtin get_transfer_status.....	230
6.14.5	Builtin openTransferPort.....	231
6.14.6	Builtin readItemFromDevice.....	231
6.14.7	Builtin writeItemToDevice.....	232
6.15	File Builtins.....	232
6.15.1	Builtin browsedIdentity.....	232
6.15.2	Builtin re_read_file.....	233
6.15.3	Builtin re_write_file.....	233
6.16	Identification Builtins.....	234
6.16.1	Builtin GET_DD_REVISION.....	234
6.16.2	Builtin GET_DEVICE_REVISION.....	234
6.16.3	Builtin GET_DEVICE_TYPE.....	234
6.16.4	Builtin GET_MANUFACTURER.....	235
6.17	Development Support Builtins.....	235

6.17.1 Builtin _ERROR.....	235
6.17.2 Builtin _TRACE.....	235
6.17.3 Builtin _WARNING.....	236
6.17.4 Builtin LOG_MESSAGE	236
6.18 DDL References	237
6.18.1 Direct Referencing of VARIABLES	237
6.18.2 Accessing Standard Dictionary Strings	238
6.18.3 String Support Using DD_STRING.....	238
6.18.4 Referencing DD Item Attributes	238
6.19 Method Functions	239
7 Builtins return codes	241
Table 1 – Format for the Builtin overview table.....	7
Table 2 – Contents of the Builtin overview table.....	7
Table 3 – Format for the Builtins lexical element tables.....	7
Table 4 – Contents of the lexical element table	8
Table 5 – Builtin overview	9
Table 6 – Usage of Builtins	18
Table 7 – User interface Builtins	19
Table 8 – Communication Builtins	20
Table 9 – Action Builtins	22
Table 10 – Builtin ACKNOWLEDGE	25
Table 11 – Builtin acknowledge.....	25
Table 12 – Builtin DELAY.....	26
Table 13 – Builtin delay.....	26
Table 14 – Builtin delayfor	27
Table 15 – Builtin delayfor2	29
Table 16 – Builtin DISPLAY	30
Table 17 – Builtin display.....	30
Table 18 – Builtin display_bitenum.....	31
Table 19 – Builtin display_builtin_error	31
Table 20 – Builtin display_comm_error	32
Table 21 – Builtin display_comm_status.....	32
Table 22 – Builtin display_device_status.....	33
Table 23 – Builtin display_dynamics	33
Table 24 – Builtin display_dynamics2.....	35
Table 25 – Builtin display_message	36
Table 26 – Builtin display_message2	37
Table 27 – Builtin display_response_code	38
Table 28 – Builtin display_response_status.....	39
Table 29 – Builtin display_xmtr_status	39
Table 30 – Builtin edit_device_value	40
Table 31 – Builtin edit_device_value2	42
Table 32 – Builtin edit_local_value.....	43

Table 33 – Builtin edit_local_value2	44
Table 34 – Builtin get_acknowledgement	45
Table 35 – Builtin get_acknowledgement2	46
Table 36 – Builtin GET_DEV_VAR_VALUE	47
Table 37 – Builtin get_dev_var_value	48
Table 38 – Builtin GET_LOCAL_VAR_VALUE	48
Table 39 – Builtin get_local_var_value	49
Table 40 – Builtin Menu	50
Table 41 – Builtin MenuDisplay	51
Table 42 – Builtin MenuDisplay	52
Table 43 – Builtin PUT_MESSAGE	53
Table 44 – Builtin put_message	54
Table 45 – Builtin SELECT_FROM_LIST	55
Table 46 – Builtin select_from_list	56
Table 47 – Builtin select_from_menu	57
Table 48 – Builtin select_from_menu2	59
Table 49 – Format Options	60
Table 50 – Builtin abort_on_all_comm_errors	60
Table 51 – Builtin ABORT_ON_ALL_COMM_STATUS	61
Table 52 – Builtin ABORT_ON_ALL_DEVICE_STATUS	61
Table 53 – Builtin ABORT_ON_ALL_RESPONSE_CODES	62
Table 54 – Builtin abort_on_all_response_codes	62
Table 55 – Builtin ABORT_ON_COMM_ERROR	63
Table 56 – Builtin abort_on_comm_error	63
Table 57 – Builtin ABORT_ON_COMM_STATUS	64
Table 58 – Builtin ABORT_ON_DEVICE_STATUS	65
Table 59 – Builtin ABORT_ON_NO_DEVICE	65
Table 60 – Available Abort and Retry Masks	66
Table 61 – Builtin ABORT_ON_RESPONSE_CODE	66
Table 62 – Builtin abort_on_response_code	67
Table 63 – Builtin ext_send_command	68
Table 64 – Builtin ext_send_command_trans	69
Table 65 – Builtin fail_on_all_comm_errors	69
Table 66 – Builtin fail_on_all_response_codes	70
Table 67 – Builtin fail_on_comm_error	70
Table 68 – Builtin fail_on_response_code	71
Table 69 – Builtin get_more_status	72
Table 70 – Builtin IGNORE_ALL_COMM_STATUS	72
Table 71 – Builtin IGNORE_ALL_DEVICE_STATUS	73
Table 72 – Builtin IGNORE_ALL_RESPONSE_CODES	73
Table 73 – Builtin IGNORE_COMM_ERROR	74
Table 74 – Builtin IGNORE_COMM_STATUS	74
Table 75 – Builtin IGNORE_DEVICE_STATUS	75

Table 76 – Builtin IGNORE_NO_DEVICE.....	75
Table 77 – Builtin IGNORE_RESPONSE_CODE.....	76
Table 78 – Builtin read_value.....	76
Table 79 – Builtin read_value2.....	77
Table 80 – Builtin ReadCommand.....	77
Table 81 – Builtin retry_on_all_comm_errors.....	78
Table 82 – Builtin RETRY_ON_ALL_COMM_STATUS.....	78
Table 83 – Builtin RETRY_ON_ALL_DEVICE_STATUS.....	79
Table 84 – Builtin RETRY_ON_ALL_RESPONSE_CODES.....	79
Table 85 – Builtin retry_on_all_response_codes.....	80
Table 86 – Builtin RETRY_ON_COMM_ERROR.....	80
Table 87 – Builtin retry_on_comm_error.....	81
Table 88 – Builtin RETRY_ON_COMM_STATUS.....	81
Table 89 – Builtin RETRY_ON_DEVICE_STATUS.....	82
Table 90 – Builtin RETRY_ON_NO_DEVICE.....	82
Table 91 – Builtin RETRY_ON_RESPONSE_CODE.....	83
Table 92 – Builtin retry_on_response_code.....	83
Table 93 – Builtin send.....	84
Table 94 – Builtin send_all_values.....	85
Table 95 – Builtin send_command.....	85
Table 96 – Builtin send_command_trans.....	86
Table 97 – Builtin send_trans.....	87
Table 98 – Builtin send_value.....	87
Table 99 – Builtin send_value2.....	88
Table 100 – Builtin SET_NUMBER_OF_RETRIES.....	89
Table 101 – Builtin WriteCommand.....	89
Table 102 – Builtin XMTR_ABORT_ON_ALL_COMM_STATUS.....	90
Table 103 – Builtin XMTR_ABORT_ON_ALL_DATA.....	90
Table 104 – Builtin XMTR_ABORT_ON_ALL_DEVICE_STATUS.....	91
Table 105 – Builtin XMTR_ABORT_ON_ALL_RESPONSE_CODES.....	91
Table 106 – Builtin XMTR_ABORT_ON_COMM_ERROR.....	91
Table 107 – Builtin XMTR_ABORT_ON_COMM_STATUS.....	92
Table 108 – Builtin XMTR_ABORT_ON_DATA.....	92
Table 109 – Builtin XMTR_ABORT_ON_DEVICE_STATUS.....	93
Table 110 – Builtin XMTR_ABORT_ON_NO_DEVICE.....	93
Table 111 – Builtin XMTR_ABORT_ON_RESPONSE_CODE.....	94
Table 112 – Builtin XMTR_IGNORE_ALL_COMM_STATUS.....	94
Table 113 – Builtin XMTR_IGNORE_ALL_DATA.....	95
Table 114 – Builtin XMTR_IGNORE_ALL_DEVICE_STATUS.....	95
Table 115 – Builtin XMTR_IGNORE_ALL_RESPONSE_CODES.....	96
Table 116 – Builtin XMTR_IGNORE_COMM_ERROR.....	96
Table 117 – Builtin XMTR_IGNORE_COMM_STATUS.....	97
Table 118 – Builtin XMTR_IGNORE_DATA.....	97